

Cancer in Colorado

1996 - 2001

**Incidence,
Mortality,
and
Survival**

**Jack L. Finch, M.S.
Statistical Analyst III**

**Shelley K. Karp, B.A.
Statistician, Abacus Statistical Consultants**

2004

**Colorado Central Cancer Registry
Randi Rycroft, B.A., B.S., C.T.R., Program Manager**

**Chronic Disease Prevention Section
Normie Morin-Voillequé, Ph.D., M.P.H, Director**

**Prevention Services Division
Jillian Jacobellis, Ph.D., M.S., Director**

**Colorado Department of Public Health and Environment
Douglas H. Benevento, Executive Director**

Bill Owens, Governor

*Dedicated to protecting and improving
the health and environment of the people of Colorado*

**Main Building
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530
303-692-2540**

The Colorado Central Cancer Registry is pleased to present “*Cancer in Colorado, 1996-2001, Incidence, Mortality, and Survival*” which contains statewide, population-based cancer incidence, early detection, survival, and mortality data. These data can be used by public health officials, hospital administrators, physicians, and others to develop and evaluate prevention and intervention strategies, to identify high risk populations, and to prioritize resource allocations for screening and services for Coloradans.

Appreciation is extended to those persons/agencies listed below for their continuing support, commitment, and cooperation. This publication would not have been possible without them.

Colorado Central Cancer Registry Personnel: Carol Jewell, CTR; Annie Nelson, CTR; Susan Phelps; Josie Ponce, CTR; Winona Redhorse, CTR; Vicki Schniepp, RHIT, CTR; Valerie Somma, CTR; and Kieu Vu, M.S.P.H.

Rocky Mountain Cancer Data System, University of Utah, Salt Lake City, Utah

Colorado hospital tumor registrars, Central Registry circuit riders, hospital registry supervisors, and hospital administrators

Pathology laboratories

Outpatient diagnostic and treatment facilities

Colorado physicians

Health Statistics Section, Health Statistics and Vital Records, Center for Health and Environmental Information and Statistics, Colorado Department of Public Health and Environment

Demography Section, Colorado Division of Local Government, Colorado Department of Local Affairs

It is important to remember that these data represent Coloradans confronting the challenge of a cancer diagnosis. We hope these statistics will be helpful in your work. For additional information you may contact the Colorado Central Cancer Registry at 303-692-2540 or visit our web site at <http://www.cdph.state.co.us/pp/cccr/cccrhom.asp>.

Table of Contents

Background and Data Sources	1
Ten Most Common Diagnosed Cancers	1
References.....	2
Technical Notes	3
Cancers - Statistical Tables and Highlights - Colorado and National Data	
All Cancers Combined.....	6
Bladder.....	8
Brain and Other Nervous System	10
Breast	12
Cervix Uteri	14
Colon and Rectum.....	16
Corpus Uteri and Uterus, NOS	18
Esophagus	20
Hodgkin Lymphoma	22
Kidney and Renal Pelvis.....	24
Larynx.....	26
Leukemias.....	28
Acute Lymphocytic Leukemia.....	30
Acute Myeloid Leukemia	32
Chronic Lymphocytic Leukemia	34
Chronic Myeloid Leukemia	36
Liver and Intrahepatic Bile Duct	38
Lung and Bronchus.....	40
Melanomas of the Skin	42
Multiple Myeloma	44
Non-Hodgkin Lymphoma.....	46
Oral Cavity and Pharynx.....	48
Ovary.....	50
Pancreas	52
Prostate.....	54
Stomach.....	56
Testis.....	58
Thyroid.....	60

Detailed Cancer Incidence Tables – Colorado by Cancer Site, Sex, and Race/Ethnicity

<p>All Cancers Combined.....62</p> <p>Anus, Anal Canal, and Anorectum63</p> <p>Bones and Joints64</p> <p>Brain.....65</p> <p>Brain and Other Nervous System66</p> <p>Breast67</p> <p>Buccal Cavity and Pharynx.....68</p> <p>Cervix Uteri69</p> <p>Colon and Rectum.....70</p> <p>Corpus Uteri.....71</p> <p>Digestive System72</p> <p>Endocrine System73</p> <p>Esophagus74</p> <p>Eye75</p> <p>Female Genital System76</p> <p>Floor of Mouth.....77</p> <p>Gallbladder.....78</p> <p>Gum and Other Mouth.....79</p> <p>Hodgkin Lymphoma.....80</p> <p>Hypopharynx.....81</p> <p>Kidney and Renal Pelvis.....82</p> <p>Larynx.....83</p> <p>Leukemia.....84</p> <p style="padding-left: 20px;">Acute Lymphocytic Leukemia.....85</p> <p style="padding-left: 20px;">Acute Myeloid Leukemia86</p> <p style="padding-left: 20px;">Chronic Lymphocytic Leukemia.....87</p> <p style="padding-left: 20px;">Chronic Myeloid Leukemia88</p> <p style="padding-left: 20px;">Other Leukemias, not otherwise displayed89</p> <p>Lip.....90</p> <p>Liver and Intrahepatic Bile Duct91</p> <p>Lung and Bronchus.....92</p> <p>Lymphomas.....93</p> <p>Major Salivary Gland.....94</p> <p>Male Genital System.....95</p> <p>Melanomas of the Skin96</p> <p>Multiple Myeloma97</p> <p>Nasal Cavity, Sinuses, and Middle Ear...98</p> <p>Nasopharynx99</p> <p>Non-Hodgkin Lymphoma.....100</p> <p>Non-Melanoma Skin Cancers (excluding Basal and Squamous Cell) 101</p>	<p>Oropharynx 102</p> <p>Other Biliary (excluding Liver, Intrahepatic Bile Duct, and Gallbladder) 103</p> <p>Other Digestive Organs, not otherwise displayed 104</p> <p>Other Endocrine Organs (excluding Thyroid) 105</p> <p>Other Female Genital Organs, not otherwise displayed 106</p> <p>Other Male Genital Organs, not otherwise displayed 107</p> <p>Other Nervous System (excluding Brain) 108</p> <p>Other Urinary Organs, not otherwise displayed 109</p> <p>Other, Ill-Defined & Unknown Sites 110</p> <p>Ovary..... 111</p> <p>Pancreas 112</p> <p>Penis..... 113</p> <p>Peritoneum 114</p> <p>Pharynx and Other Buccal Cavity, not otherwise displayed 115</p> <p>Prostate..... 116</p> <p>Respiratory System 117</p> <p>Retroperitoneum 118</p> <p>Skin (excluding Basal and Squamous Cell Carcinoma) 119</p> <p>Small Intestine 120</p> <p>Soft Tissue, including Heart 121</p> <p>Stomach..... 122</p> <p>Testis..... 123</p> <p>Thyroid..... 124</p> <p>Tongue 125</p> <p>Tonsil 126</p> <p>Trachea, Pleura, and Other Respiratory Organs, not otherwise displayed..... 127</p> <p>Ureter 128</p> <p>Urinary Bladder 129</p> <p>Urinary System 130</p> <p>Vagina..... 131</p> <p>Vulva..... 132</p>
--	--

Table of Contents

Detailed Cancer Mortality Tables – Colorado by Cancer Site, Sex, and Race/Ethnicity

All Cancers Combined.....	133
Bones and Joints	134
Brain and Other Nervous System	135
Breast	136
Buccal Cavity and Pharynx.....	137
Cervix Uteri	138
Colon and Rectum.....	139
Corpus Uteri.....	140
Esophagus	141
Hodgkin Lymphoma.....	142
Kidney and Renal Pelvis.....	143
Larynx.....	144
Leukemia.....	145
Acute Lymphocytic Leukemia.....	146
Acute Myeloid Leukemia	147
Chronic Lymphocytic Leukemia	148
Chronic Myeloid Leukemia	149
Liver and Intrahepatic Bile Duct	150
Lung and Bronchus.....	151
Melanomas of the Skin	152
Multiple Myeloma	153
Non-Hodgkin Lymphoma.....	154
Ovary.....	155
Pancreas	156
Prostate.....	157
Soft Tissue, including Heart	158
Stomach.....	159
Testis.....	160
Thyroid.....	161
Urinary Bladder	162

Seer Recodes and Groupings for Selected Cancer Sites

SEER Site Groupings for Selected Sites of Cancer Incidence (ICD-O-3)	163
SEER Site Groupings for Selected Cancer Causes of Death (ICD-9 and ICD-10).....	165

This report on Colorado cancer incidence, survival, and mortality for 1996-2001 is published by the Colorado Central Cancer Registry (CCCR), the cancer surveillance program of the Prevention Services Division in the Colorado Department of Public Health and Environment (CDPHE). These statistics are important indicators for Colorado cancer trends and for evaluation of cancer prevention and control efforts. For all cancers combined and for each of 27 cancers, a two-page layout of tables describing highlighted findings, and information about incidence, early detection, survival,

and mortality are presented in this report. Many of these cancers, such as colon and rectum, lung, melanoma, breast, invasive cervix, prostate, and bladder are either preventable or detectable at an early and more survivable stage of disease. As the table below shows, these seven cancers accounted for nearly 65% of all cancers diagnosed in Colorado during 1997-2001. Additional tables in the report present statewide 1991-2001 incidence counts and rates for over 70 detailed cancer sites and 1991-2001 mortality counts and rates for 30 selected cancers.

**Ten Most Common Diagnosed Cancers
by Sex, Colorado, 1997-2001**

Rank	Male			Female			Both Sexes		
	Site	N	%	Site	N	%	Site	N	%
1	Prostate	12622	29.3	Breast	16406	35.8	Breast	16486	18.5
2	Lung and Bronchus	4982	11.6	Colon and Rectum	4281	9.3	Prostate	12622	14.2
3	Colon and Rectum	4607	10.7	Lung and Bronchus	4146	9.0	Lung and Bronchus	9128	10.3
4	Melanoma	3106	7.2	Melanoma	2486	5.4	Colon and Rectum	8888	10.0
5	Bladder	2601	6.0	Corpus Uteri and Uterus, NOS	2061	4.5	Melanoma	5592	6.3
6	Non-Hodgkin Lymphoma	1631	3.8	Ovary	1628	3.5	Bladder	3466	3.9
7	Leukemias	1343	3.1	Non-Hodgkin Lymphoma	1528	3.3	Non-Hodgkin Lymphoma	3159	3.6
8	Kidney and Renal Pelvis	1240	2.9	Thyroid	1176	2.6	Leukemias	2323	2.6
9	Oral Cavity and Pharynx	1118	2.6	Leukemias	980	2.1	Corpus Uteri and Uterus, NOS	2061	2.3
10	Pancreas	926	2.2	Pancreas	908	2.0	Kidney and Renal Pelvis	1982	2.2
	All Cancers	43060	100.0	All Cancers	45882	100.0	All Cancers	88942	100.0

Note: Cervix in situ, benign tumors, and basal and squamous cell carcinomas of the skin excluded. Unknown and ill-defined sites included in total but not included as a site in this table.

The Colorado cancer incidence data for this report come from the CCCR, and the

Background and Data Sources

state cancer mortality data are provided by the Health Statistics Section of the CDPHE.

Comparable U.S. cancer incidence and mortality data from 1996-2000 included in this report are from publications of the North American Association of Central Cancer Registries (NAACCR), except that the estimate of U.S. incidence of liver and intrahepatic bile duct cancer is taken from the National Cancer Institute because the NAACCR grouping includes only liver cancer. U.S. cancer mortality data are from all 50 states combined, while U.S. cancer incidence data are combined from 34 population-based central cancer registries, including Colorado. These 34 registries met NAACCR reporting standards and register diagnosed cancers from a combined area that covers over two-thirds of the total U.S. population.

Long-term collection and analysis of cancer data allow the CCCR to identify new patterns in incidence, stage of disease, survival, and mortality. These statistics inform health professionals and citizens about specific cancers and can be used to focus cancer control activities, such as developing health services and screening programs. As part of the Colorado Cancer Prevention and Control Plan, some of the information presented here will also be used to monitor progress toward cancer objectives for the Years 2005 and 2010.

With continuous support from the state of Colorado and assistance from the Centers for Disease Control and Prevention (CDC), the CCCR has had complete, statewide cancer reporting in Colorado since 1988 with coverage of the entire Denver Metropolitan area since 1979. The CCCR is legislatively authorized under Section 25-1-107(1)(z) of Colorado Revised Statutes 1973. Statewide cancer reporting is accomplished through the cooperative efforts of hospitals and hospital tumor registrars, outpatient diagnostic and

treatment centers, pathology laboratories, private physicians, the Health Statistics Section of the CDPHE, and the CCCR.

References

American Cancer Society, Inc.: *Cancer Facts and Figures - 2004*. Atlanta, GA, 2004.

Hotes JL, et. al. (eds). *Cancer in North America, 1996-2000. Volume Two: Mortality*. Springfield, IL: North American Association of Central Cancer Registries, May 2003.

Hotes JL, et. al. (eds). *Cancer in North America, 1996-2000. Volume Three: NAACCR Combined Incidence Rates*. Springfield, IL: North American Association of Central Cancer Registries, May 2003.

Muir C, Waterhouse J, Mack T, Powell J, Whelan S (eds): *Cancer Incidence in Five Continents, Vol V: 787-789*. International Agency for Research on Cancer. Lyon, France, 1987.

Ries LAG, Eisner MP, Kosary CL, Hankey BF, Miller BA, Clegg L, Edwards BK (eds): *SEER Cancer Statistics Review, 1973-1997*. National Cancer Institute. NIH Pub. No. 00-2789. Bethesda, MD, 2000.

Ries LAG, Eisner MP, Kosary CL, Hankey BF, Miller BA, Clegg L, Mariotto A, Feuer EJ, Edwards BK (eds): *SEER Cancer Statistics Review, 1975-2001*, National Cancer Institute. Bethesda, MD, http://seer.cancer.gov/csr/1975_2001/, 2004.

Age-adjusted incidence and mortality rates were computed for Colorado cancer cases during 1996-2000 to allow for comparisons to national data collected from this time period. To show time trends these statistics, plus cancer stage percentages, were also computed for 2001. Five-year relative survival rates were calculated for 1990-93 and 1994-97.

Categories of race/ethnicity considered in this report were white non-Hispanic, white Hispanic, and black, which together comprise 97% of Colorado's population. The term "Hispanic" is generally used to denote persons of Hispanic origin or Hispanic surname. The "all races" category includes persons of other races (3% of Colorado's population), as well as non-Hispanic whites, blacks, and Hispanics.

Colorado population counts used as denominators for rates were prepared by the Demography Section of the Colorado Department of Local Affairs and provided to the CCCR by the Health Statistics Section of the CDPHE. These population counts were 2002-based estimates by race/ethnicity, sex, and age. Multiple-race responses allowed in the 2000 Census were redistributed by the Demography Section using a proportional share model to match 1990 Census race groups.

Colorado mortality data, also obtained from the Health Statistics Section of the CDPHE, were from 1991-2001 deaths in which cancer was determined to be the underlying cause of death.

In keeping with registration practices nationwide, superficial skin cancers, such as basal and squamous cell skin cancers, were excluded.

Average annual age-adjusted rates help reduce the effect of chance fluctuations in data that occur from one year to the next. The age-adjusted rates allow for comparisons of rates in different populations and over different time periods. Any observed differences in age-adjusted rates will not be due to differing age structures of the populations compared. The rates in this report were adjusted to the 2000 U.S. standard popula-

tion by the direct method. In the direct method the age-specific rate for each group is multiplied by the portion of the U.S. standard population that is in that age group. The resulting numbers are summed, yielding an age-adjusted rate.

Tables in this report cannot be compared to tables in CCCR reports released prior to 2002 due to a change in the standard year used for calculating age-adjusted rates. Publications of the CCCR released prior to 2002 have age-adjusted rates based on the 1970 U.S. standard population. Starting with publications released in 2002, rates have been age-adjusted using the 2000 U.S. standard, which is a procedure adopted by federal and state agencies across the country to reflect age changes in the population and to establish a single age-adjustment standard for all diseases.

NAACCR studies have shown that cancer rates age-adjusted to the new 2000 standard still have the same time trend slopes as rates adjusted to the old 1970 standard. However, rates age-adjusted to the 2000 standard appear to be about 15-20% higher than rates age-adjusted to the 1970 standard which illustrates why *rates in this report cannot be compared to rates in reports released prior to 2002.*

Standard errors of rates are a measure of the reliability or precision of calculated rates. Rates based on larger populations have smaller standard errors while rates based on smaller populations have larger standard errors. Although standard errors are not presented in these tables, an approximation of the standard error of a particular incidence or mortality rate can be derived from the following formula:

$$S.E. = rate / \sqrt{events}$$

Events refer to the number of cancer diagnoses

associated with an incidence rate or the number of deaths associated with a mortality rate.

An approximate test to compare two rates statistically can be calculated using the following formula:

$$Z = (\text{rate}_1 - \text{rate}_2) / \sqrt{(S.E._1^2 + S.E._2^2)}$$

S.E. is the standard error of the rate. If the absolute value of Z is greater than 1.96, the two rates are significantly different at a p-value of 0.05. This test can be inaccurate for rates based on fewer than 10 cases, and it was not used for rates based on fewer than six cases. This statistical test was used to compare 1996-2000 U.S. and Colorado incidence and mortality rates and to compare Colorado 1996-2000 incidence and mortality rates to rates for 2001. Based on this test, Colorado incidence and mortality rates that were statistically higher or lower than the selected comparison rate were marked with symbols in the appropriate age-adjusted rate tables.

Also, this test was used to compare Colorado incidence and mortality rates for Hispanics to non-Hispanic whites, and for blacks to non-Hispanic whites, within the U.S. and Colorado for 1996-2000. The test was likewise used to compare 2001 rates for Hispanics to non-Hispanic whites, and blacks to non-Hispanic whites. Those race/ethnicity comparisons that tested statistically high or low were marked with symbols in the appropriate age-adjusted rate tables. Higher or lower rates that were not statistically significant may be described in this report if they were part of a pattern of high or low rates or were very close to statistical significance. Rates, especially those based on rare cancers or small populations, can fluctuate from one time period to the next. Because of the small number of cases, differences in these rates are often not statistically significant.

Cancer incidence and mortality rates

measure the number of new invasive diagnoses, and deaths from an underlying cause, respectively, per 100,000 population during a defined period of time. Incidence rates exclude in-situ cancers (see **Stage of disease** below).

Cumulative risk, an estimate of the chances of an individual being diagnosed with cancer by a particular age, e.g., by age 85, was computed based on Colorado 1997-2001 age-specific rates. The cumulative risk is a function of the cumulative rate. The cumulative rate equals the sum of each five-year age-specific rate, expressed as a decimal fraction, multiplied by five to account for the five-year age intervals and multiplied by 100 to express the cumulative rate as a percentage.

The cumulative risk = $100(1 - e^{-(\text{cumulative rate}/100)})$. It can be expressed as a percentage or a probability, e.g., for men the cumulative risk to age 85 for all cancers combined is about 50% or a probability of cancer of one in two. This method may result in slightly different risks than those quoted by the American Cancer Society, which have been computed by DevCan software developed by the National Cancer Institute (see ACS reference in *Background and Data Sources* section).

Relative survival rates measure the observed proportion of patients surviving a particular cancer diagnosis compared to the expected survival of a group of similarly aged persons in the general population. This permits meaningful survival comparisons of groups of patients from different calendar years and with different ages.

In this report, the time periods of 1990-93 and 1994-97 were compared. Expected survival was based on 1995 Colorado life tables. Survival differences seen may not be reflected in the more recent mortality trend data from 1996-2001. Survival rates presented in this report exclude patients with in-situ stage or more than one primary cancer to be consistent with SEER statistics.

Rates are suppressed if the rate calculation is based on fewer than 10 cases or the standard error of the rate is over 10%.

Stage of disease at the time of cancer diagnosis is typically defined by size and containment or spread of the tumor. One of the schemes for staging, SEER summary stage, has allowed for historical comparisons over time. (A new summary stage definition, starting with the year 2001, is not completely consistent with the earlier version, and the effect of this change is being evaluated by national groups). Summary stage includes the categories of in-situ, localized, regional, and distant spread. The preinvasive stage of a malignant tumor is called in-situ stage and is usually highly curable. In the earliest invasive stage of cancer, the localized stage, the tumor is confined to the organ of origin. Regional spread is to adjacent organs and/or lymph nodes, and distant stage refers to a tumor which has spread to distant organs or lymph nodes.

For lymphomas, however, this report uses American Joint Committee on Cancer (AJCC) staging which codes tumor size (T), node involvement (N) and metastasis (M).

All Cancers Combined - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	2260034	560.0	39643	523.9 ■	8739	522.9
White/Non-Hispanic	1969515	551.5	34557	536.5 ■	7594	545.5
White/Hispanic	N/A	N/A	3408	483.9 ●	764	411.9 ■ ●
Black	196331	647.0 ◆	1233	539.5 ■	270	520.7
Female						
All Races	2163096	419.9	38656	403.7 ■	8622	414.3 ★
White/Non-Hispanic	1905174	424.7	33785	417.3 ■	7502	432.9 ★
White/Hispanic	N/A	N/A	3303	364.4 ●	780	344.0 ●
Black	173362	387.9 ●	949	334.8 ■ ●	195	332.9 ●

¹ USA rates are from NAACCR; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

All Cancers Combined - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	86441	7.8	41.3	17.5	18.6	14.8	57.6
2001	19321	8.5	42.1	17.2	17.8	14.4	59.1
White/Non-Hispanic							
1996-2000	75540	8.1	41.9	17.1	18.3	14.6	58.6
2001	16831	9.0	42.6	16.7	17.4	14.2	60.1
White/Hispanic							
1996-2000	7350	5.7	36.9	19.9	20.7	16.7	51.2
2001	1693	5.0	37.9	21.9	19.6	15.5	50.8
Black							
1996-2000	2365	4.7	38.0	20.0	22.8	14.6	50.0
2001	510	6.5	40.6	15.3	21.2	16.5	56.3

Note: Cervix in-situ, benign tumors, and basal and squamous cell carcinomas of the skin excluded.

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of cancer is 1 in 2 for males and 2 in 5 for females.
- Colorado 1996-2000 cancer incidence rates were 4-6% lower than U.S. rates largely due to lower rates of lung and colorectal cancer.
- The incidence rate of cancer for Colorado females climbed 3% from 1996-2000 to 2001 with an increase in lung cancer incidence being a major contributor to this finding.
- During 1996-2000 and 2001, cancer incidence rates for Hispanics in Colorado were 10-21% lower than rates for non-Hispanic whites and cancer rates for black females were 20-23% lower than rates for non-Hispanic females, both findings due to lower rates of some major cancer types.
- Five-year survival rates in Colorado improved from 61% to 62% for all cancers combined between 1990-93 and 1994-97.
- Colorado 1996-2000 cancer mortality rates were close to 15% lower than U.S. rates; the Colorado rate declined about 5% for males and increased 2% for females in 2001.

All Cancers Combined
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	45585	61	47462	62
White/Non-Hispanic	40233	62	41298	63
White/Hispanic	3550	56	4145	55
Black	1342	52	1393	52
Localized				
All Races	20675	88	21796	89
White/Non-Hispanic	18622	89	19334	90
White/Hispanic	1420	86	1661	84
Black	484	83	557	81
Regional				
All Races	10179	60	9941	60
White/Non-Hispanic	8819	61	8480	61
White/Hispanic	900	55	999	58
Black	331	57	315	55
Distant				
All Races	10181	21	10763	21
White/Non-Hispanic	8836	21	9178	21
White/Hispanic	822	24	1035	20
Black	389	19	370	18

All Cancers Combined - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	1417021	255.5	14817	215.7 ■	3046	204.0 ■
White/Non-Hispanic	1226094	249.5	12960	218.6 ■	2624	209.3 ■
White/Hispanic	N/A	N/A	1139	189.7 ●	260	159.1 ■ ●
Black	163875	356.2 ◆	526	286.3 ■ ◆	122	285.9 ◆
Female						
All Races	1306629	168.3	14004	148.6 ■	3088	152.2
White/Non-Hispanic	1139305	166.9	12396	152.2 ■	2693	157.2
White/Hispanic	N/A	N/A	985	123.5 ●	236	113.0 ●
Black	143309	198.6 ◆	445	172.9 ■ ◆	107	197.9 ◆

★, ■, ◆, ● See incidence table footnotes.

**Bladder - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	151764	39.0	2520	35.1	■	575	37.0
White/Non-Hispanic	142610	41.0	2345	37.9	■	539	41.0
White/Hispanic	N/A	N/A	133	20.0	●	21	13.2
Black	5004	18.7	32	18.3	●	8	17.6
Female							
All Races	54174	10.1	861	9.2	■	192	9.6
White/Non-Hispanic	49810	10.5	794	9.8	■	183	10.7
White/Hispanic	N/A	N/A	48	6.0	●	8	4.1
Black	2974	7.1	13	5.7	●	0	0.0

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

**Bladder - Stage of Disease¹ at Diagnosis
by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001**

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	3381	38.4	46.0	8.0	3.2	4.4	88.2
2001	767	42.5	42.1	7.7	1.7	6.0	90.0
White/Non-Hispanic							
1996-2000	3139	38.5	46.0	8.1	3.2	4.2	88.2
2001	722	42.8	41.8	7.8	1.7	6.0	90.0
White/Hispanic							
1996-2000	181	39.2	44.8	6.1	3.3	6.6	89.9
2001	29	31.0	48.3	6.9	3.4	10.3	88.5
Black							
1996-2000	45	31.1	46.7	13.3	2.2	6.7	83.3
2001	8	37.5	50.0	12.5	0.0	0.0	87.5

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of bladder cancer is 1 in 20 for males and 1 in 82 for females.
- The 1996-2000 Colorado bladder cancer incidence rates were about 10% lower than U.S. rates.
- Early detection of bladder cancer in Colorado improved between 1996-2000 and 2001 for all races combined and for most race/ethnicity groups.
- Five-year survival rates for bladder cancer in Colorado were 75% or better during 1990-93 and 1994-97, though relative survival declines were noted comparing these two time periods.
- Bladder cancer mortality rates in Colorado were lower than U.S. rates during 1996-2000 and there was little change in these rates in Colorado through 2001.

Bladder
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	1959	80	1999	75
White/Non-Hispanic	1806	81	1848	75
White/Hispanic	111	72	117	75
Black	26	75	23	65
Localized				
All Races	1656	89	1715	83
White/Non-Hispanic	1533	89	1582	83
White/Hispanic	88	87	103	81
Black	22	87	19	77
Regional				
All Races	190	38	151	35
White/Non-Hispanic	170	40	144	35
White/Hispanic	17	*	6	*
Black	2	*	1	*
Distant				
All Races	65	*	78	*
White/Non-Hispanic	58	*	73	*
White/Hispanic	4	*	3	*
Black	2	*	2	*

* Fewer than 10 cases or standard error of rate over 10%.

Bladder - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	39550	7.7	397	6.3 ■	85	6.4
White/Non-Hispanic	36822	8.0	374	6.8 ■	78	6.9
White/Hispanic	N/A	N/A	17	3.1 ●	*	*
Black	2336	5.8 ●	4	2.6	4	12.2
Female						
All Races	19152	2.3	202	2.1	48	2.3
White/Non-Hispanic	16909	2.3	192	2.3	44	2.5
White/Hispanic	N/A	N/A	6	1.0 ●	3	1.7
Black	2055	3.0 ◆	3	1.5	*	*

★, ■, ◆, ● See incidence table footnotes. * Fewer than 3 events in this category.

**Brain and Other Nervous System - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	34339	8.0	745	8.3	177	9.1
White/Non-Hispanic	31270	8.4	651	9.0	153	9.8
White/Hispanic	N/A	N/A	70	5.7	15	5.1
Black	1929	4.7	14	4.8	3	4.9
Female						
All Races	28393	5.7	579	5.9	128	6.0
White/Non-Hispanic	25658	6.0	484	6.1	112	6.6
White/Hispanic	N/A	N/A	57	4.9	14	4.8
Black	1783	3.6	19	5.9	0	0.0

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of cancer of the brain and other nervous system is 1 in 108 for males and 1 in 158 for females.
- The 1996-2000 Colorado incidence rates of brain and other nervous system cancers were similar to U.S. rates.
- Colorado incidence rates of brain and other nervous system cancers changed little from 1996-2000 to 2001.
- Five-year survival of brain cancer in Colorado stayed constant at 31% for the two time periods of diagnosis, 1990-93 and 1994-97.

**Brain and Other Nervous System
5-Year Relative Survival Rates by Tumor Type
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Tumor Type and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
Tumors of Neuro-Epithelial Tissue				
All Races	737	31	829	31
White/Non-Hispanic	642	30	711	30
White/Hispanic	65	42	79	38
Black	22	*	23	*
Tumors of the Meninges				
All Races	9	*	13	*
White/Non-Hispanic	8	*	12	*
White/Hispanic	1	*	0	*
Black	0	*	1	*
Unclassified Tumors				
All Races	26	*	32	*
White/Non-Hispanic	21	*	25	*
White/Hispanic	4	*	4	*
Black	0	*	2	*

* Fewer than 10 cases or standard error of rate over 10%.

**Brain and Other Nervous System - Number of Deaths and Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	34419	5.7	440	5.3	100	5.6
White/Non-Hispanic	31941	6.0	399	5.8	90	6.1
White/Hispanic	N/A	N/A	26	2.8 ●	9	4.6
Black	1963	3.3 ●	11	4.7	*	*
Female						
All Races	28516	3.8	368	3.8	71	3.4
White/Non-Hispanic	26307	4.1	330	4.1	66	3.8
White/Hispanic	N/A	N/A	23	2.3 ●	3	1.5
Black	1780	2.3 ●	12	4.0	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

**Breast - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	5875	1.5	63	0.9	17	1.1
White/Non-Hispanic	5113	1.4	52	0.8	15	1.1
White/Hispanic	N/A	N/A	8	0.9	1	0.8
Black	587	2.1	3	1.0	0	0.0
Female						
All Races	662701	131.7	13146	136.5	2801	132.4
White/Non-Hispanic	584326	134.1	11683	143.9	2486	141.2
White/Hispanic	N/A	N/A	994	105.8	209	90.4
Black	51465	112.6	293	96.1	68	111.3

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

**Female Breast - Stage of Disease¹ at Diagnosis
by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001**

	In-Situ		Localized	Regional	Distant	Unknown	% "Early" Detection ²
	Cases	%	%	%	%	%	
All Races							
1996-2000	15795	16.8	52.1	23.7	3.0	4.4	72.0
2001	3424	18.3	50.9	23.6	3.0	4.1	72.2
White/Non-Hispanic							
1996-2000	14017	16.7	52.7	23.2	3.0	4.5	72.6
2001	3037	18.3	51.4	23.0	3.0	4.3	72.8
White/Hispanic							
1996-2000	1195	16.8	48.0	28.5	3.3	3.3	67.0
2001	252	17.1	45.6	31.0	3.2	3.2	64.8
Black							
1996-2000	357	17.9	45.4	27.7	4.5	4.5	66.3
2001	88	22.7	47.7	22.7	3.4	3.4	72.9

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of breast cancer in women is 1 in 7.
- Colorado 1996-2000 breast cancer incidence rates were 4-7% higher than U.S. rates for all races combined and non-Hispanic whites, but mortality rates for these same groups were 9-13% lower than U.S. mortality rates. Incidence rates for breast cancer in blacks in Colorado were lower than U.S. rates for blacks.
- Colorado Hispanic and black women had 21-36% lower breast cancer incidence rates than non-Hispanic whites during 1996-2000 and 2001.
- Early detection of breast cancer in Colorado continued improvement on the basis of in situ stage between 1996-2000 and 2001 for each of the race/ethnicity groups in this report, except Hispanics.
- Five-year breast cancer survival rates in Colorado improved from 84% to 86% between 1990-93 and 1994-97 likely due to earlier detection and regional stage survival increases. Survival in Hispanics improved due to better survival in regional stage, while survival in blacks decreased due to worse survival in localized stage.
- Colorado breast cancer mortality rates continued to decline through 2001. The 1996-2000 mortality rate for blacks was 42% higher than for non-Hispanic whites.

**Female Breast
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	6835	84	7788	86
White/Non-Hispanic	6064	84	6921	86
White/Hispanic	513	79	589	83
Black	189	81	192	75
Localized				
All Races	4200	94	4899	95
White/Non-Hispanic	3780	94	4402	95
White/Hispanic	294	92	333	92
Black	90	95	107	83
Regional				
All Races	2166	76	2354	80
White/Non-Hispanic	1877	76	2041	80
White/Hispanic	180	67	219	79
Black	81	79	70	76
Distant				
All Races	299	14	316	17
White/Non-Hispanic	259	14	278	17
White/Hispanic	22	*	26	*
Black	15	*	10	*

* Fewer than 10 cases or standard error of rate over 10%.

**Breast - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	1872	0.3	16	0.2	*	*
White/Non-Hispanic	1558	0.3	15	0.2	*	*
White/Hispanic	N/A	N/A	*	*	*	*
Black	299	0.6	*	*	*	*
Female						
All Races	209785	27.7	2304	24.1 ■	467	22.4
White/Non-Hispanic	179716	27.2	2028	24.7 ■	412	23.6
White/Hispanic	N/A	N/A	162	18.6 ●	33	14.3 ●
Black	26678	35.9 ◆	97	35.1 ◆	16	24.6

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

**Cervix Uteri - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001		
	N	Rate	N	Rate		N	Rate	
Female								
All Races	48597	10.0	810	7.9	■	166	7.5	
White/Non-Hispanic	38194	9.4	590	7.1	■	112	6.3	
White/Hispanic	N/A	N/A	163	14.1	◆	43	15.8	
Black	7082	14.6	◆	27	7.5	■	3	3.7

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

**Cervix Uteri - Stage of Disease¹ at Diagnosis
by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001**

	Cases	Localized %	Regional %	Distant %	Unknown %
All Races					
1996-2000	810	59.5	27.9	7.9	4.7
2001	165	52.1	29.7	5.5	12.7
White/Non-Hispanic					
1996-2000	590	60.2	27.3	7.6	4.9
2001	112	51.8	28.6	4.5	15.2
White/Hispanic					
1996-2000	163	58.9	29.4	8.0	3.7
2001	42	54.8	33.3	2.4	9.5
Black					
1996-2000	27	51.9	33.3	11.1	3.7
2001	3	0.0	33.3	66.7	0.0

Note: Cervix in-situ cases are not collected by the CCCR.

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of invasive cervical cancer is 1 in 144.
- The Colorado 1996-2000 invasive cervical cancer incidence rate for all females was over 20% lower than the U.S. rate, while the rate in Colorado blacks was 49% lower than the rate in U.S. blacks.
- The rate of invasive cervical cancer in Colorado Hispanics continued its two-fold elevation above that of non-Hispanic whites for 1996-2000 and 2001.
- Invasive cervical cancers in Hispanics and blacks in Colorado during 1996-2000 were detected later than those cancers in non-Hispanic whites.
- Mortality rates for cervical cancer in Colorado during 1996-2000 were over 30% lower than U.S. rates.

Cervix Uteri
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	634	73	637	70
White/Non-Hispanic	490	73	470	71
White/Hispanic	103	72	138	67
Black	17	81	14	*
Localized				
All Races	376	96	368	94
White/Non-Hispanic	292	97	289	94
White/Hispanic	63	89	66	91
Black	10	*	6	*
Regional				
All Races	178	46	197	46
White/Non-Hispanic	138	46	134	45
White/Hispanic	28	42	53	50
Black	3	*	5	*
Distant				
All Races	56	20	60	19
White/Non-Hispanic	43	20	38	*
White/Hispanic	8	*	17	*
Black	2	*	2	*

* Fewer than 10 cases or standard error of rate over 10%.

Cervix Uteri - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Female						
All Races	21783	3.0	196	2.0 ■	50	2.3
White/Non-Hispanic	16507	2.7	154	1.9 ■	35	2.0
White/Hispanic	N/A	N/A	27	2.7	13	5.0 ◆
Black	4488	5.9 ◆	8	2.5 ■	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Colon and Rectum - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001		
	N	Rate	N	Rate		N	Rate	
Male								
All Races	265803	67.7	4166	58.2	■	858	53.2	■
White/Non-Hispanic	235403	67.4	3546	57.8	■	723	53.8	
White/Hispanic	N/A	N/A	430	66.4	◆	105	59.7	
Black	20285	70.2	129	59.1		16	26.3	■ ●
Female								
All Races	263344	48.9	3980	42.5	■	827	40.8	
White/Non-Hispanic	231207	48.3	3448	42.5	■	699	40.8	
White/Hispanic	N/A	N/A	338	42.2		82	39.7	
Black	23051	53.9	126	49.3	◆	26	47.4	

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Colon and Rectum - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	In-Situ		Localized	Regional	Distant	Unknown	% "Early" Detection ²
	Cases	%	%	%	%	%	
All Races							
1996-2000	8688	6.2	34.0	35.0	18.0	6.8	43.1
2001	1818	7.4	34.3	31.3	18.2	8.8	45.8
White/Non-Hispanic							
1996-2000	7451	6.1	34.7	34.8	17.6	6.8	43.8
2001	1540	7.8	34.2	31.4	17.6	9.0	46.2
White/Hispanic							
1996-2000	825	6.9	30.7	36.4	19.2	6.9	40.4
2001	197	5.1	35.5	31.5	21.3	6.6	43.5
Black							
1996-2000	277	7.9	29.6	32.9	22.4	7.2	40.5
2001	45	6.7	31.1	31.1	20.0	11.1	42.5

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of colon and rectal cancer is 1 in 13 for males and 1 in 17 for females.
- The 1996-2000 Colorado colon and rectal cancer incidence rates for persons of all races combined, non-Hispanic whites, and blacks were 9-16% lower than comparable U.S. rates.
- Males of all races combined and black males had statistically significant changes in colon and rectal cancer incidence rates from 1996-2000 to 2001; their rates decreased 9% and 55%.
- During 1996-2000 and 2001, Hispanic males in Colorado had higher incidence rates of colon and rectal cancer than non-Hispanic whites and blacks; among females, blacks had higher rates in both time periods.
- Continued encouraging trends in earlier detection of colon and rectal cancer for all race/ethnicity groups were seen between 1996-2000 and 2001.
- Five-year survival rates for colon and rectal cancer in Colorado changed from 57% during 1990-93 to 55% during 1994-97, a change associated with survival declines seen in each stage category.
- Colon and rectal cancer mortality rates in Colorado during 1996-2000 were lower than U.S. rates, and the trend into 2001 showed even lower rates in Colorado, except for an increase in rates for black males and females.

**Colon and Rectum
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	4593	57	4655	55
White/Non-Hispanic	3981	58	4015	56
White/Hispanic	413	51	442	52
Black	148	51	130	45
Localized				
All Races	1177	91	1560	85
White/Non-Hispanic	1024	92	1363	85
White/Hispanic	100	85	141	85
Black	40	81	38	84
Regional				
All Races	2292	63	1868	60
White/Non-Hispanic	1996	64	1592	62
White/Hispanic	206	58	190	53
Black	66	61	55	44
Distant				
All Races	905	8	988	7
White/Non-Hispanic	766	8	853	7
White/Hispanic	89	*	93	*
Black	37	*	26	*

* Fewer than 10 cases or standard error of rate over 10%.

**Colon and Rectum - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	140884	25.8	1524	22.4 ■	309	20.7
White/Non-Hispanic	122478	25.3	1303	22.3 ■	266	21.2
White/Hispanic	N/A	N/A	143	23.8	26	16.4
Black	15689	34.6 ◆	55	26.5 ■	15	29.5
Female						
All Races	144193	18.0	1475	15.6 ■	310	15.3
White/Non-Hispanic	124332	17.5	1319	16.0 ■	269	15.6
White/Hispanic	N/A	N/A	89	11.4 ●	22	11.1
Black	17421	24.6 ◆	47	19.5	13	27.0

★, ■, ◆, ● See incidence table footnotes.

Corpus Uteri and Uterus, NOS - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Female							
All Races	125215	24.8	1951	20.5	■	443	21.3
White/Non-Hispanic	111997	25.5	1755	21.8	■	384	22.1
White/Hispanic	N/A	N/A	131	14.7	●	40	17.0
Black	8447	19.2	32	11.2	■●	8	12.8

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Corpus Uteri and Uterus, NOS - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	2008	2.8	68.9	12.1	8.8	7.4	77.5
2001	451	1.6	69.0	14.0	5.3	10.2	78.5
White/Non-Hispanic							
1996-2000	1806	2.8	70.0	11.7	8.3	7.2	78.5
2001	391	1.8	70.1	13.3	4.9	10.0	79.8
White/Hispanic							
1996-2000	137	4.4	59.1	12.4	13.9	10.2	70.7
2001	41	0.0	63.4	19.5	7.3	9.8	70.3
Black							
1996-2000	32	0.0	56.3	15.6	21.9	6.3	60.0
2001	8	0.0	75.0	12.5	0.0	12.5	85.7

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of uterine cancer is 1 in 38.
- The Colorado 1996-2000 uterine cancer incidence rates for women of all races combined, non-Hispanic whites, and blacks were 15-42% lower than U.S. rates for these groups.
- During 1996-2000 and 2001, Hispanic and black women in Colorado had 23-49% lower incidence rates of uterine cancer than non-Hispanic whites.
- Five-year uterine cancer survival rates in Colorado were greater than 80% in 1990-93 and 1994-97.
- Uterine cancer mortality rates for women of all races combined, non-Hispanic whites, and blacks in Colorado during 1996-2000 were 13-33% lower than U.S. rates for these groups.

**Corpus Uteri and Uterus, NOS
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	1153	82	1319	81
White/Non-Hispanic	1052	82	1193	83
White/Hispanic	74	80	91	71
Black	15	*	17	*
Localized				
All Races	854	93	970	95
White/Non-Hispanic	789	94	887	95
White/Hispanic	51	85	61	91
Black	6	*	10	*
Regional				
All Races	152	65	179	58
White/Non-Hispanic	132	64	161	60
White/Hispanic	12	*	12	*
Black	6	*	1	*
Distant				
All Races	121	28	126	30
White/Non-Hispanic	109	26	109	32
White/Hispanic	10	*	12	*
Black	1	*	4	*

* Fewer than 10 cases or standard error of rate over 10%.

Corpus Uteri and Uterus, NOS - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Female						
All Races	31972	4.1	303	3.2 ■	73	3.7
White/Non-Hispanic	26505	3.8	269	3.3 ■	61	3.6
White/Hispanic	N/A	N/A	22	2.6	4	2.0
Black	4928	7.0 ◆	12	4.7	6	11.5

★, ■, ◆, ● See incidence table footnotes.

**Esophagus - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	34182	8.4	568	7.8	143	8.5
White/Non-Hispanic	29071	8.1	509	8.2	131	9.2
White/Hispanic	N/A	N/A	34	5.2	9	5.8
Black	4116	13.2	21	9.9	2	4.2
Female						
All Races	11698	2.2	175	1.9	36	1.8
White/Non-Hispanic	9631	2.0	153	1.9	30	1.8
White/Hispanic	N/A	N/A	11	1.4	3	1.4
Black	1740	4.0	7	2.8	1	2.5

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

**Esophagus - Stage of Disease¹ at Diagnosis
by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001**

	Cases	In-Situ	Localized	Regional	Distant	Unknown
		%	%	%	%	%
All Races						
1996-2000	751	1.1	21.2	26.1	28.4	23.3
2001	182	1.6	21.4	25.3	30.8	20.9
White/Non-Hispanic						
1996-2000	669	1.0	21.2	25.4	29.3	23.0
2001	163	1.2	22.1	25.8	30.1	20.9
White/Hispanic						
1996-2000	46	2.2	19.6	28.3	21.7	28.3
2001	12	0.0	16.7	33.3	25.0	25.0
Black						
1996-2000	28	0.0	28.6	35.7	21.4	14.3
2001	4	25.0	0.0	0.0	50.0	25.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of esophageal cancer is 1 in 85 for males and 1 in 365 for females.
- The 1996-2000 Colorado esophageal cancer incidence rates for males were 7% lower - and for females, 14% lower - than U.S. rates.
- During 1996-2000, Colorado Hispanics had esophageal cancer incidence rates 26-58% lower than rates for non-Hispanic whites, while Colorado blacks had rates 21-47% higher than non-Hispanic whites.
- Five-year survival for esophageal cancer in Colorado was less than 15%.
- Colorado mortality rates for esophageal cancer during 1996-2000 were generally similar to U.S. rates.

Esophagus
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	322	13	411	11
White/Non-Hispanic	266	14	362	12
White/Hispanic	29	*	26	*
Black	25	*	19	*
Localized				
All Races	71	26	80	26
White/Non-Hispanic	61	30	72	26
White/Hispanic	5	*	6	*
Black	5	*	1	*
Regional				
All Races	101	19	115	11
White/Non-Hispanic	83	19	99	11
White/Hispanic	9	*	5	*
Black	7	*	9	*
Distant				
All Races	97	*	142	*
White/Non-Hispanic	78	*	128	*
White/Hispanic	8	*	8	*
Black	11	*	6	*

* Fewer than 10 cases or standard error of rate over 10%.

Esophagus - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	44193	7.6	515	7.1	106	7.0
White/Non-Hispanic	37316	7.3	475	7.6	95	7.3
White/Hispanic	N/A	N/A	25	4.1 ●	7	5.1
Black	6204	12.2 ◆	12	6.7 ■	4	9.4
Female						
All Races	14228	1.8	155	1.7	28	1.4
White/Non-Hispanic	11580	1.7	136	1.7	22	1.3
White/Hispanic	N/A	N/A	7	0.9 ●	3	1.5
Black	2423	3.4 ◆	8	3.5	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Hodgkin Lymphoma - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	14391	3.2	298	3.0	63	2.8
White/Non-Hispanic	12552	3.3	250	3.2	52	3.1
White/Hispanic	N/A	N/A	38	2.9	11	2.7
Black	1306	2.7	7	1.8	0	0.0
Female						
All Races	11941	2.5	230	2.2	60	2.8
White/Non-Hispanic	10480	2.6	198	2.5	53	3.2
White/Hispanic	N/A	N/A	25	1.8	7	2.2
Black	1047	1.9	5	1.7	0	0.0

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Hodgkin Lymphoma - AJCC Stage of Disease at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	Stage I	Stage II	Stage III	Stage IV	Unknown
		%	%	%	%	%
All Races						
1996-2000	529	22.3	40.5	16.8	14.2	6.2
2001	123	17.1	42.3	13.8	13.8	13.0
White/Non-Hispanic						
1996-2000	449	21.6	40.1	17.8	14.5	6.0
2001	105	17.1	41.0	13.3	13.3	15.2
White/Hispanic						
1996-2000	63	28.6	41.3	12.7	7.9	9.5
2001	18	16.7	50.0	16.7	16.7	0.0
Black						
1996-2000	12	16.7	41.7	8.3	33.3	0.0
2001	0	0.0	0.0	0.0	0.0	0.0

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of Hodgkin lymphoma is 1 in 361 for males and 1 in 492 for females.
- The 1996-2000 Colorado Hodgkin lymphoma incidence rates were close to U.S. rates and Colorado 2001 rates remained similar.
- During 1996-2000, Colorado Hispanics had Hodgkin lymphoma incidence rates 9-28% lower – and blacks had rates 32-44% lower – than non-Hispanic whites.
- Five-year Hodgkin lymphoma survival rates in Colorado stayed constant at 82% during 1990-93 and 1994-97.

Hodgkin Lymphoma
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Races	339	82	412	82
White/Non-Hispanic	302	81	356	83
White/Hispanic	22	87	43	77
Black	14	85	9	*

* Fewer than 10 cases or standard error of rate over 10%.

Hodgkin Lymphoma - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	3762	0.6	50	0.5	4	0.2
White/Non-Hispanic	3325	0.6	43	0.6	4	0.2
White/Hispanic	N/A	N/A	7	0.5	*	*
Black	398	0.6	*	*	*	*
Female						
All Races	3090	0.4	27	0.3 ■	14	0.7 ★
White/Non-Hispanic	2753	0.4	22	0.3	12	0.7
White/Hispanic	N/A	N/A	3	0.4	*	*
Black	293	0.3 ●	*	*	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Kidney and Renal Pelvis - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	66066	16.1	1163	14.8	■	274	15.5
White/Non-Hispanic	58462	16.2	962	14.6	■	232	16.0
White/Hispanic	N/A	N/A	141	17.2		31	15.3
Black	5493	16.8	45	18.5	◆	8	11.7
Female							
All Races	42372	8.2	697	7.4	■	181	8.8
White/Non-Hispanic	37375	8.3	573	7.1	■	162	9.4
White/Hispanic	N/A	N/A	88	10.4	◆	17	8.7
Black	3795	8.4	24	9.1		2	3.7

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Kidney and Renal Pelvis - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	1877	0.9	51.2	18.2	19.8	9.9	57.8
2001	458	0.7	57.4	15.1	16.8	10.0	64.6
White/Non-Hispanic							
1996-2000	1550	1.0	51.2	18.4	19.5	9.9	57.9
2001	397	0.8	56.4	15.9	16.9	10.1	63.6
White/Hispanic							
1996-2000	231	0.9	50.6	17.7	20.8	10.0	57.2
2001	48	0.0	64.6	8.3	18.8	8.3	70.5
Black							
1996-2000	69	0.0	53.6	14.5	21.7	10.1	59.7
2001	10	0.0	60.0	10.0	10.0	20.0	75.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of kidney cancer is 1 in 51 for males and 1 in 99 for females.
- The 1996-2000 Colorado kidney cancer incidence rates were close to 10% lower than U.S. rates, but Colorado rates climbed in 2001 to be fairly close to U.S. rates.
- During 1996-2000, Colorado Hispanics had kidney cancer incidence rates 18-46% higher, and blacks had rates 27-28% higher, than non-Hispanic whites.
- There were substantial improvements in early detection of kidney cancer in Colorado from 1996-2000 to 2001 in every race/ethnicity group in this report.
- Five-year survival rates for kidney cancer in Colorado were about 55% during 1990-93 and 1994-97. Survival for blacks lagged behind during 1994-97, although rates were based on small numbers.

**Kidney and Renal Pelvis
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	922	56	1035	55
White/Non-Hispanic	773	56	853	55
White/Hispanic	118	57	134	56
Black	23	*	38	49
Localized				
All Races	408	85	503	86
White/Non-Hispanic	346	86	416	87
White/Hispanic	50	76	62	81
Black	9	*	22	66
Regional				
All Races	226	61	215	58
White/Non-Hispanic	184	59	176	56
White/Hispanic	36	71	32	71
Black	5	*	3	*
Distant				
All Races	249	10	269	5
White/Non-Hispanic	209	11	227	5
White/Hispanic	29	*	31	*
Black	7	*	9	*

* Fewer than 10 cases or standard error of rate over 10%.

Kidney and Renal Pelvis - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	34923	6.1	416	5.7	91	6.0
White/Non-Hispanic	31184	6.2	353	5.7	79	6.2
White/Hispanic	N/A	N/A	47	7.1	11	6.1
Black	3090	6.2	10	4.3	*	*
Female						
All Races	21802	2.8	258	2.7	47	2.3
White/Non-Hispanic	19475	2.8	228	2.8	43	2.5
White/Hispanic	N/A	N/A	22	3.0	*	*
Black	1990	2.8	4	1.5	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Larynx - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	33747	8.2	483	6.2	■	85	4.8
White/Non-Hispanic	28751	7.9	407	6.1	■	74	5.0
White/Hispanic	N/A	N/A	52	7.5		7	4.3
Black	4075	12.7	18	7.8	■	2	4.0
Female							
All Races	8965	1.8	145	1.6		27	1.3
White/Non-Hispanic	7608	1.7	125	1.6		23	1.3
White/Hispanic	N/A	N/A	12	1.5		3	1.3
Black	1161	2.6	6	2.3	◆	1	2.3

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Larynx - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	668	6.0	51.3	27.8	6.0	8.8	62.9
2001	117	4.3	57.3	24.8	5.1	8.5	67.3
White/Non-Hispanic							
1996-2000	568	6.3	50.7	27.6	6.3	9.0	62.7
2001	101	4.0	60.4	22.8	5.0	7.9	69.9
White/Hispanic							
1996-2000	66	3.0	48.5	36.4	4.5	7.6	55.7
2001	10	0.0	40.0	40.0	10.0	10.0	44.4
Black							
1996-2000	25	4.0	68.0	16.0	0.0	12.0	81.8
2001	4	25.0	50.0	25.0	0.0	0.0	75.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of laryngeal cancer is 1 in 118 for males and 1 in 524 for females.
- The 1996-2000 Colorado laryngeal cancer incidence rates were 23-39% lower than U.S. rates, varying by race/ethnicity. Rates for males in Colorado declined about 20% into 2001.
- During 1996-2000, Colorado Hispanic and black males had laryngeal cancer incidence rates 23-28% higher than non-Hispanic whites.
- There were improvements in early detection of laryngeal cancer in Colorado from 1996-2000 to 2001 among non-Hispanic whites.
- The five-year survival rate for laryngeal cancer in Colorado was 60% during 1990-93 and 55% during 1994-97 with relative survival declines noted for localized and regional stage categories.
- Male laryngeal cancer mortality rates in Colorado were 25-51% lower than U.S. rates, varying by race/ethnicity.

Larynx
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	363	60	409	55
White/Non-Hispanic	300	61	338	56
White/Hispanic	41	65	42	50
Black	20	49	26	*
Localized				
All Races	214	76	244	73
White/Non-Hispanic	180	74	201	73
White/Hispanic	22	88	23	81
Black	11	*	18	*
Regional				
All Races	112	44	115	30
White/Non-Hispanic	89	49	94	34
White/Hispanic	15	*	16	*
Black	7	*	4	*
Distant				
All Races	30	*	33	*
White/Non-Hispanic	26	*	28	*
White/Hispanic	4	*	2	*
Black	0	*	3	*

* Fewer than 10 cases or standard error of rate over 10%.

Larynx - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	15146	2.6	127	1.8 ■	26	1.7
White/Non-Hispanic	12061	2.4	109	1.8 ■	24	1.9
White/Hispanic	N/A	N/A	12	1.9	*	*
Black	2908	5.7 ◆	6	2.6 ■	*	*
Female						
All Races	4124	0.5	46	0.5	10	0.5
White/Non-Hispanic	3421	0.5	41	0.5	9	0.5
White/Hispanic	N/A	N/A	*	*	*	*
Black	662	0.9 ◆	3	1.2	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Leukemias - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	62369	15.4	1301	17.2	★	278	16.2
White/Non-Hispanic	55897	15.8	1139	18.2	★	240	17.2
White/Hispanic	N/A	N/A	119	12.6	●	31	12.1
Black	3878	11.7	29	13.0		3	8.7
Female							
All Races	47971	9.2	983	10.2	★	188	9.1
White/Non-Hispanic	42657	9.4	860	10.7		152	9.0
White/Hispanic	N/A	N/A	90	7.9	●	21	6.9
Black	3400	7.3	20	6.5	●	6	9.7

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of leukemia is 1 in 47 for males and 1 in 82 for females.
- The 1996-2000 Colorado leukemia incidence rates were 11-15% higher than U.S. rates, varying by race/ethnicity, but Colorado rates generally declined in 2001 to rates more similar to U.S. rates.
- In Colorado, leukemia incidence rates for Hispanics and blacks were generally lower than rates for non-Hispanic whites.
- The five-year survival rate for childhood leukemias in Colorado increased from 74% to 84% from 1990-93 to 1994-97.
- Leukemia mortality rates in Colorado during 1996-2000 were comparable to U.S. rates and changed little from 1996-2000 to 2001.

Leukemias
5-Year Relative Survival Rates by Age
and Age/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Age and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
Child (Age 0-14)				
All Races	114	74	159	84
White/Non-Hispanic	78	72	115	86
White/Hispanic	30	80	33	82
Black	2	*	4	*
Adult (Age 15+)				
All Races	1137	42	1254	41
White/Non-Hispanic	1036	43	1099	41
White/Hispanic	71	38	109	34
Black	25	38	28	46

* Fewer than 10 cases or standard error of rate over 10%.

Leukemias - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	57287	10.3	721	10.3	146	9.4
White/Non-Hispanic	51618	10.6	647	11.0	121	9.4
White/Hispanic	N/A	N/A	48	5.2	17	7.8
Black	4628	9.3	21	9.2	6	15.6
Female						
All Races	46628	5.9	553	5.8	114	5.6
White/Non-Hispanic	41725	6.0	506	6.2	106	6.2
White/Hispanic	N/A	N/A	30	3.3	4	1.5
Black	4072	5.5	9	3.1	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Acute Lymphocytic Leukemia - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	7532	1.6	169	1.7	44	2.0
White/Non-Hispanic	6527	1.7	125	1.8	29	1.9
White/Hispanic	N/A	N/A	34	1.9	13	3.0
Black	551	1.0	3	0.5	0	0.0
Female						
All Races	5817	1.2	128	1.3	31	1.4
White/Non-Hispanic	5049	1.3	96	1.3	17	1.1
White/Hispanic	N/A	N/A	26	1.4	12	3.5
Black	409	0.7	4	1.1	0	0.0

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of acute lymphocytic leukemia is 1 in 684 for males and 1 in 1035 for females.
- The 1996-2000 Colorado acute lymphocytic leukemia incidence rates were similar to U.S. rates and changed little from 1996-2000 to 2001.
- During 2001, Colorado acute lymphocytic leukemia incidence rates for Hispanics, though based on small numbers, were higher than rates for non-Hispanic whites.
- The five-year survival rate for childhood acute lymphocytic leukemia increased from 81% to 90% from 1990-93 to 1994-97 in Colorado.
- Acute lymphocytic leukemia mortality rates in Colorado during 1996-2000 were comparable to U.S. rates; Colorado rates for males declined substantially from 1996-2000 to 2001.

**Acute Lymphocytic Leukemia
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
Child (Age 0-14)				
All Races	95	81	134	90
White/Non-Hispanic	63	78	97	92
White/Hispanic	28	86	27	89
Black	0	*	3	*
Adult (Age 15+)				
All Races	73	25	103	33
White/Non-Hispanic	55	24	72	31
White/Hispanic	11	*	22	*
Black	5	*	3	*

* Fewer than 10 cases or standard error of rate over 10%.

Acute Lymphocytic Leukemia - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	3939	0.6	67	0.8	6	0.3 ■
White/Non-Hispanic	3480	0.7	53	0.8	3	0.2
White/Hispanic	N/A	0.5	12	0.9	*	*
Black	354	N/A	*	*	*	*
Female						
All Races	3035	0.4	43	0.4	11	0.5
White/Non-Hispanic	2668	0.4	36	0.5	8	0.5
White/Hispanic	N/A	N/A	6	0.4	*	*
Black	263	0.3 ●	*	*	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Acute Myeloid Leukemia - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	18292	4.5	348	4.5	74	4.3
White/Non-Hispanic	16439	4.6	306	4.8	62	4.3
White/Hispanic	N/A	N/A	29	2.8	9	3.8
Black	1139	3.5	11	4.5	2	7.8
Female						
All Races	15742	3.0	292	3.0	60	2.9
White/Non-Hispanic	13920	3.1	254	3.2	47	2.7
White/Hispanic	N/A	N/A	29	2.7	5	1.6
Black	1217	2.6	5	1.6	3	3.7

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of acute myeloid leukemia is 1 in 168 for males and 1 in 253 for females.
- The 1996-2000 Colorado acute myeloid leukemia incidence rates were similar to U.S. rates.
- During 1996-2000 and 2001, Colorado acute myeloid leukemia incidence rates for Hispanic males and females were 12-42% lower than rates for non-Hispanic whites.
- The five-year survival rate for acute myeloid leukemia in Colorado increased from 14% to 17% from 1990-93 to 1994-97.
- Acute myeloid leukemia mortality rates for Hispanics in Colorado during 1996-2000 were lower than rates for non-Hispanic whites.

**Acute Myeloid Leukemia
5-Year Relative Survival Rates by Age
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Age and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
Child (Age 0-14)				
All Races	11	*	18	*
White/Non-Hispanic	8	*	13	*
White/Hispanic	2	*	5	*
Black	1	*	0	*
Adult (Age 15+)				
All Races	289	14	370	17
White/Non-Hispanic	261	14	327	17
White/Hispanic	23	*	33	*
Black	3	*	5	*

* Fewer than 10 cases or standard error of rate over 10%.

Acute Myeloid Leukemia - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	18273	3.2	247	3.4	56	3.3
White/Non-Hispanic	16543	3.3	221	3.7	47	3.4
White/Hispanic	N/A	N/A	14	1.1	8	4.0
Black	1329	2.5	11	3.8	*	*
Female						
All Races	15537	2.0	193	2.0	41	2.0
White/Non-Hispanic	13880	2.1	176	2.2	39	2.3
White/Hispanic	N/A	N/A	10	1.3	*	*
Black	1313	1.7	4	1.4	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Chronic Lymphocytic Leukemia - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	18619	4.8	411	6.0	★	86	5.4
White/Non-Hispanic	16961	4.9	377	6.3	★	85	6.3
White/Hispanic	N/A	N/A	22	3.4		1	0.4
Black	997	3.6	10	5.5		0	0.0
Female							
All Races	13181	2.4	291	3.1	★	52	2.6
White/Non-Hispanic	12028	2.5	277	3.4	★	48	2.8
White/Hispanic	N/A	N/A	11	1.4		2	1.1
Black	737	1.8	2	0.7		1	2.0

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of chronic lymphocytic leukemia is 1 in 126 for males and 1 in 234 for females.
- The 1996-2000 Colorado chronic lymphocytic leukemia incidence rates were about 25% higher than U.S. rates.
- During 1996-2000, Colorado chronic lymphocytic leukemia incidence rates for Hispanics were about 50% lower than rates for non-Hispanic whites.
- The five-year survival rate for chronic lymphocytic leukemia in Colorado was close to 70% for 1990-93 and 1994-97.
- Chronic lymphocytic leukemia mortality rates in Colorado during 1996-2000 were similar to U.S. rates.

**Chronic Lymphocytic Leukemia
5-Year Relative Survival Rates by Age
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Age and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
Child (Age 0-14)				
All Races	0	*	1	*
White/Non-Hispanic	0	*	1	*
White/Hispanic	0	*	0	*
Black	0	*	0	*
Adult (Age 15+)				
All Races	446	70	423	69
White/Non-Hispanic	416	72	387	69
White/Hispanic	17	65	23	76
Black	13	*	11	*

* Fewer than 10 cases or standard error of rate over 10%.

Chronic Lymphocytic Leukemia - Number of Deaths and Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	12322	2.4	155	2.5	35	2.4
White/Non-Hispanic	11267	2.4	145	2.7	30	2.5
White/Hispanic	N/A	N/A	6	1.2	*	*
Black	979	2.3	3	1.7	*	*
Female						
All Races	9152	1.1	116	1.2	21	1.0
White/Non-Hispanic	8342	1.1	111	1.3	21	1.2
White/Hispanic	N/A	N/A	3	0.5	*	*
Black	762	1.1	*	*	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Chronic Myeloid Leukemia - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	8142	2.0	161	2.0	31	1.8
White/Non-Hispanic	7113	2.0	136	2.1	24	1.6
White/Hispanic	N/A	N/A	21	2.5	6	3.8
Black	614	1.8	2	0.6	0	0.0
Female						
All Races	6064	1.2	147	1.5	23	1.1
White/Non-Hispanic	5256	1.2	115	1.4	20	1.2
White/Hispanic	N/A	N/A	19	1.8	1	0.4
Black	514	1.1	7	2.5	2	3.9

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of chronic myeloid leukemia is 1 in 366 for males and 1 in 617 for females.
- The 1996-2000 Colorado chronic myeloid leukemia incidence rates were generally similar to U.S. rates. The 1996-2000 Colorado rate for females was 25% above the U.S. rate for females, but the 2001 rate was about the same as the U.S. rate.
- The five-year survival rate for chronic myeloid leukemia in Colorado stayed constant at just over 30% for 1990-93 and 1994-97.
- The Colorado 2001 chronic myeloid leukemia mortality rates for males were lower than the rates during 1996-2000, though based on small numbers.

**Chronic Myeloid Leukemia
5-Year Relative Survival Rates by Age
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Age and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
Child (Age 0-14)				
All Races	3	*	3	*
White/Non-Hispanic	2	*	3	*
White/Hispanic	0	*	0	*
Black	1	*	0	*
Adult (Age 15+)				
All Races	170	32	183	33
White/Non-Hispanic	154	30	157	34
White/Hispanic	14	*	18	*
Black	2	*	4	*

* Fewer than 10 cases or standard error of rate over 10%.

Chronic Myeloid Leukemia - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	5945	1.0	80	1.1	13	0.7
White/Non-Hispanic	5161	1.0	68	1.1	9	0.6 ■
White/Hispanic	N/A	N/A	10	1.3	3	1.1
Black	642	1.1	*	*	*	*
Female						
All Races	4581	0.6	67	0.7	13	0.6
White/Non-Hispanic	3982	0.6	59	0.7	12	0.7
White/Hispanic	N/A	N/A	4	0.4	*	*
Black	504	0.7 ◆	3	0.8	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Liver and Intrahepatic Bile Duct - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	4536	8.4	438	5.7	■	111	6.1
White/Non-Hispanic	3058	6.9	284	4.5	■	73	5.0
White/Hispanic	N/A	N/A	103	14.0	◆	27	12.4
Black	500	11.1	18	6.5	■	6	9.8
Female							
All Races	2216	3.2	243	2.6	■	54	2.7
White/Non-Hispanic	1544	2.6	167	2.1	■	40	2.3
White/Hispanic	N/A	N/A	45	5.9	◆	9	5.0
Black	227	4.0	11	4.3	◆	3	3.5

¹ USA rates are from the NCI SEER program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Liver and Intrahepatic Bile Duct - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown
		%	%	%	%	%
All Races						
1996-2000	681	0.0	26.7	11.7	33.3	28.2
2001	166	0.0	33.7	18.1	21.1	27.1
White/Non-Hispanic						
1996-2000	451	0.0	25.5	10.0	33.7	30.8
2001	114	0.0	30.7	17.5	22.8	28.9
White/Hispanic						
1996-2000	148	0.0	26.4	12.2	31.1	30.4
2001	36	0.0	44.4	19.4	8.3	27.8
Black						
1996-2000	29	0.0	37.9	20.7	34.5	6.9
2001	9	0.0	44.4	22.2	33.3	0.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of liver cancer is 1 in 128 for males and 1 in 287 for females.
- The 1996-2000 Colorado liver cancer incidence rates for males and females were generally 19-41% lower than U.S. rates, varying by race/ethnicity.
- The 1996-2000 Colorado liver cancer mortality rates were 6-26% lower than U.S. rates, varying by race/ethnicity and sex.
- During 1996-2000 and 2001, Colorado Hispanic males and females had liver cancer incidence rates 2-3 times higher than non-Hispanic whites.
- The five-year survival rate for liver cancer in Colorado was under 10% for 1990-93 and 1994-97.

**Liver and Intrahepatic Bile Duct
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	267	8	366	7
White/Non-Hispanic	194	9	248	10
White/Hispanic	40	*	68	*
Black	11	*	15	*
Localized				
All Races	53	*	100	17
White/Non-Hispanic	42	*	66	26
White/Hispanic	7	*	19	*
Black	1	*	3	*
Regional				
All Races	32	*	43	*
White/Non-Hispanic	23	*	27	*
White/Hispanic	5	*	10	*
Black	1	*	1	*
Distant				
All Races	124	*	148	*
White/Non-Hispanic	88	*	94	*
White/Hispanic	19	*	30	*
Black	6	*	9	*

* Fewer than 10 cases or standard error of rate over 10%.

**Liver and Intrahepatic Bile Duct - Number of Deaths and Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	38120	6.6	373	5.1 ■	84	4.9
White/Non-Hispanic	30324	6.0	263	4.3 ■	58	4.3
White/Hispanic	3271	10.8	68	10.1 ◆	19	9.2 ◆
Black	4820	9.3 ◆	19	7.3	5	6.3
Female						
All Races	23080	2.9	235	2.5 ■	69	3.4 ★
White/Non-Hispanic	18985	2.7	188	2.3 ■	50	2.9
White/Hispanic	1816	5.0	28	3.7	12	6.3
Black	2675	3.7 ◆	9	3.4	3	4.9

★, ■, ◆, ● See incidence table footnotes.

Lung and Bronchus - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	367850	91.5	4973	69.0	■	1052	67.3
White/Non-Hispanic	322572	90.3	4382	70.5	■	903	68.5
White/Hispanic	N/A	N/A	354	58.4	●	85	52.4
Black	35182	117.7	172	85.1	■◆	45	103.2
Female							
All Races	279422	53.4	4016	43.4	■	926	46.6
White/Non-Hispanic	250869	54.5	3565	44.8	■	813	48.4
White/Hispanic	N/A	N/A	271	34.3	●	74	37.6
Black	22123	51.0	134	51.4	●	24	46.5

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Lung and Bronchus - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	8993	0.1	17.2	19.3	49.8	13.6	20.0
2001	1979	0.1	15.9	21.5	48.3	14.2	18.6
White/Non-Hispanic							
1996-2000	7953	0.1	17.5	19.1	49.7	13.7	20.4
2001	1718	0.1	16.2	21.2	48.8	13.7	18.9
White/Hispanic							
1996-2000	623	0.0	14.1	20.1	51.7	14.1	16.4
2001	158	0.0	11.4	27.8	43.7	17.1	13.7
Black							
1996-2000	306	0.0	15.7	22.2	52.0	10.1	17.5
2001	69	0.0	13.0	13.0	49.3	24.6	17.3

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of lung cancer is 1 in 11 for males and 1 in 16 for females.
- The 1996-2000 lung cancer incidence rates in Colorado were generally 18-28% lower than U.S. rates, varying by race/ethnicity and sex.
- Colorado lung cancer incidence rates for males declined about 2% from 1996-2000 to 2001 but increased about 7% for females.
- During 1996-2000, Colorado lung cancer incidence rates for blacks were 15-21% higher, and rates for Hispanics were 17-23% lower, than rates for non-Hispanic whites. For the most part, similar comparisons were seen in 2001.
- Colorado lung cancer mortality trends were similar to incidence trends with Colorado rates being generally lower than U.S. rates; from 1996-2000 to 2001 mortality rates decreased 6% for males and increased 10% for females.

**Lung and Bronchus
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	5137	13	5291	12
White/Non-Hispanic	4608	13	4634	12
White/Hispanic	305	14	393	10
Black	173	11	206	13
Localized				
All Races	913	47	857	42
White/Non-Hispanic	825	47	761	42
White/Hispanic	56	53	60	31
Black	24	*	32	48
Regional				
All Races	1072	16	1081	17
White/Non-Hispanic	950	16	938	17
White/Hispanic	69	*	79	22
Black	41	*	48	17
Distant				
All Races	2626	2	2903	2
White/Non-Hispanic	2356	2	2538	2
White/Hispanic	147	*	218	*
Black	95	*	115	*

* Fewer than 10 cases or standard error of rate over 10%.

Lung and Bronchus - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	454037	79.5	3896	55.7 ■	789	52.4
White/Non-Hispanic	395430	78.1	3478	57.2 ■	691	54.2
White/Hispanic	N/A	N/A	232	40.7 ●	47	30.4 ●
Black	51323	107.0 ◆	133	72.0 ■ ◆	40	101.8 ◆
Female						
All Races	313023	40.7	2970	32.1 ■	695	35.2 ★
White/Non-Hispanic	279959	41.5	2686	33.5 ■	628	37.5 ★
White/Hispanic	N/A	N/A	149	19.8 ●	36	18.9 ●
Black	28584	40.0 ●	103	40.5	24	43.0

★, ■, ◆, ● See incidence table footnotes.

Melanomas of the Skin - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	78857	19.0	2135	25.2	★	447	23.9
White/Non-Hispanic	74628	20.5	2066	29.2	★	435	28.3
White/Hispanic	N/A	N/A	53	5.8	●	9	4.8
Black	381	1.2	6	1.9	●	1	0.9
Female							
All Races	59921	12.0	1686	16.8	★	372	17.0
White/Non-Hispanic	56129	13.3	1606	19.5	★	361	20.6
White/Hispanic	N/A	N/A	68	6.2	●	11	3.7
Black	403	0.9	5	1.7	●	0	0.0

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Melanomas of the Skin - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	5451	29.6	61.1	2.6	2.1	4.6	95.0
2001	1214	32.6	55.8	4.2	2.1	5.3	93.3
White/Non-Hispanic							
1996-2000	5253	29.8	60.9	2.6	2.1	4.6	95.1
2001	1178	32.5	55.9	4.1	2.2	5.3	93.4
White/Hispanic							
1996-2000	166	26.5	63.3	2.4	4.2	3.6	93.1
2001	32	37.5	46.9	9.4	0.0	6.3	90.0
Black							
1996-2000	13	15.4	69.2	7.7	0.0	7.7	91.7
2001	1	0.0	100.0	0.0	0.0	0.0	100.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of melanoma is 1 in 31 for males and 1 in 55 for females.
- The 1996-2000 melanoma incidence rate in Colorado was 33% higher than the U.S. rate for males and 40% higher than the U.S. rate for females.
- There were mixed results for early detection of melanoma in Colorado with the percentage of in-situ stage increasing, localized stage decreasing, and regional stage increasing.
- The five-year melanoma survival rate in Colorado was 85% during 1990-93 and 84% during 1994-97.
- Mortality rates for melanoma in Colorado during 1996-2000 were about 15% higher than U.S. rates, less difference than with incidence and likely due to early detection and treatment in Colorado.

**Melanomas of the Skin
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	1690	85	2003	84
White/Non-Hispanic	1647	84	1930	85
White/Hispanic	41	92	55	68
Black	0	*	6	*
Localized				
All Races	1494	91	1774	90
White/Non-Hispanic	1454	91	1711	91
White/Hispanic	38	91	47	74
Black	0	*	5	*
Regional				
All Races	55	45	58	47
White/Non-Hispanic	53	42	58	47
White/Hispanic	2	*	0	*
Black	0	*	0	*
Distant				
All Races	59	*	88	19
White/Non-Hispanic	59	*	80	19
White/Hispanic	0	*	6	*
Black	0	*	1	*

* Fewer than 10 cases or standard error of rate over 10%.

Melanomas of the Skin - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	22846	3.9	335	4.4 ★	76	4.8
White/Non-Hispanic	22502	4.4	326	5.0 ★	76	5.6
White/Hispanic	N/A	N/A	6	1.0 ●	*	*
Black	247	0.5 ●	*	*	*	*
Female						
All Races	13737	1.8	208	2.1 ★	42	2.0
White/Non-Hispanic	13309	2.0	200	2.4 ★	41	2.3
White/Hispanic	N/A	N/A	8	0.8 ●	*	*
Black	336	0.5 ●	*	*	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

**Multiple Myeloma - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	25968	6.6	502	7.0	120	7.3
White/Non-Hispanic	21566	6.1	415	6.7	97	7.0
White/Hispanic	N/A	N/A	51	8.7	8	4.7
Black	3497	12.0	30	15.4	14	31.0
Female						
All Races	23196	4.4	398	4.3	82	4.0
White/Non-Hispanic	18496	3.9	326	4.0	68	4.0
White/Hispanic	N/A	N/A	39	5.1	9	4.4
Black	3867	9.0	23	8.9	3	6.1

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of multiple myeloma is 1 in 102 for males and 1 in 161 for females.
- The 1996-2000 multiple myeloma incidence rates in Colorado were similar to U.S. rates.
- Multiple myeloma incidence rates for 1996-2000 were substantially higher in blacks than in non-Hispanic whites in both Colorado and the U.S.
- The five-year multiple myeloma survival rate in Colorado was close to 30% during 1990-93 and 1994-97.
- Similar to incidence rate differences seen, multiple myeloma mortality rates for blacks during 1996-2000 were significantly higher than rates for non-Hispanic whites in Colorado and the U.S.

**Multiple Myeloma
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Races	502	32	541	27
White/Non-Hispanic	424	32	438	25
White/Hispanic	44	37	61	37
Black	32	*	27	*

* Fewer than 10 cases or standard error of rate over 10%.

Multiple Myeloma - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	26464	4.8	349	5.1	61	4.2
White/Non-Hispanic	21924	4.5	286	4.9	53	4.4
White/Hispanic	N/A	N/A	33	5.6	4	2.7
Black	4128	9.2 ◆	25	15.4 ◆	*	*
Female						
All Races	25547	3.2	282	3.0	65	3.2
White/Non-Hispanic	20478	2.9	237	2.9	56	3.3
White/Hispanic	N/A	N/A	24	3.0	4	2.0
Black	4672	6.6 ◆	16	6.7 ◆	4	8.9

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Non-Hodgkin Lymphoma - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	92911	22.7	1703	21.4	379	21.8
White/Non-Hispanic	82588	23.0	1460	21.9	333	23.3
White/Hispanic	N/A	N/A	180	22.9	32	15.6
Black	6322	17.2	44	16.5	8	10.5
Female						
All Races	82883	15.9	1553	16.4	329	15.9
White/Non-Hispanic	74485	16.3	1358	16.8	288	16.7
White/Hispanic	N/A	N/A	136	15.6	31	13.0
Black	5041	10.8	33	11.4	6	11.1

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Non-Hodgkin Lymphoma - AJCC Stage of Disease at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	Stage I	Stage II	Stage III	Stage IV	Unknown
		%	%	%	%	%
All Races						
1996-2000	3256	27.1	14.0	11.2	35.4	12.3
2001	709	24.4	14.8	15.0	29.6	16.2
White/Non-Hispanic						
1996-2000	2818	26.5	14.1	11.2	35.7	12.6
2001	621	24.6	13.5	15.3	29.8	16.7
White/Hispanic						
1996-2000	316	31.6	14.2	9.8	32.6	11.7
2001	64	23.4	28.1	15.6	21.9	10.9
Black						
1996-2000	77	26.0	13.0	18.2	32.5	10.4
2001	14	21.4	21.4	7.1	28.6	21.4

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of non-Hodgkin lymphoma is 1 in 36 for males and 1 in 46 for females.
- The 1996-2000 non-Hodgkin lymphoma incidence rates for males in Colorado were 6% lower than U.S. rates.
- Non-Hodgkin lymphoma incidence rates for 1996-2000 were 25-34% lower in blacks than in non-Hispanic whites in both Colorado and the U.S.
- The five-year non-Hodgkin lymphoma survival rate in Colorado was 54% during 1990-93 and 1994-97 with lower survival seen for Hispanics and blacks in the more recent time period.
- Non-Hodgkin lymphoma mortality rates in Colorado during 1996-2000 were generally similar to U.S. rates.

Non-Hodgkin Lymphoma
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Race/Ethnicity	1990 - 1993		1994 - 1997	
	5-Year Relative Survival		5-Year Relative Survival	
	Cases	Rate (%)	Cases	Rate (%)
All Races	1746	54	1949	54
White/Non-Hispanic	1533	53	1690	55
White/Hispanic	131	54	176	40
Black	58	62	53	50

Non-Hodgkin Lymphoma - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	60001	10.7	672	9.4	149	10.0
White/Non-Hispanic	54805	11.1	604	9.8 ■	129	10.2
White/Hispanic	N/A	N/A	49	8.0	13	7.9
Black	4038	7.6 ●	14	5.4 ●	4	7.6
Female						
All Races	55375	7.0	655	7.0	126	6.2
White/Non-Hispanic	51077	7.3	593	7.3	109	6.3
White/Hispanic	N/A	N/A	41	5.2 ●	10	5.1
Black	3381	4.6 ●	13	5.3	4	8.0

★, ■, ◆, ● See incidence table footnotes.

Oral Cavity and Pharynx - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	67382	16.2	1107	13.8	■	219	12.2
White/Non-Hispanic	57220	15.8	956	14.1	■	193	12.9
White/Hispanic	N/A	N/A	102	13.2		20	11.1
Black	6978	20.0	35	11.9	■	4	7.2
Female							
All Races	33008	6.4	527	5.5	■	123	6.0
White/Non-Hispanic	28421	6.3	476	5.9		107	6.3
White/Hispanic	N/A	N/A	36	3.7	●	12	5.0
Black	2888	6.4	9	2.9	■ ●	1	2.5

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Oral Cavity and Pharynx - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	1675	2.4	39.9	39.4	8.6	9.7	46.9
2001	348	2.0	41.7	41.4	7.2	7.8	47.4
White/Non-Hispanic							
1996-2000	1476	2.6	41.1	38.8	7.5	10.0	48.6
2001	304	1.6	43.4	40.8	7.2	6.9	48.4
White/Hispanic							
1996-2000	134	0.7	29.1	44.0	17.2	9.0	32.8
2001	32	0.0	28.1	46.9	6.3	18.8	34.6
Black							
1996-2000	45	2.2	33.3	44.4	17.8	2.2	36.4
2001	6	16.7	16.7	50.0	16.7	0.0	33.3

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of oral cavity cancers is 1 in 61 for males and 1 in 136 for females.
- The 1996-2000 Colorado incidence rates of oral cavity cancers were 6-55% lower than U.S. rates, varying by race and sex.
- From 1996-2000 to 2001, oral cavity cancer incidence rates in Colorado declined 12-39% for males and increased 9-35% for females, varying by race groups.
- During 1996-2000, Hispanics and blacks in Colorado had lower incidence rates of oral cavity cancers than non-Hispanic whites.
- Early detection of oral cavity cancer in Colorado was substantially worse for Hispanics and blacks than for non-Hispanic whites.
- The five-year survival rate for oral cavity cancers in Colorado was close to 55% for 1990-93 and 1994-97, but survival for Hispanics and blacks was lower because of later detection.

**Oral Cavity and Pharynx
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	994	55	1080	54
White/Non-Hispanic	871	57	942	55
White/Hispanic	79	39	95	46
Black	38	39	31	43
Localized				
All Races	409	78	429	71
White/Non-Hispanic	375	78	393	72
White/Hispanic	22	82	23	71
Black	10	*	10	*
Regional				
All Races	407	47	448	50
White/Non-Hispanic	348	50	391	49
White/Hispanic	41	29	40	51
Black	15	*	13	*
Distant				
All Races	94	21	124	26
White/Non-Hispanic	76	23	93	28
White/Hispanic	9	*	20	*
Black	9	*	7	*

* Fewer than 10 cases or standard error of rate over 10%.

Oral Cavity and Pharynx - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	25591	4.4	226	3.1 ■	53	3.2
White/Non-Hispanic	20556	4.0	202	3.2 ■	46	3.3
White/Hispanic	N/A	N/A	14	1.7 ●	4	2.5
Black	4252	7.9 ◆	8	3.8 ■	3	3.7
Female						
All Races	13098	1.7	122	1.3 ■	22	1.1
White/Non-Hispanic	11279	1.6	116	1.4	17	1.0
White/Hispanic	N/A	N/A	5	0.7	5	2.3
Black	1495	2.0 ◆	*	*	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

**Ovary - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA 1996-2000		Colorado 1996-2000		Colorado 2001		
	N	Rate	N	Rate	N	Rate	
Female							
All Races	83901	16.6	1621	16.7	302	14.4	■
White/Non-Hispanic	75367	17.3	1426	17.6	259	14.8	■
White/Hispanic	N/A	N/A	153	15.8	31	13.9	
Black	5222	11.4	21	7.5	3	5.1	●

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

**Ovary - Stage of Disease¹ at Diagnosis
by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001**

	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²	
	Cases	%	%	%	%		
All Races							
1996-2000	1624	0.2	26.4	7.8	58.6	7.1	28.6
2001	302	0.0	17.5	20.5	51.0	10.9	19.7
White/Non-Hispanic							
1996-2000	1429	0.2	26.1	8.0	58.6	7.0	28.3
2001	259	0.0	18.5	20.5	50.2	10.8	20.8
White/Hispanic							
1996-2000	153	0.0	28.8	5.9	57.5	7.8	31.2
2001	31	0.0	9.7	22.6	58.1	9.7	10.7
Black							
1996-2000	21	0.0	19.0	9.5	61.9	9.5	21.1
2001	3	0.0	0.0	0.0	66.7	33.3	0.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of ovarian cancer is 1 in 52.
- The 1996-2000 Colorado incidence rates of ovarian cancer were similar to U.S. rates, except for blacks whose rate was 34% lower than the U.S. rate for blacks.
- From 1996-2000 to 2001, ovarian cancer incidence rates in Colorado declined 14-32%, varying by race groups.
- During 1996-2000 and 2001, ovarian cancer incidence rates in black females in Colorado were less than half those for non-Hispanic whites.
- From 1996-2000 to 2001, declines in early detection of ovarian cancer in Colorado were seen for every race/ethnicity group in this report.
- The five-year survival rate for ovarian cancers in Colorado was just over 50% for 1990-93 and 1994-97.

Ovary
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	903	51	1031	51
White/Non-Hispanic	792	50	911	51
White/Hispanic	80	56	93	52
Black	19	60	17	*
Localized				
All Races	280	97	303	96
White/Non-Hispanic	244	97	260	96
White/Hispanic	25	93	34	93
Black	8	*	4	*
Regional				
All Races	26	77	46	76
White/Non-Hispanic	22	78	40	77
White/Hispanic	4	*	5	*
Black	0	*	1	*
Distant				
All Races	570	30	648	32
White/Non-Hispanic	507	29	579	32
White/Hispanic	46	39	52	26
Black	9	*	12	*

* Fewer than 10 cases or standard error of rate over 10%.

Ovary - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Female						
All Races	67745	8.8	811	8.6	189	9.3
White/Non-Hispanic	61241	9.1	743	9.2	169	9.9
White/Hispanic	N/A	N/A	50	6.2	11	5.3
Black	5348	7.4	13	4.7	5	10.3

★, ■, ◆, ● See incidence table footnotes.

**Pancreas - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	49637	12.6	911	12.9	179	11.4
White/Non-Hispanic	43261	12.3	780	12.9	151	11.5
White/Hispanic	N/A	N/A	87	13.2	21	12.4
Black	4717	16.2	34	14.4	4	7.3
Female						
All Races	52188	9.6	865	9.3	195	9.8
White/Non-Hispanic	44931	9.3	724	8.9	168	10.0
White/Hispanic	N/A	N/A	103	13.0	18	8.8
Black	5625	13.4	24	10.2	4	7.1

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

**Pancreas - Stage of Disease¹ at Diagnosis
by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001**

	Cases	In-Situ %	Localized %	Regional %	Distant %	Unknown %
All Races						
1996-2000	1777	0.1	9.7	25.2	40.1	25.0
2001	375	0.3	8.3	24.0	46.1	21.3
White/Non-Hispanic						
1996-2000	1505	0.1	10.0	25.0	39.7	25.2
2001	319	0.0	9.1	22.6	47.3	21.0
White/Hispanic						
1996-2000	190	0.0	7.9	25.8	42.6	23.7
2001	39	0.0	5.1	30.8	38.5	25.6
Black						
1996-2000	58	0.0	10.3	22.4	39.7	27.6
2001	9	11.1	0.0	22.2	44.4	22.2

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of pancreatic cancer is 1 in 58 for males and 1 in 75 for females.
- The 1996-2000 Colorado incidence rates of pancreatic cancer were similar to U.S. rates.
- U.S. blacks had incidence rates of pancreatic cancer during 1996-2000 that were 32-44% higher than whites, a pattern also seen in Colorado blacks, but in the range of 12-15% higher.
- Early detection of pancreatic cancer is difficult and staging patterns changed little from 1996-2000 to 2001 in Colorado.
- The five-year survival rate for pancreatic cancer in Colorado remained near 5% for 1990-93 and 1994-97.

Pancreas
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	955	6	980	4
White/Non-Hispanic	829	6	824	4
White/Hispanic	84	*	110	*
Black	35	*	33	*
Localized				
All Races	90	20	92	13
White/Non-Hispanic	84	19	81	14
White/Hispanic	4	*	9	*
Black	2	*	2	*
Regional				
All Races	264	8	274	6
White/Non-Hispanic	235	9	232	6
White/Hispanic	18	*	35	*
Black	8	*	7	*
Distant				
All Races	464	3	460	*
White/Non-Hispanic	396	*	378	*
White/Hispanic	45	*	52	*
Black	19	*	19	*

* Fewer than 10 cases or standard error of rate over 10%.

Pancreas - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	68713	12.2	845	12.1	162	10.3
White/Non-Hispanic	59642	12.0	724	12.1	141	10.7
White/Hispanic	N/A	N/A	76	12.0	14	8.2
Black	7697	16.4	35	15.4	4	8.0
Female						
All Races	72965	9.2	796	8.5	187	9.3
White/Non-Hispanic	62515	8.9	684	8.4	154	9.1
White/Hispanic	N/A	N/A	78	10.1	20	9.3
Black	9037	12.9	21	9.6	9	17.9

★, ■, ◆, ● See incidence table footnotes.

**Prostate - Number of Diagnosed Cancers and
Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area,
Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA ¹ 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	648263	160.4	12130	163.0	2728	165.7
White/Non-Hispanic	545952	151.7	10707	167.3	2389	172.3
White/Hispanic	N/A	N/A	899	140.6	208	124.8
Black	69592	238.5	440	193.6	114	211.4

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

**Prostate - Stage of Disease¹ at Diagnosis
by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001**

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	12138	0.0	67.7	9.3	4.4	18.5	83.1
2001	2728	0.1	71.7	7.1	3.3	17.7	87.3
White/Non-Hispanic							
1996-2000	10714	0.0	68.0	9.1	4.2	18.6	83.6
2001	2389	0.1	71.9	7.2	3.0	17.8	87.6
White/Hispanic							
1996-2000	900	0.1	64.0	8.9	6.4	20.6	80.7
2001	208	0.0	66.3	6.7	6.3	20.7	83.6
Black							
1996-2000	440	0.0	68.4	14.3	5.9	11.4	77.2
2001	114	0.9	76.3	7.0	5.3	10.5	86.3

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of prostate cancer is 1 in 5.
- The 1996-2000 Colorado incidence rate of prostate cancer for non-Hispanic whites was 10% higher than the U.S. rate for whites, which includes Hispanics, whose rate is lower. The Colorado rate for blacks was 19% lower than the U.S. rate for blacks.
- The incidence rate of prostate cancer in U.S. blacks during 1996-2000 was 57% higher than in U.S. whites, while in Colorado the incidence rate in blacks was 16% higher than in whites. The rate in Colorado Hispanics was 16% lower than in whites.
- Early detection of prostate cancer in Colorado improved from 1996-2000 to 2001 in every race/ethnicity group in this report. Early detection in blacks increased substantially to rival that of non-Hispanic whites, while early detection in Hispanics lagged about 4 percentage points behind.
- The five-year survival rate for prostate cancer in Colorado increased from 88% during 1990-93 to 95% during 1994-97. Death rates were down about 10% from 1996-2000 to 2001 for all races combined, but death rates for prostate cancer for blacks were still substantially higher than rates for whites.

**Prostate
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97**

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	9138	88	7879	95
White/Non-Hispanic	8240	89	6917	95
White/Hispanic	568	81	601	93
Black	288	74	301	90
Localized				
All Races	6045	97	5485	99
White/Non-Hispanic	5520	97	4851	99
White/Hispanic	326	97	399	100
Black	178	90	198	98
Regional				
All Races	1407	94	1012	98
White/Non-Hispanic	1268	94	885	99
White/Hispanic	95	86	65	98
Black	39	86	51	95
Distant				
All Races	713	29	448	28
White/Non-Hispanic	588	29	361	25
White/Hispanic	67	30	55	34
Black	48	18	26	*

* Fewer than 10 cases or standard error of rate over 10%.

**Prostate - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001**

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	162020	32.9	1756	30.5 ■	337	27.0 ■
White/Non-Hispanic	132832	30.2	1535	30.3	291	27.2
White/Hispanic	N/A	N/A	117	26.0	28	23.2
Black	27320	73.0 ◆	92	72.1 ◆	16	47.4

★, ■, ◆, ● See incidence table footnotes.

Stomach - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001		
	N	Rate	N	Rate		N	Rate	
Male								
All Races	45662	11.6	684	9.2	■	125	7.6	■
White/Non-Hispanic	36815	10.6	504	8.0	■	97	7.1	
White/Hispanic	N/A	N/A	116	17.4	◆	20	10.8	■
Black	5452	19.3	◆	34	15.4	◆	5	10.1
Female								
All Races	28852	5.3	395	4.2	■	87	4.2	
White/Non-Hispanic	22306	4.6	285	3.5	■	54	3.1	
White/Hispanic	N/A	N/A	83	11.5	◆	26	12.2	◆
Black	4138	9.8	◆	8	2.6	■	5	10.6

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Stomach - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	1084	0.6	17.4	29.2	35.4	17.3	21.9
2001	217	1.8	18.4	32.3	29.0	18.4	24.9
White/Non-Hispanic							
1996-2000	794	0.8	16.6	29.1	36.0	17.5	21.1
2001	153	1.3	19.6	31.4	28.1	19.6	26.0
White/Hispanic							
1996-2000	199	0.5	18.1	31.7	33.2	16.6	22.3
2001	47	2.1	19.1	31.9	31.9	14.9	25.0
Black							
1996-2000	42	0.0	23.8	14.3	42.9	19.0	29.4
2001	10	0.0	10.0	50.0	30.0	10.0	11.1

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of stomach cancer is 1 in 84 for males and 1 in 168 for females.
- The 1996-2000 Colorado incidence rates of stomach cancer were generally about 20% lower than U.S. rates.
- During 1996-2000 and 2001 in Colorado, Hispanics and blacks had substantially higher incidence and mortality rates of stomach cancer than did non-Hispanic whites.
- The five-year survival rate for stomach cancer in Colorado remained at 18% for 1990-93 and 1994-97.
- Stomach cancer mortality rates in Colorado declined 16% for males and 11% for females from 1996-2000 to 2001.

Stomach
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	707	18	715	18
White/Non-Hispanic	544	17	513	18
White/Hispanic	97	23	129	20
Black	31	*	29	*
Localized				
All Races	93	64	117	64
White/Non-Hispanic	62	59	85	65
White/Hispanic	21	65	20	*
Black	5	*	2	*
Regional				
All Races	227	24	255	19
White/Non-Hispanic	174	23	185	17
White/Hispanic	29	*	48	26
Black	10	*	8	*
Distant				
All Races	305	3	268	*
White/Non-Hispanic	247	*	190	*
White/Hispanic	31	*	45	*
Black	14	*	16	*

* Fewer than 10 cases or standard error of rate over 10%.

Stomach - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	37975	6.9	397	5.5 ■	73	4.6
White/Non-Hispanic	29665	6.1	293	4.7 ■	54	4.1
White/Hispanic	N/A	N/A	66	11.0 ◆	14	7.6
Black	6340	14.0 ◆	23	12.3 ◆	*	*
Female						
All Races	26734	3.4	268	2.8 ■	52	2.5
White/Non-Hispanic	20572	2.9	195	2.4 ■	31	1.8
White/Hispanic	N/A	N/A	54	7.4 ◆	16	7.3 ◆
Black	4641	6.5 ◆	6	2.1 ■	3	4.7

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Testis - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	25134	5.3	673	6.0	★	142	5.8
White/Non-Hispanic	23514	6.0	580	6.9	★	119	6.7
White/Hispanic	N/A	N/A	75	3.9	●	15	3.0
Black	672	1.3	11	2.1	●	2	1.7

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Testis - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	673	0.0	70.1	17.2	10.1	2.5	72.0
2001	143	0.7	74.8	14.7	7.0	2.8	77.7
White/Non-Hispanic							
1996-2000	580	0.0	70.2	17.4	9.7	2.8	72.2
2001	120	0.8	76.7	14.2	5.8	2.5	79.5
White/Hispanic							
1996-2000	75	0.0	69.3	17.3	12.0	1.3	70.3
2001	15	0.0	60.0	13.3	20.0	6.7	64.3
Black							
1996-2000	11	0.0	63.6	18.2	18.2	0.0	63.6
2001	2	0.0	50.0	50.0	0.0	0.0	50.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of testicular cancer is 1 in 231.
- The 1996-2000 testicular cancer incidence rate in Colorado was 13% above the U.S. rate.
- During 1996-2000 and 2001 in Colorado, Hispanics and blacks had 43-75% lower incidence rates of testicular cancer than did non-Hispanic whites.
- There were improvements in early detection of testicular cancer in Colorado from 1996-2000 to 2001 for non-Hispanic whites, but not for Hispanics and blacks, whose early detection also lagged behind that of non-Hispanic whites.
- The five-year survival rate for testicular cancer in Colorado increased from 93% during 1990-93 to 96% during 1994-97 with increases in survival noted for each stage at detection.

Testis
5-Year Relative Survival Rates by Stage and Race/Ethnicity for Colorado Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	405	93	445	96
White/Non-Hispanic	366	94	390	96
White/Hispanic	34	84	45	88
Black	2	*	7	*
Localized				
All Races	255	98	283	99
White/Non-Hispanic	226	98	246	99
White/Hispanic	25	95	29	89
Black	2	*	6	*
Regional				
All Races	84	91	106	93
White/Non-Hispanic	80	92	95	94
White/Hispanic	3	*	10	*
Black	0	*	1	*
Distant				
All Races	60	73	51	78
White/Non-Hispanic	54	78	44	77
White/Hispanic	6	*	6	*
Black	0	*	0	*

* Fewer than 10 cases or standard error of rate over 10%.

Testis - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000 by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	1747	0.3	21	0.2 ■	4	0.2
White/Non-Hispanic	1600	0.3	18	0.2	4	0.2
White/Hispanic	N/A	N/A	3	0.2	*	*
Black	113	0.2 ●	*	*	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

Thyroid - Number of Diagnosed Cancers and Average Annual Age-Adjusted Incidence Rates per 100,000 by Sex, Geographic Area, Race/Ethnicity, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA ¹ 1996-2000		Colorado 1996-2000			Colorado 2001	
	N	Rate	N	Rate		N	Rate
Male							
All Races	15235	3.5	396	4.2	★	92	4.3
White/Non-Hispanic	13606	3.6	338	4.4	★	75	4.4
White/Hispanic	N/A	N/A	39	3.8		15	5.1
Black	723	2.0	13	5.4	●	0	0.0
Female							
All Races	45361	9.4	1058	10.2	★	296	13.3
White/Non-Hispanic	39059	9.7	860	10.4		254	14.4
White/Hispanic	N/A	N/A	133	11.2		28	10.9
Black	2840	5.7	25	7.0	●	8	8.9

¹ USA rates are from NAACCR program; USA rates for "White/Non-Hispanic" category include White/Hispanic.

- ★ Rate is significantly higher than corresponding rate in column to the left.
- Rate is significantly lower than corresponding rate in column to the left.
- ◆ Rate is significantly higher than White/Non-Hispanic rate for this sex, geographic area, and time period.
- Rate is significantly lower than White/Non-Hispanic rate for this sex, geographic area, and time period.

Thyroid - Stage of Disease¹ at Diagnosis by Race/Ethnicity and Time Period, Colorado, 1996-2000 and 2001

	Cases	In-Situ	Localized	Regional	Distant	Unknown	% "Early" Detection ²
		%	%	%	%	%	
All Races							
1996-2000	1456	0.1	66.4	24.9	4.7	3.8	69.2
2001	388	0.0	69.1	22.2	3.1	5.7	73.2
White/Non-Hispanic							
1996-2000	1199	0.1	67.1	25.0	4.3	3.5	69.7
2001	329	0.0	70.2	21.0	3.3	5.5	74.3
White/Hispanic							
1996-2000	173	0.6	59.0	27.7	6.9	5.8	63.2
2001	43	0.0	60.5	30.2	2.3	7.0	65.0
Black							
1996-2000	38	0.0	78.9	5.3	7.9	7.9	85.7
2001	8	0.0	75.0	25.0	0.0	0.0	75.0

¹ Cases diagnosed in 1996-2000 were staged using SEER Summary Stage 1997; cases diagnosed in 2001 were staged using SEER Summary Stage 2000.

² "Early" detection is percent in-situ + localized of staged cases (unknown stage excluded).

HIGHLIGHTS

- In Colorado, the cumulative lifetime risk of thyroid cancer is 1 in 227 for males and 1 in 104 for females.
- The 1996-2000 thyroid cancer incidence rates in Colorado were 20% higher than U.S. rates for males and 9% higher than U.S. rates for females.
- For females, Colorado thyroid cancer incidence rates increased 30% for all races combined and 38% for non-Hispanic whites from 1996-2000 to 2001, a continuing trend noted in many states across the country.
- Early detection of thyroid cancer improved to 73% in Colorado from 1996-2000 to 2001, with improvements noted in non-Hispanic whites and Hispanics.
- Five-year thyroid cancer survival rates in Colorado stayed constant at about 95% during 1990-93 and 1994-97.
- Mortality rates for thyroid cancer in Colorado during 1996-2000 were similar to U.S. rates with no time trend evident through 2001.

Thyroid
5-Year Relative Survival Rates by Stage
and Race/Ethnicity for Colorado
Males and Females, 1990-93 and 1994-97

Stage and Race/Ethnicity	1990 - 1993		1994 - 1997	
	Cases	5-Year Relative Survival Rate (%)	Cases	5-Year Relative Survival Rate (%)
All Stages				
All Races	745	94	864	95
White/Non-Hispanic	615	95	720	96
White/Hispanic	94	87	103	88
Black	21	95	19	94
Localized				
All Races	518	97	566	98
White/Non-Hispanic	435	98	479	98
White/Hispanic	61	85	54	97
Black	15	93	15	100
Regional				
All Races	174	94	235	94
White/Non-Hispanic	142	93	195	96
White/Hispanic	22	100	35	86
Black	5	*	2	100
Distant				
All Races	40	59	45	55
White/Non-Hispanic	27	61	30	55
White/Hispanic	10	*	13	*
Black	0	*	1	*

* Fewer than 10 cases or standard error of rate over 10%.

Thyroid - Number of Deaths and Average Annual Age-Adjusted Mortality Rates per 100,000
by Sex, Race/Ethnicity, Geographic Area, and Time Period, USA 1996-2000 and Colorado 1996-2000 and 2001

	USA 1996-2000		Colorado 1996-2000		Colorado 2001	
	N	Rate	N	Rate	N	Rate
Male						
All Races	2449	0.4	32	0.5	6	0.4
White/Non-Hispanic	2209	0.4	28	0.5	4	0.3
White/Hispanic	N/A	N/A	3	0.5	*	*
Black	167	0.3 ●	*	*	*	*
Female						
All Races	3706	0.5	53	0.6	6	0.3 ■
White/Non-Hispanic	3165	0.5	40	0.5	*	*
White/Hispanic	N/A	N/A	11	1.4 ◆	3	1.7
Black	376	0.5	*	*	*	*

★, ■, ◆, ● See incidence table footnotes. *Fewer than 3 events in this category.

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

All Cancers Combined

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	489.9 13597	488.6 14077	466.5 13968	427.0 13302	449.7 14395	454.4 14920	452.7 15209	449.3 15615	447.4 16009	447.0 16546	457.8 17361
White/Non-Hispanic	502.1 12135	499.4 12479	477.1 12338	437.1 11695	459.3 12586	465.0 13031	464.3 13300	461.7 13608	462.1 13976	460.5 14427	477.7 15096
White/Hispanic	412.0 948	428.2 1076	411.7 1079	388.0 1072	408.7 1201	422.7 1281	433.6 1308	404.2 1329	408.3 1379	401.2 1414	370.2 1544
Black	517.2 387	495.0 392	491.3 409	399.0 367	469.3 436	436.2 429	420.5 405	457.4 472	389.0 433	419.3 443	420.9 465
Male											
All Races	629.8 7374	633.4 7752	569.5 7318	509.6 6901	529.7 7362	527.8 7554	529.5 7736	516.7 7828	521.1 8126	519.2 8399	522.9 8739
White/Non-Hispanic	644.2 6581	647.7 6887	578.6 6447	519.5 6060	538.7 6410	537.1 6581	538.7 6726	526.5 6791	538.2 7116	532.9 7343	545.5 7594
White/Hispanic	524.4 511	532.2 571	519.7 569	468.2 558	469.4 609	501.0 653	531.5 694	474.0 672	451.6 680	475.2 709	411.9 764
Black	754.3 228	698.1 232	673.8 234	485.9 198	627.6 259	565.0 242	538.7 233	619.4 282	480.1 235	515.5 241	520.7 270
Female											
All Races	400.5 6223	393.4 6325	399.5 6650	373.1 6401	397.7 7033	405.8 7366	402.0 7473	406.5 7787	399.5 7883	400.5 8147	414.3 8622
White/Non-Hispanic	412.2 5554	402.4 5592	411.0 5891	383.6 5635	408.6 6176	417.1 6450	416.0 6574	421.0 6817	412.8 6860	412.9 7084	432.9 7502
White/Hispanic	333.8 437	356.6 505	339.5 510	332.6 514	367.1 592	370.8 628	363.9 614	358.1 657	378.7 699	357.7 705	344.0 780
Black	366.7 159	362.6 160	368.7 175	333.4 169	352.4 177	344.9 187	328.9 172	336.4 190	322.8 198	350.1 202	332.9 195

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Anus, Anal Canal, and Anorectum

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.0 29	1.5 43	1.4 43	1.1 35	0.9 28	1.0 33	1.2 41	1.2 45	1.3 47	1.1 43	1.4 55
White/Non-Hispanic	1.2 29	1.5 38	1.4 37	1.1 29	1.0 27	1.1 31	1.2 35	1.2 37	1.4 43	1.2 39	1.4 46
White/Hispanic	0.0 0	1.0 2	1.2 4	0.3 1	0.2 1	0.5 2	1.2 3	1.1 4	0.7 4	0.8 3	2.2 8
Black	0.0 0	3.4 3	1.0 1	6.2 5	0.0 0	0.0 0	1.8 3	0.7 1	0.0 0	0.5 1	0.8 1
Male											
All Races	0.9 12	1.2 15	1.4 20	0.9 13	0.4 6	0.6 10	0.8 11	1.1 19	1.0 19	0.5 11	1.2 22
White/Non-Hispanic	1.0 12	1.1 12	1.3 16	0.8 10	0.5 6	0.8 10	0.6 7	0.9 14	1.1 17	0.6 10	1.2 19
White/Hispanic	0.0 0	0.7 1	1.7 3	0.6 1	0.0 0	0.0 0	2.2 2	1.8 3	0.7 2	0.4 1	1.7 2
Black	0.0 0	3.0 2	0.0 0	8.2 2	0.0 0	0.0 0	2.3 2	1.2 1	0.0 0	0.0 0	1.7 1
Female											
All Races	1.1 17	1.8 28	1.4 23	1.3 22	1.2 22	1.3 23	1.6 30	1.3 26	1.4 28	1.5 32	1.5 33
White/Non-Hispanic	1.2 17	1.9 26	1.5 21	1.3 19	1.4 21	1.4 21	1.8 28	1.4 23	1.5 26	1.7 29	1.5 27
White/Hispanic	0.0 0	1.1 1	0.6 1	0.0 0	0.5 1	1.0 2	0.5 1	0.5 1	0.7 2	1.2 2	3.1 6
Black	0.0 0	3.0 1	1.9 1	6.1 3	0.0 0	0.0 0	1.2 1	0.0 0	0.0 0	1.2 1	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Bones and Joints

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.1 35	0.8 27	1.5 49	0.8 27	0.8 29	0.6 22	0.8 30	1.4 57	0.9 37	0.9 38	0.9 38
White/Non-Hispanic	1.3 32	0.7 17	1.5 40	0.8 23	0.9 25	0.6 17	0.7 22	1.3 41	1.0 32	0.9 28	0.9 28
White/Hispanic	0.6 3	2.2 8	2.0 7	0.3 2	0.8 4	0.8 4	1.2 7	1.9 14	0.4 3	1.1 8	1.4 10
Black	0.0 0	0.0 0	1.0 1	0.0 0	0.0 0	0.5 1	0.5 1	0.0 0	0.4 1	1.0 2	0.0 0
Male											
All Races	1.5 22	1.1 18	1.8 28	0.6 9	1.0 18	0.7 12	0.9 18	1.7 32	1.1 23	1.0 23	1.0 20
White/Non-Hispanic	1.8 21	0.9 12	1.7 23	0.7 9	1.1 15	0.7 9	1.0 15	1.5 22	1.3 20	1.0 17	1.0 16
White/Hispanic	0.4 1	2.2 4	3.3 5	0.0 0	1.1 3	1.0 3	0.5 2	2.4 9	0.7 3	0.9 4	1.0 4
Black	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	1.0 1	0.0 0	0.0 0	1.9 2	0.0 0
Female											
All Races	0.8 13	0.6 9	1.2 21	1.0 18	0.6 11	0.5 10	0.6 12	1.2 25	0.7 14	0.7 15	0.8 18
White/Non-Hispanic	0.8 11	0.4 5	1.2 17	1.0 14	0.7 10	0.5 8	0.5 7	1.2 19	0.7 12	0.7 11	0.7 12
White/Hispanic	0.8 2	2.0 4	1.1 2	0.6 2	0.5 1	0.5 1	1.7 5	1.3 5	0.0 0	1.3 4	1.7 6
Black	0.0 0	0.0 0	1.9 1	0.0 0	0.0 0	1.1 1	0.0 0	0.0 0	0.9 1	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Brain

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	7.3 220	6.4 198	6.6 213	6.1 210	6.8 236	7.3 263	6.7 244	6.4 238	6.2 241	6.6 266	7.1 292
White/Non-Hispanic	7.9 199	6.7 174	6.8 183	6.3 178	7.3 210	7.7 226	7.2 213	6.9 209	6.5 203	6.8 219	7.7 253
White/Hispanic	4.1 12	5.8 19	5.3 21	5.5 26	4.5 20	4.3 22	4.8 19	5.0 23	4.6 25	6.5 31	4.9 29
Black	7.5 7	2.7 3	4.8 5	2.3 3	3.5 4	7.9 11	5.9 5	1.4 2	4.8 6	5.9 7	2.3 3
Male											
All Races	9.4 129	7.4 106	7.6 121	7.4 120	7.4 121	8.4 143	8.1 141	7.7 137	7.3 139	7.7 146	8.7 166
White/Non-Hispanic	9.9 114	7.6 92	7.9 104	7.7 103	8.1 108	9.0 124	8.8 125	8.6 125	7.8 119	8.0 123	9.3 143
White/Hispanic	7.0 10	9.1 13	4.6 9	6.0 13	5.3 11	5.0 12	4.0 11	5.3 11	4.8 14	7.9 18	5.1 15
Black	13.6 5	0.9 1	10.8 4	3.7 2	3.2 1	5.6 4	11.0 4	0.0 0	5.0 4	2.8 2	4.9 3
Female											
All Races	5.6 91	5.6 92	5.4 92	5.0 90	6.3 115	6.4 120	5.5 103	5.2 101	5.1 102	5.6 117	5.9 126
White/Non-Hispanic	6.2 85	5.9 82	5.6 79	5.1 75	6.8 102	6.6 102	5.6 88	5.3 84	5.2 84	5.7 96	6.5 110
White/Hispanic	1.5 2	3.4 6	6.0 12	5.2 13	3.8 9	3.7 10	4.9 8	5.1 12	4.3 11	5.4 13	4.8 14
Black	3.3 2	4.1 2	1.2 1	1.0 1	4.4 3	9.9 7	2.8 1	2.9 2	3.3 2	8.1 5	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Brain and Other Nervous System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	8.0 240	6.7 207	7.0 226	6.5 223	7.4 257	7.7 277	7.1 256	6.7 251	6.6 260	7.0 280	7.4 305
White/Non-Hispanic	8.6 218	7.0 182	7.2 195	6.6 187	7.9 225	8.1 238	7.6 225	7.3 221	6.9 217	7.3 234	8.1 265
White/Hispanic	4.1 12	5.8 19	5.9 22	5.9 28	5.2 23	4.4 23	4.8 19	5.0 23	5.3 29	6.9 33	4.9 29
Black	7.5 7	3.2 4	4.8 5	3.7 5	4.4 6	8.8 12	5.9 5	1.8 3	4.8 6	5.9 7	2.3 3
Male											
All Races	10.4 143	7.7 110	7.8 124	7.8 127	8.1 131	8.7 148	8.5 147	8.0 142	8.0 152	8.2 156	9.1 177
White/Non-Hispanic	11.1 127	7.9 95	8.1 107	8.0 106	8.6 114	9.3 128	9.3 131	8.9 130	8.6 130	8.7 132	9.8 153
White/Hispanic	7.0 10	9.1 13	4.6 9	6.8 15	6.8 14	5.3 13	4.0 11	5.3 11	5.5 16	8.4 19	5.1 15
Black	13.6 5	1.9 2	10.8 4	6.5 4	4.0 2	5.6 4	11.0 4	0.0 0	5.0 4	2.8 2	4.9 3
Female											
All Races	5.9 97	5.9 97	6.0 102	5.3 96	6.9 126	6.8 129	5.8 109	5.5 109	5.4 108	6.0 124	6.0 128
White/Non-Hispanic	6.6 91	6.3 87	6.2 88	5.5 81	7.4 111	7.2 110	6.0 94	5.7 91	5.4 87	6.0 102	6.6 112
White/Hispanic	1.5 2	3.4 6	7.0 13	5.2 13	3.8 9	3.7 10	4.9 8	5.1 12	5.0 13	5.7 14	4.8 14
Black	3.3 2	4.1 2	1.2 1	1.0 1	5.3 4	11.7 8	2.8 1	3.8 3	3.3 2	8.1 5	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Breast

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	70.9 1987	71.2 2083	70.8 2165	66.5 2104	71.3 2332	71.5 2402	71.5 2475	74.4 2681	76.9 2860	72.3 2791	70.8 2818
White/Non-Hispanic	74.7 1806	73.9 1862	73.5 1924	69.9 1891	73.7 2056	74.6 2130	75.2 2210	79.1 2403	81.0 2535	75.7 2457	75.5 2501
White/Hispanic	44.8 113	54.8 151	55.3 164	51.2 149	59.7 184	56.1 186	54.5 179	51.6 187	60.4 219	57.4 231	46.9 210
Black	53.5 49	63.0 54	55.7 50	48.7 46	70.5 67	55.2 61	54.8 55	49.0 55	52.1 67	45.4 58	59.3 68
Male											
All Races	0.7 9	1.0 13	0.5 6	0.9 13	1.0 12	0.9 12	0.7 10	0.6 7	1.2 18	1.0 16	1.1 17
White/Non-Hispanic	0.8 9	1.1 13	0.6 6	1.0 12	1.0 10	0.8 10	0.8 9	0.6 6	1.0 13	1.0 14	1.1 15
White/Hispanic	0.0 0	0.0 0	0.0 0	1.0 1	0.7 1	2.1 2	0.3 1	0.0 0	2.0 4	0.4 1	0.8 1
Black	0.0 0	0.0 0	0.0 0	0.0 0	1.9 1	0.0 0	0.0 0	1.7 1	1.8 1	1.4 1	0.0 0
Female											
All Races	128.9 1978	129.9 2070	130.0 2159	122.5 2091	131.2 2320	131.8 2390	132.1 2465	138.6 2674	143.0 2842	134.9 2775	132.4 2801
White/Non-Hispanic	135.7 1797	134.6 1849	134.5 1918	128.7 1879	135.7 2046	137.7 2120	139.2 2201	147.4 2397	151.1 2522	141.2 2443	141.2 2486
White/Hispanic	83.5 113	104.0 151	105.9 164	96.2 148	112.4 183	105.4 184	102.5 178	98.6 187	113.0 215	110.9 230	90.4 209
Black	101.4 49	116.9 54	102.9 50	89.6 46	128.0 66	105.7 61	100.1 55	91.1 54	99.9 66	86.9 57	111.3 68

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Buccal Cavity and Pharynx

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	9.8 281	11.1 326	9.7 293	9.7 308	10.7 349	10.2 340	9.5 323	9.5 334	7.8 287	9.2 350	8.8 342
White/Non-Hispanic	10.1 251	11.5 290	10.0 259	9.8 266	11.4 317	10.4 294	10.0 291	10.1 301	7.9 245	9.4 301	9.3 300
White/Hispanic	8.9 21	6.4 20	8.0 21	10.6 28	7.1 21	9.8 31	7.6 24	5.7 20	7.7 28	9.5 35	7.7 32
Black	8.5 8	14.1 13	9.9 11	7.3 8	7.2 8	8.7 11	5.7 7	5.2 7	8.5 10	7.7 9	4.8 5
Male											
All Races	13.2 173	16.0 212	14.6 199	13.7 200	16.1 238	15.5 236	14.4 221	15.0 239	11.7 192	12.4 219	12.2 219
White/Non-Hispanic	13.3 150	16.4 185	15.2 177	14.5 180	17.0 215	15.4 196	15.1 198	15.8 211	11.8 164	12.6 187	12.9 193
White/Hispanic	14.8 16	9.1 15	11.9 14	8.8 13	11.6 15	17.3 26	12.7 17	10.1 17	14.1 21	12.1 21	11.1 20
Black	13.3 7	24.9 10	12.3 7	10.5 6	14.5 7	15.6 10	10.7 6	9.1 6	9.9 5	14.6 8	7.2 4
Female											
All Races	6.9 108	7.1 114	5.7 94	6.3 108	6.3 111	5.8 104	5.5 102	5.0 95	4.8 95	6.5 131	6.0 123
White/Non-Hispanic	7.4 101	7.6 105	5.8 82	5.9 86	6.7 102	6.4 98	5.9 93	5.6 90	4.9 81	6.7 114	6.3 107
White/Hispanic	3.9 5	3.5 5	4.9 7	11.3 15	3.7 6	3.3 5	3.7 7	1.6 3	2.7 7	7.3 14	5.0 12
Black	2.8 1	5.1 3	7.3 4	3.9 2	2.4 1	1.8 1	1.3 1	1.3 1	7.7 5	2.1 1	2.5 1

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Cervix Uteri

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	5.5 173	4.6 152	5.1 178	5.0 173	4.7 172	4.8 178	4.3 167	4.4 178	3.3 137	3.5 150	3.8 166
White/Non-Hispanic	5.0 133	4.2 118	4.9 142	4.6 135	4.1 125	4.2 127	3.9 126	3.8 123	3.0 99	3.4 115	3.2 112
White/Hispanic	9.3 29	7.5 25	7.6 27	10.4 34	9.2 39	9.2 38	9.0 35	7.9 38	5.8 29	4.0 23	7.8 43
Black	3.7 4	3.1 3	3.6 4	1.4 2	4.6 4	4.8 6	2.1 3	6.4 9	3.6 6	1.5 3	1.8 3
Female											
All Races	10.4 173	8.9 152	9.8 178	9.5 173	9.1 172	9.2 178	8.4 167	8.6 178	6.5 137	6.9 150	7.5 166
White/Non-Hispanic	9.4 133	8.2 118	9.4 142	8.9 135	8.0 125	8.0 127	7.7 126	7.4 123	5.9 99	6.6 115	6.3 112
White/Hispanic	18.2 29	14.8 25	14.7 27	19.9 34	18.6 39	18.0 38	17.5 35	15.9 38	11.7 29	8.3 23	15.8 43
Black	7.5 4	6.2 3	7.3 4	3.0 2	8.4 4	9.8 6	4.4 3	12.9 9	7.6 6	3.4 3	3.7 3

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Colon and Rectum

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	55.5 1465	52.8 1452	49.9 1423	45.3 1342	48.6 1480	48.6 1520	48.3 1548	52.9 1757	47.0 1610	48.6 1711	46.3 1685
White/Non-Hispanic	56.3 1309	52.0 1255	49.8 1240	45.7 1179	47.8 1258	48.3 1309	48.5 1345	52.3 1493	46.6 1371	48.6 1476	46.5 1422
White/Hispanic	45.3 96	58.9 137	48.0 114	42.5 108	57.7 156	52.0 141	51.8 146	55.9 165	54.2 164	50.0 152	48.6 187
Black	69.3 44	67.9 43	68.2 53	45.4 36	54.2 51	48.6 42	44.7 38	77.2 74	45.6 50	54.1 51	39.1 42
Male											
All Races	65.5 739	62.1 727	59.6 722	54.4 692	56.0 733	55.9 749	58.4 806	61.8 887	56.3 837	57.9 887	53.2 858
White/Non-Hispanic	66.8 659	61.2 624	59.2 619	54.2 597	54.3 605	55.0 636	58.5 693	60.7 746	56.2 709	57.7 762	53.8 723
White/Hispanic	51.6 50	69.1 73	60.1 66	58.4 66	74.9 94	69.6 80	70.4 88	62.6 84	62.9 91	67.7 87	59.7 105
Black	94.5 23	77.8 21	77.5 27	44.6 17	62.6 27	60.3 22	33.7 13	112.6 46	42.4 24	48.0 24	26.3 16
Female											
All Races	47.5 726	45.7 725	42.9 701	38.6 650	43.1 747	43.3 771	40.8 742	46.5 870	40.0 773	41.5 824	40.8 827
White/Non-Hispanic	47.9 650	45.2 631	43.2 621	39.4 582	43.0 653	43.3 673	41.2 652	46.2 747	39.7 662	41.6 714	40.8 699
White/Hispanic	39.8 46	50.5 64	38.1 48	30.2 42	43.2 62	39.7 61	37.7 58	50.5 81	46.2 73	37.7 65	39.7 82
Black	55.9 21	59.2 22	60.1 26	43.7 19	47.8 24	40.6 20	53.3 25	52.8 28	45.8 26	54.7 27	47.4 26

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Corpus Uteri

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	11.4 317	11.3 332	12.6 376	12.0 372	11.5 367	11.7 391	12.4 417	11.1 387	10.7 385	9.8 371	11.4 443
White/Non-Hispanic	11.8 286	11.9 303	13.6 349	12.8 342	11.9 328	12.5 355	13.1 379	11.4 338	11.5 352	10.3 331	11.8 384
White/Hispanic	8.5 22	10.1 24	6.1 19	6.8 20	8.6 27	7.7 26	10.1 29	9.4 30	7.2 24	5.5 22	8.8 40
Black	4.1 3	3.0 2	10.0 7	5.3 3	12.2 9	5.9 6	2.5 2	10.5 10	4.8 6	7.1 8	6.7 8
Female											
All Races	20.5 317	20.7 332	23.0 376	22.0 372	21.1 367	21.6 391	22.6 417	20.4 387	19.7 385	18.4 371	21.3 443
White/Non-Hispanic	21.3 286	21.9 303	24.7 349	23.6 342	21.9 328	23.1 355	24.1 379	21.0 338	21.3 352	19.4 331	22.1 384
White/Hispanic	16.0 22	18.6 24	11.7 19	12.9 20	16.5 27	14.6 26	18.4 29	17.4 30	13.4 24	10.7 22	17.0 40
Black	7.2 3	5.1 2	16.8 7	8.2 3	20.5 9	10.5 6	4.1 2	18.6 10	9.4 6	13.4 8	12.8 8

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Digestive System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	86.6 2294	86.8 2401	82.3 2364	72.5 2159	79.1 2420	78.6 2466	82.4 2656	85.4 2851	77.0 2648	80.0 2843	79.2 2901
White/Non-Hispanic	85.4 1991	83.9 2029	80.9 2024	70.4 1823	76.6 2029	76.5 2074	80.5 2239	83.0 2379	74.7 2200	77.5 2364	78.3 2404
White/Hispanic	87.7 181	108.2 247	89.1 214	85.1 211	100.1 266	96.5 261	103.7 286	103.8 305	100.8 307	103.8 319	92.1 357
Black	140.2 89	116.6 84	113.5 87	94.0 79	93.4 84	80.9 72	87.6 79	119.7 117	81.2 84	96.2 97	75.3 81
Male											
All Races	104.1 1190	107.3 1267	98.5 1219	90.0 1155	94.5 1254	95.0 1290	104.6 1462	103.6 1506	95.9 1432	98.8 1536	93.7 1537
White/Non-Hispanic	103.0 1031	103.6 1062	95.5 1021	86.9 965	90.3 1027	91.8 1070	101.8 1218	99.8 1239	94.1 1193	95.9 1274	93.4 1274
White/Hispanic	102.0 96	129.9 133	118.4 130	111.3 122	132.3 160	118.9 145	142.9 176	123.0 165	113.4 164	132.9 180	111.1 200
Black	181.8 47	152.6 49	135.8 46	113.5 43	118.6 47	109.9 44	76.4 36	187.7 81	89.9 41	100.7 53	63.3 37
Female											
All Races	72.3 1104	71.5 1134	70.1 1145	59.5 1004	67.2 1166	66.0 1174	65.5 1193	71.8 1347	62.7 1212	65.4 1302	66.0 1337
White/Non-Hispanic	70.9 960	69.3 967	69.9 1003	58.1 858	66.2 1002	64.8 1006	64.5 1021	70.6 1143	60.2 1003	63.2 1087	65.2 1115
White/Hispanic	75.9 85	90.6 114	65.5 84	65.1 89	73.9 106	76.7 113	72.5 109	87.7 139	88.9 143	81.3 137	70.8 146
Black	113.6 42	90.1 35	95.8 41	78.3 36	75.1 37	57.3 28	90.5 43	71.2 37	76.3 44	85.9 44	80.5 44

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Endocrine System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	6.6 217	6.7 227	7.0 244	6.6 236	6.3 231	7.1 271	8.3 326	7.7 310	7.6 314	8.3 359	9.3 411
White/Non-Hispanic	7.0 191	6.4 181	7.0 202	6.7 194	6.5 195	7.2 221	8.7 275	7.9 256	7.7 255	8.5 293	10.0 349
White/Hispanic	5.9 20	9.4 31	9.3 30	8.3 31	6.5 25	7.4 33	8.0 35	7.9 38	8.6 37	8.6 44	8.7 46
Black	1.0 2	9.9 9	4.7 8	3.3 6	4.2 5	7.7 10	4.7 6	9.1 11	5.6 9	5.3 8	4.2 8
Male											
All Races	4.0 61	3.9 59	3.9 62	4.7 78	3.9 67	4.8 87	5.5 101	5.0 92	4.2 83	5.2 105	4.9 103
White/Non-Hispanic	4.6 58	4.0 50	3.9 52	5.2 71	4.2 59	5.0 75	5.7 85	5.2 78	4.5 71	5.2 85	5.0 84
White/Hispanic	0.6 2	4.5 7	6.1 7	2.6 4	1.0 3	4.0 8	5.6 10	3.0 7	3.3 7	7.2 16	6.0 17
Black	0.9 1	2.9 2	2.6 2	0.0 0	4.7 2	11.1 4	6.8 4	9.4 5	3.5 3	1.6 1	0.0 0
Female											
All Races	9.1 156	9.5 168	10.1 182	8.5 158	8.6 164	9.4 184	11.1 225	10.5 218	10.9 231	11.6 254	13.8 308
White/Non-Hispanic	9.3 133	8.8 131	10.2 150	8.1 123	8.7 136	9.2 146	11.8 190	10.8 178	11.0 184	12.0 208	15.1 265
White/Hispanic	10.8 18	13.9 24	12.5 23	13.8 27	11.4 22	11.0 25	10.7 25	12.9 31	13.3 30	10.6 28	11.2 29
Black	1.0 1	14.6 7	7.1 6	7.1 6	4.2 3	7.9 6	2.7 2	9.1 6	7.9 6	9.5 7	8.9 8

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Esophagus

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	3.5 94	3.7 106	3.5 106	3.5 107	3.4 108	3.5 113	4.8 158	4.9 161	4.1 137	4.9 174	4.8 179
White/Non-Hispanic	3.4 81	3.5 86	3.3 86	3.6 94	3.3 89	3.7 102	5.0 140	5.1 145	4.1 119	5.1 156	5.1 161
White/Hispanic	2.0 4	3.8 9	4.9 12	2.7 6	4.2 12	1.0 3	4.2 12	3.7 10	3.4 10	3.2 10	3.3 12
Black	12.2 8	11.4 11	10.6 7	5.9 6	7.4 6	6.9 6	5.1 5	2.9 3	8.1 7	6.8 7	3.6 3
Male											
All Races	6.0 72	6.7 83	6.0 80	5.9 77	5.7 78	6.5 89	9.0 128	8.1 114	7.1 101	8.4 136	8.5 143
White/Non-Hispanic	5.9 63	6.3 67	5.5 65	6.2 70	5.3 63	6.8 81	9.4 114	8.4 103	7.3 90	8.7 121	9.2 131
White/Hispanic	3.2 3	6.6 7	8.8 9	3.6 4	8.6 11	1.4 2	7.1 9	5.2 7	5.5 7	6.8 9	5.8 9
Black	23.8 5	18.9 9	17.2 5	5.7 3	8.2 3	14.0 5	9.2 4	6.3 3	9.9 3	10.6 6	4.2 2
Female											
All Races	1.5 22	1.4 23	1.6 26	1.8 30	1.7 30	1.4 24	1.6 30	2.5 47	1.9 36	2.0 38	1.8 36
White/Non-Hispanic	1.3 18	1.4 19	1.4 21	1.6 24	1.7 26	1.4 21	1.6 26	2.6 42	1.7 29	2.1 35	1.8 30
White/Hispanic	1.0 1	1.6 2	1.9 3	1.9 2	0.4 1	0.6 1	1.9 3	2.2 3	1.8 3	0.5 1	1.4 3
Black	6.9 3	4.2 2	5.6 2	5.7 3	6.4 3	1.8 1	1.7 1	0.0 0	7.5 4	2.6 1	2.5 1

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Eye

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.1 29	1.0 31	1.0 31	1.2 38	1.1 38	1.1 38	0.9 31	0.9 32	0.9 36	0.9 33	1.1 46
White/Non-Hispanic	1.0 23	1.1 28	1.1 29	1.3 34	1.3 37	1.2 35	1.0 30	0.9 28	1.0 32	1.0 31	1.2 40
White/Hispanic	1.8 6	0.4 3	1.0 2	0.7 3	0.1 1	1.0 3	0.3 1	0.6 3	0.5 4	0.2 1	0.5 4
Black	0.0 0	1.1 2									
Male											
All Races	0.7 10	1.4 17	1.5 20	1.3 20	1.4 21	1.4 21	1.1 17	0.9 16	1.0 18	0.8 14	0.9 16
White/Non-Hispanic	0.8 9	1.6 16	1.5 18	1.5 18	1.6 20	1.5 19	1.3 17	0.9 13	1.1 16	1.0 14	0.9 13
White/Hispanic	0.3 1	0.3 1	2.4 2	0.4 1	0.2 1	1.8 2	0.0 0	1.2 3	0.4 2	0.0 0	0.5 2
Black	0.0 0	0.8 1									
Female											
All Races	1.2 19	0.8 14	0.6 11	1.0 18	0.9 17	0.9 17	0.8 14	0.9 16	0.9 18	0.9 19	1.4 30
White/Non-Hispanic	1.1 14	0.9 12	0.8 11	1.1 16	1.1 17	1.1 16	0.8 13	0.9 15	1.0 16	1.0 17	1.6 27
White/Hispanic	3.1 5	0.6 2	0.0 0	1.0 2	0.0 0	0.5 1	0.5 1	0.0 0	0.7 2	0.3 1	0.6 2
Black	0.0 0	1.5 1									

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Female Genital System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	28.5 824	27.1 819	27.0 839	28.0 902	27.5 916	27.4 940	27.7 970	25.9 940	24.8 925	24.3 946	25.1 995
White/Non-Hispanic	28.6 710	27.8 718	27.9 737	29.0 793	27.8 781	27.8 805	28.3 837	26.4 799	25.8 801	25.3 820	25.3 829
White/Hispanic	29.9 80	27.6 77	22.2 74	26.5 84	30.0 107	27.2 98	30.9 102	22.9 91	22.7 95	21.1 89	25.2 120
Black	17.2 15	12.1 11	20.8 18	11.4 12	23.0 18	21.7 21	10.3 11	24.7 27	14.4 19	11.6 13	14.4 18
Female											
All Races	52.2 824	50.2 819	49.9 839	52.1 902	51.2 916	51.1 940	51.5 970	48.4 940	46.3 925	46.0 946	47.1 995
White/Non-Hispanic	52.3 710	51.4 718	51.4 737	53.9 793	51.6 781	51.9 805	52.8 837	49.3 799	48.1 801	47.8 820	47.4 829
White/Hispanic	56.2 80	52.2 77	42.9 74	50.4 84	58.4 107	52.2 98	57.5 102	44.4 91	44.2 95	40.9 89	49.4 120
Black	31.5 15	22.5 11	37.5 18	21.0 12	39.4 18	38.8 21	19.4 11	45.6 27	28.0 19	21.7 13	27.8 18

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Floor of Mouth

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.8 24	0.9 26	0.7 21	0.9 29	1.0 34	0.9 30	0.5 19	0.9 34	0.4 15	0.7 26	0.6 22
White/Non-Hispanic	0.8 21	0.9 22	0.8 20	0.9 24	1.1 31	1.0 28	0.6 18	1.0 31	0.4 12	0.8 25	0.7 21
White/Hispanic	0.7 2	0.6 2	0.0 0	1.2 3	0.6 2	0.6 2	0.2 1	0.2 1	0.7 2	0.3 1	0.3 1
Black	0.9 1	2.1 2	0.0 0	2.0 2	0.8 1	0.0 0	0.0 0	1.6 2	1.2 1	0.0 0	0.0 0
Male											
All Races	1.1 15	1.2 17	0.7 10	1.2 18	1.5 22	1.4 21	0.7 12	1.5 25	0.6 10	0.8 13	0.5 9
White/Non-Hispanic	1.1 12	1.1 13	0.8 9	1.1 14	1.5 19	1.5 20	0.8 11	1.5 22	0.6 8	1.0 13	0.5 8
White/Hispanic	1.5 2	1.3 2	0.0 0	1.3 2	1.2 2	0.7 1	0.4 1	0.5 1	1.4 2	0.0 0	0.5 1
Black	1.7 1	4.2 2	0.0 0	4.3 2	1.5 1	0.0 0	0.0 0	3.1 2	0.0 0	0.0 0	0.0 0
Female											
All Races	0.6 9	0.6 9	0.7 11	0.7 11	0.7 12	0.5 9	0.4 7	0.5 9	0.3 5	0.6 13	0.6 13
White/Non-Hispanic	0.6 9	0.7 9	0.8 11	0.7 10	0.8 12	0.5 8	0.4 7	0.6 9	0.2 4	0.7 12	0.8 13
White/Hispanic	0.0 0	0.0 0	0.0 0	0.9 1	0.0 0	0.5 1	0.0 0	0.0 0	0.0 0	0.6 1	0.0 0
Black	0.0 0	2.1 1	0.0 0	0.0 0							

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Gallbladder

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.2 31	1.5 40	0.9 25	1.0 26	1.0 32	0.9 29	0.9 27	1.0 34	0.7 22	1.3 46	0.9 30
White/Non-Hispanic	1.0 22	1.2 29	0.8 19	0.8 20	0.8 22	0.8 22	0.6 17	0.8 23	0.6 17	1.2 37	0.8 24
White/Hispanic	3.5 7	4.1 9	1.8 4	2.4 5	2.8 6	2.6 6	3.2 7	3.0 9	1.3 4	2.5 6	1.2 5
Black	1.2 1	2.8 2	1.0 1	0.0 0	0.9 1	0.0 0	1.8 2	2.1 2	0.9 1	2.5 2	0.0 0
Male											
All Races	1.0 11	1.0 11	0.4 5	0.8 8	0.6 9	0.5 6	0.7 8	0.6 8	0.3 4	1.2 17	0.6 10
White/Non-Hispanic	0.6 6	0.7 8	0.3 3	0.8 7	0.6 7	0.3 3	0.6 6	0.4 5	0.3 4	1.2 15	0.6 7
White/Hispanic	4.8 4	4.2 3	1.3 1	1.5 1	0.9 1	3.7 3	2.2 2	0.5 1	0.0 0	2.0 2	1.4 3
Black	2.7 1	0.0 0	2.0 1	0.0 0	0.0 0	0.0 0	0.0 0	4.5 2	0.0 0	0.0 0	0.0 0
Female											
All Races	1.3 20	1.8 29	1.2 20	1.1 18	1.3 23	1.3 23	1.0 19	1.4 26	1.0 18	1.5 29	1.0 20
White/Non-Hispanic	1.2 16	1.5 21	1.1 16	0.9 13	1.0 15	1.2 19	0.7 11	1.1 18	0.8 13	1.3 22	1.0 17
White/Hispanic	2.7 3	4.4 6	2.2 3	3.1 4	4.1 5	2.0 3	3.9 5	5.0 8	2.4 4	2.8 4	1.0 2
Black	0.0 0	5.0 2	0.0 0	0.0 0	1.8 1	0.0 0	3.5 2	0.0 0	1.7 1	4.2 2	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Gum and Other Mouth

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.0 59	1.9 57	1.4 43	1.8 55	1.9 62	1.8 61	1.7 55	1.3 44	1.1 43	1.2 43	1.5 55
White/Non-Hispanic	2.2 55	2.1 53	1.4 36	1.8 48	2.0 55	1.8 52	1.8 52	1.4 40	1.2 38	1.1 36	1.5 47
White/Hispanic	0.7 2	1.2 4	2.8 6	2.6 6	1.1 3	1.8 6	0.9 3	1.1 2	0.8 4	2.3 6	1.5 6
Black	1.5 2	0.0 0	0.6 1	0.5 1	4.0 4	1.8 2	0.0 0	0.0 0	0.8 1	1.7 1	0.0 0
Male											
All Races	2.2 32	2.5 32	1.8 27	2.1 32	2.6 38	2.3 33	2.3 33	1.9 29	1.3 23	1.2 21	1.7 29
White/Non-Hispanic	2.3 28	2.8 30	1.8 23	2.4 30	2.5 32	2.0 24	2.6 32	2.1 27	1.3 20	1.3 19	1.8 26
White/Hispanic	1.5 2	0.7 2	3.0 3	0.4 1	1.9 2	3.7 6	0.5 1	1.3 1	0.9 2	1.3 1	2.4 3
Black	3.0 2	0.0 0	1.2 1	0.9 1	11.1 4	3.6 2	0.0 0	0.0 0	1.6 1	4.8 1	0.0 0
Female											
All Races	1.7 27	1.5 25	1.0 16	1.4 23	1.4 24	1.5 28	1.2 22	0.8 15	1.0 20	1.1 22	1.3 26
White/Non-Hispanic	2.0 27	1.6 23	0.9 13	1.2 18	1.5 23	1.8 28	1.3 20	0.8 13	1.1 18	1.0 17	1.2 21
White/Hispanic	0.0 0	1.4 2	2.6 3	4.2 5	0.6 1	0.0 0	1.2 2	0.9 1	0.7 2	3.1 5	1.1 3
Black	0.0 0										

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Hodgkin Lymphoma

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.8 97	2.8 98	2.4 86	3.1 114	2.7 105	2.8 108	2.6 106	2.3 93	2.6 108	2.6 113	2.8 123
White/Non-Hispanic	3.3 90	3.0 86	2.7 78	3.3 96	3.0 91	3.2 97	2.8 90	2.6 80	2.8 91	2.7 90	3.2 105
White/Hispanic	1.2 4	1.2 6	0.8 4	2.9 13	1.7 9	2.6 11	1.7 13	2.5 11	1.7 10	3.0 18	2.5 18
Black	1.8 3	3.4 5	2.5 4	3.1 4	1.5 3	0.0 0	2.1 2	1.3 2	3.2 5	2.4 3	0.0 0
Male											
All Races	3.2 51	4.2 70	2.9 52	3.7 66	3.6 68	2.9 54	2.9 60	2.8 55	3.0 63	3.1 66	2.7 62
White/Non-Hispanic	3.5 47	4.6 61	3.4 49	4.1 58	4.0 59	3.2 47	3.2 52	3.1 47	3.4 54	3.1 50	3.1 52
White/Hispanic	2.2 2	1.7 4	0.7 2	3.2 7	1.9 5	3.0 7	1.5 6	3.4 6	2.3 6	4.3 13	2.1 10
Black	2.1 2	5.2 4	1.5 1	1.8 1	2.0 2	0.0 0	1.8 1	2.4 2	3.4 3	1.0 1	0.0 0
Female											
All Races	2.6 46	1.5 28	1.8 34	2.6 48	1.9 37	2.7 54	2.2 46	1.9 38	2.2 45	2.2 47	2.8 60
White/Non-Hispanic	3.0 43	1.6 25	2.0 29	2.5 38	2.1 32	3.2 50	2.3 38	2.1 33	2.3 37	2.4 40	3.2 53
White/Hispanic	0.7 2	0.7 2	0.9 2	2.6 6	1.6 4	2.1 4	2.0 7	1.8 5	1.3 4	1.7 5	2.2 7
Black	1.3 1	1.2 1	3.7 3	4.6 3	1.0 1	0.0 0	2.2 1	0.0 0	2.8 2	3.4 2	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Hypopharynx

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.7 19	0.6 18	0.6 17	0.6 20	0.5 18	0.7 24	0.5 17	0.7 24	0.5 20	0.3 11	0.4 17
White/Non-Hispanic	0.4 11	0.5 15	0.6 15	0.5 13	0.6 17	0.6 18	0.5 15	0.7 21	0.6 19	0.2 8	0.5 15
White/Hispanic	3.4 7	0.7 2	0.7 2	1.5 4	0.3 1	1.7 5	0.7 2	0.7 2	0.0 0	0.7 2	0.2 1
Black	1.1 1	0.0 0	0.0 0	1.0 1	0.0 0	0.0 0	0.0 0	0.0 0	1.5 1	0.5 1	0.0 0
Male											
All Races	1.1 14	1.0 15	1.2 15	1.1 15	0.9 14	1.1 17	0.9 13	1.3 22	1.0 17	0.3 5	0.8 15
White/Non-Hispanic	0.6 7	1.0 13	1.2 13	0.8 10	1.0 13	0.9 12	1.0 13	1.4 19	1.1 16	0.2 3	0.9 13
White/Hispanic	6.5 6	0.7 1	1.4 2	3.4 4	0.7 1	2.7 4	0.0 0	1.5 2	0.0 0	0.5 1	0.4 1
Black	2.1 1	0.0 0	0.0 0	2.0 1	0.0 0	0.0 0	0.0 0	0.0 0	3.7 1	1.0 1	0.0 0
Female											
All Races	0.3 5	0.2 3	0.1 2	0.3 5	0.2 4	0.4 7	0.2 4	0.1 2	0.2 3	0.3 6	0.1 2
White/Non-Hispanic	0.3 4	0.1 2	0.1 2	0.2 3	0.3 4	0.4 6	0.1 2	0.1 2	0.2 3	0.3 5	0.1 2
White/Hispanic	0.9 1	0.7 1	0.0 0	0.0 0	0.0 0	0.7 1	1.3 2	0.0 0	0.0 0	0.7 1	0.0 0
Black	0.0 0										

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Kidney and Renal Pelvis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	10.6 297	10.0 289	11.3 342	10.5 327	10.6 339	10.7 352	10.3 343	10.8 379	10.8 391	10.8 395	11.9 455
White/Non-Hispanic	10.4 250	9.8 243	11.1 288	10.4 276	10.5 286	10.6 298	10.1 288	10.1 299	10.7 326	10.4 324	12.4 394
White/Hispanic	13.7 35	12.7 32	16.2 44	12.7 37	12.3 39	12.6 36	13.5 39	16.0 58	13.7 49	13.2 47	12.1 48
Black	10.4 10	11.8 9	6.5 7	10.1 10	8.5 8	17.5 17	12.2 12	12.9 14	10.0 11	15.4 15	7.8 10
Male											
All Races	14.2 176	13.0 170	15.7 213	15.5 214	14.2 205	13.6 208	15.5 231	14.7 233	14.9 243	15.3 248	15.5 274
White/Non-Hispanic	13.5 143	12.4 138	15.7 182	15.2 178	14.4 177	13.3 172	15.5 198	14.3 188	15.0 204	14.6 200	16.0 232
White/Hispanic	21.4 25	17.9 21	18.9 25	19.1 26	12.3 19	15.8 23	17.1 22	20.2 36	14.2 28	19.2 32	15.3 31
Black	15.9 6	18.7 7	6.6 4	12.4 6	12.5 5	24.8 12	18.2 9	8.1 6	17.4 8	25.1 10	11.7 8
Female											
All Races	7.9 121	7.5 119	7.9 129	6.6 113	7.6 134	8.1 144	6.2 112	7.8 146	7.6 148	7.3 147	8.8 181
White/Non-Hispanic	8.1 107	7.7 105	7.5 106	6.6 98	7.3 109	8.2 126	5.8 90	6.9 111	7.4 122	7.2 124	9.4 162
White/Hispanic	7.3 10	8.2 11	13.5 19	7.2 11	12.2 20	9.3 13	10.7 17	12.1 22	12.4 21	8.0 15	8.7 17
Black	6.1 4	6.0 2	5.7 3	8.0 4	5.5 3	10.5 5	6.6 3	16.0 8	4.7 3	8.1 5	3.7 2

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Larynx

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	3.7 104	3.5 101	4.0 122	3.5 107	3.6 116	4.1 136	3.7 125	4.1 141	3.2 112	3.1 114	2.9 112
White/Non-Hispanic	3.5 86	3.4 85	3.9 103	3.3 88	3.4 95	4.0 112	3.8 110	4.0 116	3.2 98	3.1 96	3.0 97
White/Hispanic	5.3 12	3.6 9	4.8 13	4.0 10	3.4 10	6.1 18	3.2 9	3.6 12	3.4 10	5.1 15	2.7 10
Black	6.3 5	8.7 7	4.4 4	9.2 8	12.0 11	5.4 5	3.9 4	10.0 10	1.7 2	3.0 3	3.3 3
Male											
All Races	6.5 82	6.5 81	6.6 90	6.0 84	6.5 93	6.7 100	6.3 95	7.2 113	5.4 87	5.3 88	4.8 85
White/Non-Hispanic	6.2 68	6.2 67	6.6 79	5.7 68	6.2 76	6.4 82	6.4 83	6.9 92	5.5 76	5.2 74	5.0 74
White/Hispanic	10.3 10	7.1 8	6.4 7	8.9 10	6.2 8	11.5 15	5.0 7	6.2 10	6.8 9	8.4 11	4.3 7
Black	9.0 3	18.4 6	6.7 2	14.4 6	22.4 9	6.8 3	6.3 3	17.1 8	1.8 1	7.3 3	4.0 2
Female											
All Races	1.5 22	1.3 20	1.9 32	1.4 23	1.3 23	2.0 36	1.6 30	1.5 28	1.3 25	1.3 26	1.3 27
White/Non-Hispanic	1.4 18	1.3 18	1.7 24	1.4 20	1.3 19	2.0 30	1.8 27	1.5 24	1.4 22	1.3 22	1.3 23
White/Hispanic	1.4 2	0.7 1	3.7 6	0.0 0	1.2 2	1.6 3	1.5 2	1.2 2	0.7 1	2.3 4	1.3 3
Black	4.3 2	2.0 1	3.2 2	4.7 2	3.7 2	4.2 2	1.8 1	4.3 2	1.6 1	0.0 0	2.3 1

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	13.1 363	13.1 381	13.9 412	11.9 376	13.4 430	12.9 426	14.2 482	13.1 456	13.1 464	12.2 456	12.3 466
White/Non-Hispanic	13.6 324	13.7 337	14.5 367	12.0 318	14.1 381	13.7 379	14.9 421	14.0 405	13.9 410	12.5 384	12.7 392
White/Hispanic	7.4 27	8.9 31	11.8 34	11.1 40	7.5 28	8.7 40	11.0 43	8.3 32	8.8 37	12.9 57	9.0 52
Black	13.5 10	12.5 9	9.2 8	10.2 11	10.0 12	3.4 3	13.8 11	13.9 15	6.9 11	8.7 9	8.5 9
Male											
All Races	16.9 200	16.6 207	17.8 222	15.1 214	19.0 272	16.1 237	18.2 271	17.6 267	17.8 266	16.1 260	16.2 278
White/Non-Hispanic	17.8 180	17.4 185	18.8 201	15.5 183	20.2 240	16.9 206	18.9 235	18.8 239	19.1 238	16.7 221	17.2 240
White/Hispanic	6.5 11	10.8 17	14.7 16	14.5 23	9.5 17	12.2 26	15.6 25	12.3 18	8.7 19	14.6 31	12.1 31
Black	18.8 7	16.6 5	5.8 4	7.3 5	13.5 9	2.1 1	24.2 8	16.8 7	11.0 7	11.3 6	8.7 3
Female											
All Races	10.4 163	10.8 174	11.4 190	9.4 162	8.9 158	10.3 189	11.3 211	9.8 189	10.0 198	9.6 196	9.1 188
White/Non-Hispanic	10.6 144	11.0 152	11.7 166	9.3 135	9.4 141	11.1 173	11.9 186	10.5 166	10.4 172	9.8 163	9.0 152
White/Hispanic	8.3 16	7.9 14	10.5 18	8.2 17	5.7 11	5.8 14	7.6 18	5.7 14	8.7 18	11.4 26	6.9 21
Black	7.9 3	9.9 4	9.5 4	11.9 6	6.0 3	3.8 2	6.3 3	12.9 8	3.6 4	6.2 3	9.7 6

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Acute Lymphocytic Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.5 49	1.4 50	1.2 42	1.5 54	1.5 60	1.8 67	1.7 66	1.1 46	1.4 56	1.5 62	1.7 75
White/Non-Hispanic	1.4 36	1.3 34	1.1 29	1.4 38	1.5 43	1.6 46	1.8 50	1.3 39	1.3 39	1.6 47	1.5 46
White/Hispanic	1.9 12	2.1 13	1.8 9	2.5 12	1.6 9	1.9 16	1.9 14	1.1 6	1.6 10	1.9 14	3.3 25
Black	1.7 1	0.0 0	1.0 2	0.5 1	1.4 3	2.4 2	0.0 0	0.0 0	1.8 4	0.4 1	0.0 0
Male											
All Races	1.5 23	1.5 26	1.0 17	1.9 36	2.1 41	2.0 38	2.1 40	1.2 25	1.7 32	1.6 34	2.0 44
White/Non-Hispanic	1.4 17	1.4 19	0.8 11	1.9 27	1.9 28	1.8 25	2.3 31	1.5 22	1.6 21	1.8 26	1.9 29
White/Hispanic	1.5 5	2.1 7	1.3 3	2.8 7	2.4 6	2.4 10	2.1 7	0.8 2	2.9 8	1.7 7	3.0 13
Black	4.0 1	0.0 0	1.9 2	0.9 1	2.8 3	0.0 0	0.0 0	0.0 0	1.7 2	0.8 1	0.0 0
Female											
All Races	1.5 26	1.4 24	1.4 25	1.0 18	1.0 19	1.5 29	1.3 26	1.0 21	1.2 24	1.3 28	1.4 31
White/Non-Hispanic	1.4 19	1.1 15	1.3 18	0.8 11	1.1 15	1.4 21	1.4 19	1.2 17	1.2 18	1.4 21	1.1 17
White/Hispanic	2.3 7	2.1 6	2.3 6	2.0 5	0.9 3	1.4 6	1.8 7	1.4 4	0.4 2	2.2 7	3.5 12
Black	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	3.8 2	0.0 0	0.0 0	1.7 2	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Acute Myeloid Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.6 74	3.4 96	3.9 116	3.8 120	3.7 116	3.0 102	4.0 136	3.7 131	3.6 127	3.9 144	3.5 134
White/Non-Hispanic	2.6 63	3.6 87	4.1 104	3.8 100	3.9 105	3.3 94	4.3 122	3.9 114	3.8 113	3.8 117	3.5 109
White/Hispanic	2.9 9	1.8 6	4.4 11	3.8 14	2.7 9	1.8 8	2.8 10	2.8 11	1.6 8	4.6 21	2.6 14
Black	1.5 2	3.5 2	0.0 0	4.3 4	1.4 1	0.0 0	2.8 2	5.0 6	2.2 4	4.4 4	4.4 5
Male											
All Races	3.5 44	4.3 52	5.0 62	4.5 59	4.5 63	3.8 56	4.7 72	4.6 73	4.4 67	5.1 80	4.3 74
White/Non-Hispanic	3.6 39	4.5 46	5.2 57	4.7 52	4.8 58	4.2 52	5.1 65	4.7 63	4.9 62	5.0 64	4.3 62
White/Hispanic	3.5 4	2.3 4	5.1 5	2.9 5	3.2 5	1.2 4	3.1 5	3.3 5	0.5 2	5.8 13	3.8 9
Black	1.7 1	9.8 2	0.0 0	1.1 1	0.0 0	0.0 0	6.9 2	10.2 5	2.6 2	2.9 2	7.8 2
Female											
All Races	1.9 30	2.7 44	3.3 54	3.5 61	3.0 53	2.5 46	3.4 64	3.0 58	3.1 60	3.1 64	2.9 60
White/Non-Hispanic	1.8 24	2.9 41	3.3 47	3.3 48	3.1 47	2.7 42	3.6 57	3.2 51	3.1 51	3.1 53	2.7 47
White/Hispanic	2.7 5	1.4 2	4.2 6	4.7 9	2.3 4	2.2 4	2.5 5	2.6 6	2.6 6	3.5 8	1.6 5
Black	1.3 1	0.0 0	0.0 0	6.2 3	2.5 1	0.0 0	0.0 0	1.3 1	1.9 2	4.5 2	3.7 3

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Chronic Lymphocytic Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	5.3 140	4.8 135	4.8 137	3.6 111	4.1 128	4.4 137	5.1 163	3.4 112	4.6 155	3.9 135	3.9 138
White/Non-Hispanic	5.8 135	5.1 124	5.3 130	3.9 101	4.5 119	4.7 129	5.5 153	3.7 105	5.0 145	4.1 122	4.4 133
White/Hispanic	1.0 2	2.4 5	1.9 4	2.6 7	1.4 4	2.0 6	2.4 7	1.4 4	2.9 8	2.9 8	0.8 3
Black	4.4 3	7.8 6	4.3 3	2.9 3	4.5 5	1.0 1	3.1 2	3.6 3	1.5 2	4.0 4	1.1 1
Male											
All Races	7.0 78	6.3 74	7.3 86	5.0 68	6.6 88	5.7 77	6.6 89	5.2 71	6.5 91	5.7 83	5.4 86
White/Non-Hispanic	7.7 75	6.8 70	7.9 82	5.2 61	7.2 82	6.0 70	7.0 82	5.5 65	7.0 84	6.0 76	6.3 85
White/Hispanic	0.7 1	3.2 2	3.5 3	4.9 6	2.4 3	3.6 5	3.7 4	3.0 4	3.8 5	3.2 4	0.4 1
Black	3.8 2	4.3 2	1.9 1	1.8 1	5.3 3	2.1 1	8.3 2	6.6 2	2.9 2	7.6 3	0.0 0
Female											
All Races	4.1 62	3.9 61	3.1 51	2.5 43	2.3 40	3.3 60	4.1 74	2.2 41	3.3 64	2.7 52	2.6 52
White/Non-Hispanic	4.4 60	3.9 54	3.4 48	2.7 40	2.5 37	3.8 59	4.5 71	2.5 40	3.7 61	2.7 46	2.8 48
White/Hispanic	1.0 1	2.3 3	0.7 1	0.6 1	0.6 1	0.6 1	1.6 3	0.0 0	2.1 3	2.6 4	1.1 2
Black	3.6 1	9.9 4	5.1 2	3.8 2	3.5 2	0.0 0	0.0 0	1.7 1	0.0 0	1.7 1	2.0 1

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Chronic Myeloid Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.6 43	1.6 47	2.0 61	1.8 56	1.7 53	1.6 55	1.5 52	2.6 91	1.5 55	1.4 55	1.4 54
White/Non-Hispanic	1.6 38	1.7 41	2.1 53	1.8 47	1.9 50	1.7 49	1.4 40	2.6 76	1.5 47	1.2 39	1.4 44
White/Hispanic	0.6 2	1.7 5	2.3 7	1.8 6	0.3 1	1.7 6	1.6 6	2.3 8	1.8 7	3.0 13	1.7 7
Black	4.0 3	1.2 1	1.0 1	1.9 2	1.0 1	0.0 0	5.0 4	3.5 5	0.0 0	0.0 0	2.5 2
Male											
All Races	2.4 27	1.6 21	2.1 26	2.4 32	2.3 30	1.8 27	1.7 27	3.1 48	1.8 28	1.8 31	1.8 31
White/Non-Hispanic	2.3 23	1.7 18	1.9 21	2.4 27	2.5 28	1.8 23	1.6 20	3.3 43	2.0 26	1.7 24	1.6 24
White/Hispanic	0.8 1	1.4 2	3.1 4	2.9 4	0.0 0	2.4 4	3.0 5	3.2 4	1.0 2	3.2 6	3.8 6
Black	9.3 3	2.6 1	2.1 1	2.0 1	2.2 1	0.0 0	3.1 2	0.0 0	0.0 0	0.0 0	0.0 0
Female											
All Races	1.0 16	1.6 26	2.1 35	1.4 24	1.3 23	1.5 28	1.3 25	2.2 43	1.3 27	1.1 24	1.1 23
White/Non-Hispanic	1.1 15	1.6 23	2.2 32	1.4 20	1.5 22	1.6 26	1.2 20	2.0 33	1.2 21	0.9 15	1.2 20
White/Hispanic	0.5 1	2.1 3	1.8 3	0.9 2	0.6 1	1.1 2	0.4 1	1.7 4	2.5 5	3.0 7	0.4 1
Black	0.0 0	0.0 0	0.0 0	1.9 1	0.0 0	0.0 0	5.4 2	7.2 5	0.0 0	0.0 0	3.9 2

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Other Leukemias, not otherwise displayed

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.2 57	1.9 53	1.9 56	1.1 35	2.3 73	2.1 65	1.9 65	2.3 76	2.0 71	1.6 60	1.8 65
White/Non-Hispanic	2.3 52	2.1 51	2.0 51	1.2 32	2.4 64	2.3 61	1.9 56	2.5 71	2.2 66	1.9 59	2.0 60
White/Hispanic	1.0 2	0.8 2	1.5 3	0.4 1	1.4 5	1.3 4	2.3 6	0.8 3	0.9 4	0.3 1	0.6 3
Black	1.9 1	0.0 0	2.9 2	0.7 1	1.6 2	0.0 0	2.9 3	1.8 1	1.5 1	0.0 0	0.5 1
Male											
All Races	2.6 28	2.8 34	2.6 31	1.3 19	3.6 50	2.9 39	3.0 43	3.6 50	3.4 48	1.9 32	2.7 43
White/Non-Hispanic	2.8 26	3.1 32	2.8 30	1.3 16	3.8 44	3.0 36	3.0 37	3.8 46	3.7 45	2.2 31	3.0 40
White/Hispanic	0.0 0	1.8 2	1.6 1	0.9 1	1.6 3	2.6 3	3.8 4	2.1 3	0.5 2	0.8 1	1.1 2
Black	0.0 0	0.0 0	0.0 0	1.4 1	3.3 2	0.0 0	5.9 2	0.0 0	3.8 1	0.0 0	0.9 1
Female											
All Races	1.9 29	1.2 19	1.5 25	1.0 16	1.3 23	1.4 26	1.2 22	1.4 26	1.1 23	1.4 28	1.0 22
White/Non-Hispanic	1.9 26	1.4 19	1.5 21	1.1 16	1.3 20	1.5 25	1.2 19	1.5 25	1.2 21	1.6 28	1.1 20
White/Hispanic	1.7 2	0.0 0	1.6 2	0.0 0	1.3 2	0.6 1	1.3 2	0.0 0	1.1 2	0.0 0	0.2 1
Black	3.1 1	0.0 0	4.4 2	0.0 0	0.0 0	0.0 0	0.9 1	2.7 0	0.0 1	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Lip

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.3 38	1.3 37	1.5 42	1.3 38	1.0 30	1.6 50	1.2 38	1.2 41	0.9 31	1.0 37	1.0 37
White/Non-Hispanic	1.5 37	1.5 37	1.6 41	1.4 37	1.0 28	1.7 47	1.3 36	1.3 39	1.0 29	1.0 32	1.1 36
White/Hispanic	0.7 1	0.0 0	0.5 1	0.3 1	0.7 2	1.3 3	1.1 2	0.5 2	0.8 2	1.3 5	0.3 1
Black	0.0 0										
Male											
All Races	2.2 28	2.4 29	2.7 33	2.6 35	1.9 25	3.1 41	2.1 30	2.1 32	1.9 26	1.7 27	1.3 22
White/Non-Hispanic	2.4 27	2.7 29	3.1 32	3.0 34	2.0 23	3.3 38	2.2 28	2.3 30	2.0 25	1.7 23	1.4 21
White/Hispanic	1.8 1	0.0 0	1.1 1	0.6 1	1.9 2	3.1 3	2.7 2	1.1 2	1.6 1	2.3 4	0.6 1
Black	0.0 0										
Female											
All Races	0.7 10	0.5 8	0.6 9	0.2 3	0.3 5	0.5 9	0.4 8	0.5 9	0.3 5	0.5 10	0.7 15
White/Non-Hispanic	0.7 10	0.6 8	0.6 9	0.2 3	0.3 5	0.6 9	0.5 8	0.6 9	0.2 4	0.5 9	0.9 15
White/Hispanic	0.0 0	0.5 1	0.4 1	0.0 0							
Black	0.0 0										

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Liver and Intrahepatic Bile Duct

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.7 74	2.9 82	3.2 93	2.6 82	3.1 98	3.7 120	4.2 140	3.5 118	4.1 148	4.2 155	4.3 165
White/Non-Hispanic	2.4 57	2.3 55	2.9 73	2.2 57	2.8 75	2.9 81	3.3 93	2.7 77	3.5 106	3.1 94	3.6 113
White/Hispanic	3.2 8	6.1 15	5.6 15	5.1 14	4.9 15	9.5 26	9.5 26	8.2 23	8.7 31	12.5 42	8.7 36
Black	5.4 4	3.4 3	0.0 0	6.8 7	1.9 2	2.9 2	4.6 6	11.1 11	2.9 3	6.3 7	6.2 9
Male											
All Races	3.5 43	4.0 51	3.7 46	3.7 53	4.3 61	5.0 71	6.4 96	5.2 78	6.2 101	5.5 92	6.1 111
White/Non-Hispanic	3.0 31	3.3 34	3.3 35	3.2 38	4.0 48	4.0 47	5.1 64	3.9 49	5.2 70	4.0 54	5.0 73
White/Hispanic	4.3 6	5.6 8	7.2 9	6.1 8	6.7 10	9.6 15	15.0 18	13.5 17	15.0 24	16.7 29	12.4 27
Black	4.9 2	8.0 3	0.0 0	7.6 4	1.9 1	0.0 0	4.9 3	16.4 9	4.4 2	6.3 4	9.8 6
Female											
All Races	2.0 31	2.0 31	2.8 47	1.7 29	2.1 37	2.8 49	2.4 44	2.1 40	2.4 47	3.2 63	2.7 54
White/Non-Hispanic	1.9 26	1.5 21	2.7 38	1.3 19	1.8 27	2.2 34	1.8 29	1.7 28	2.2 36	2.3 40	2.3 40
White/Hispanic	2.0 2	5.9 7	4.2 6	4.0 6	3.2 5	8.6 11	5.4 8	3.9 6	3.4 7	8.2 13	5.0 9
Black	5.3 2	0.0 0	0.0 0	5.6 3	1.9 1	4.5 2	4.5 3	5.1 2	1.7 1	5.7 3	3.5 3

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Lung and Bronchus

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	56.0 1548	55.3 1574	56.9 1669	50.2 1519	54.8 1699	58.2 1844	53.0 1715	54.2 1804	51.6 1756	53.1 1870	55.2 1978
White/Non-Hispanic	57.4 1393	57.8 1437	58.7 1502	51.7 1360	55.1 1480	59.0 1617	54.8 1530	55.2 1583	53.3 1561	54.7 1656	56.7 1716
White/Hispanic	42.5 90	31.6 75	45.2 106	42.2 101	51.7 131	49.8 131	41.2 115	49.1 138	43.2 120	40.3 121	43.6 159
Black	67.3 50	67.1 51	56.0 48	51.9 44	73.7 69	90.7 80	56.3 53	63.8 60	53.6 51	64.6 62	72.0 69
Male											
All Races	82.0 970	78.0 949	78.5 986	65.0 852	77.1 1027	76.1 1048	67.5 935	69.5 998	65.9 971	66.0 1021	67.3 1052
White/Non-Hispanic	83.5 865	81.4 867	80.5 882	66.6 762	76.7 884	77.2 922	68.8 822	70.2 870	67.7 860	67.8 908	68.5 903
White/Hispanic	62.1 59	39.7 40	69.9 70	58.3 61	75.6 85	64.5 76	55.3 69	66.2 78	55.8 68	52.8 63	52.4 85
Black	105.7 35	104.9 32	72.6 28	61.2 20	119.5 48	113.5 42	87.7 32	87.3 36	61.9 28	81.5 34	103.2 45
Female											
All Races	37.5 578	39.4 625	41.7 683	39.8 667	38.9 672	45.1 796	43.2 780	43.5 806	41.4 785	43.7 849	46.6 926
White/Non-Hispanic	39.1 528	41.2 570	43.4 620	41.1 598	39.9 596	45.6 695	45.4 708	44.8 713	43.1 701	44.8 748	48.4 813
White/Hispanic	27.2 31	26.2 35	26.9 36	29.8 40	33.1 46	38.2 55	30.2 46	37.4 60	33.7 52	33.1 58	37.6 74
Black	38.0 15	43.9 19	43.4 20	49.7 24	40.7 21	77.2 38	37.5 21	46.5 24	45.4 23	53.3 28	46.5 24

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Lymphomas

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	21.0 619	19.4 587	20.7 647	20.3 663	20.2 676	21.1 712	21.3 740	20.9 747	21.9 807	20.5 778	21.4 831
White/Non-Hispanic	21.9 549	20.4 524	21.6 572	20.8 567	21.0 587	22.0 623	22.0 643	21.3 638	22.5 690	21.2 672	22.8 726
White/Hispanic	16.2 46	13.6 42	14.4 45	16.7 60	15.4 58	21.8 73	20.9 70	24.2 84	22.7 84	17.3 68	16.7 81
Black	20.5 21	18.6 18	17.2 19	17.7 21	18.6 22	9.0 11	13.6 16	15.4 18	21.8 20	23.9 24	11.8 14
Male											
All Races	24.5 327	24.2 336	23.7 347	25.9 389	23.6 375	24.8 391	23.7 383	24.0 390	24.2 413	24.8 424	24.6 442
White/Non-Hispanic	25.6 288	25.2 296	24.7 303	26.4 329	24.4 318	26.1 344	25.0 339	23.7 322	24.6 349	24.9 356	26.4 385
White/Hispanic	16.1 23	17.1 25	18.1 27	24.6 40	18.5 36	23.2 39	21.0 31	34.8 54	26.2 48	25.2 46	18.3 43
Black	28.5 15	33.7 13	17.6 10	19.4 11	26.2 16	9.9 6	14.2 9	15.3 11	30.7 12	30.3 13	10.5 8
Female											
All Races	18.2 292	15.3 251	17.9 300	15.7 274	16.9 301	17.6 321	19.1 357	18.6 357	19.8 394	17.4 354	18.7 389
White/Non-Hispanic	19.0 261	16.2 228	18.8 269	16.2 238	17.9 269	18.0 279	19.1 304	19.5 316	20.4 341	18.7 316	19.8 341
White/Hispanic	16.1 23	10.5 17	11.4 18	10.4 20	12.2 22	20.5 34	21.4 39	16.1 30	19.5 36	11.2 22	15.2 38
Black	12.6 6	9.6 5	15.4 9	16.3 10	11.2 6	8.1 5	12.7 7	12.7 7	16.1 8	20.6 11	11.1 6

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Major Salivary Gland

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.9 26	1.4 41	1.1 34	1.0 30	1.0 35	0.8 28	1.2 39	1.1 39	1.4 49	0.9 35	1.3 48
White/Non-Hispanic	0.9 24	1.4 37	1.1 29	1.1 29	1.2 33	0.9 25	1.2 33	1.2 34	1.3 39	1.0 32	1.5 45
White/Hispanic	0.4 1	0.4 1	0.5 3	0.3 1	0.6 2	0.6 2	1.5 5	0.5 3	1.0 4	0.4 2	0.5 3
Black	0.0 0	1.5 2	1.6 2	0.0 0	0.0 0	0.4 1	0.6 1	0.8 1	1.9 3	1.2 1	0.0 0
Male											
All Races	1.0 12	1.5 21	1.5 20	1.4 19	1.6 23	0.9 14	1.4 19	1.7 25	1.8 27	1.1 17	1.6 24
White/Non-Hispanic	1.2 12	1.7 20	1.6 18	1.6 19	1.7 22	0.9 12	1.4 17	1.8 21	1.8 23	1.2 16	1.9 24
White/Hispanic	0.0 0	0.7 1	0.3 1	0.0 0	0.6 1	0.6 1	2.0 2	0.8 2	1.5 2	0.4 1	0.0 0
Black	0.0 0	0.0 0	0.9 1	0.0 0	0.0 0	0.8 1	0.0 0	1.7 1	1.8 1	0.0 0	0.0 0
Female											
All Races	0.8 14	1.2 20	0.8 14	0.6 11	0.7 12	0.8 14	1.0 20	0.7 14	1.1 22	0.9 18	1.2 24
White/Non-Hispanic	0.8 12	1.2 17	0.8 11	0.7 10	0.7 11	0.9 13	1.0 16	0.8 13	1.0 16	0.9 16	1.2 21
White/Hispanic	0.7 1	0.0 0	0.8 2	0.6 1	0.6 1	0.6 1	1.3 3	0.3 1	0.7 2	0.4 1	1.1 3
Black	0.0 0	3.0 2	2.0 1	0.0 0	0.0 0	0.0 0	1.3 1	0.0 0	2.3 2	2.1 1	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Male Genital System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	104.5 2829	110.9 3122	90.0 2649	77.0 2368	73.7 2323	73.7 2380	75.4 2501	68.2 2327	81.4 2851	77.7 2819	77.8 2890
White/Non-Hispanic	107.3 2566	113.9 2815	91.9 2364	78.9 2104	75.2 2044	75.8 2105	76.4 2172	69.4 2023	84.9 2528	81.5 2516	81.1 2524
White/Hispanic	89.4 175	92.1 204	73.8 171	69.0 175	61.7 172	61.9 172	79.2 224	61.8 186	66.7 211	59.5 194	59.5 226
Black	117.3 78	119.5 90	134.4 98	81.1 71	96.7 87	94.4 89	87.1 86	99.7 100	80.2 91	85.8 89	99.6 116
Male											
All Races	254.0 2829	263.8 3122	210.5 2649	176.4 2368	169.1 2323	168.1 2380	170.5 2501	153.3 2327	182.7 2851	173.2 2819	172.7 2890
White/Non-Hispanic	261.1 2566	271.5 2815	214.8 2364	180.7 2104	172.7 2044	172.7 2105	172.4 2172	155.8 2023	190.3 2528	180.9 2516	180.2 2524
White/Hispanic	209.1 175	211.5 204	168.0 171	155.4 175	136.9 172	138.6 172	178.2 224	137.9 186	147.7 211	132.4 194	128.7 226
Black	294.0 78	285.7 90	337.4 98	183.1 71	223.5 87	215.0 89	193.3 86	222.7 100	172.1 91	192.5 89	213.0 116

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Melanomas of the Skin

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	17.3 529	17.1 541	15.8 515	16.7 562	20.1 706	21.9 790	19.0 694	18.9 703	20.6 791	21.0 843	19.9 819
White/Non-Hispanic	19.7 512	19.5 523	18.4 508	19.3 548	23.4 685	25.2 755	22.1 670	21.9 677	24.0 760	24.5 810	23.8 796
White/Hispanic	5.6 14	6.9 18	2.1 7	4.2 11	3.5 13	7.6 28	5.2 18	4.7 19	6.5 29	6.0 27	3.8 20
Black	2.6 2	0.0 0	0.0 0	2.1 1	2.3 3	0.9 1	1.8 2	3.5 3	0.7 1	2.4 4	0.5 1
Male											
All Races	19.2 268	20.4 291	19.0 279	20.0 301	23.8 371	26.6 430	23.2 381	24.4 410	25.2 437	26.4 477	23.9 447
White/Non-Hispanic	22.1 264	23.3 283	22.2 277	23.1 296	27.5 362	30.3 413	26.7 367	28.1 396	29.7 429	30.6 461	28.3 435
White/Hispanic	2.9 3	6.6 8	1.3 2	3.3 3	1.4 3	8.4 13	5.9 9	6.0 11	4.4 8	4.8 12	4.8 9
Black	4.0 1	0.0 0	0.0 0	6.3 1	4.5 3	1.9 1	3.8 2	1.7 1	0.0 0	2.3 2	0.9 1
Female											
All Races	16.1 261	14.7 250	13.4 236	14.4 261	17.8 335	18.6 360	16.1 313	14.6 293	17.1 354	17.2 366	17.0 372
White/Non-Hispanic	18.0 248	16.8 240	15.7 231	16.7 252	20.8 323	21.6 342	19.0 303	17.1 281	19.6 331	20.1 349	20.6 361
White/Hispanic	8.2 11	7.0 10	2.7 5	5.2 8	5.4 10	7.2 15	4.8 9	3.6 8	8.7 21	6.9 15	3.7 11
Black	1.9 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	4.2 2	1.5 1	2.5 2	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Multiple Myeloma

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	5.5 146	6.0 167	4.9 142	5.1 155	5.7 175	4.8 151	5.9 186	5.8 193	5.1 177	5.5 193	5.5 202
White/Non-Hispanic	5.1 119	5.9 143	4.6 117	5.0 128	5.5 145	4.4 121	5.5 151	5.4 156	5.1 150	5.4 163	5.3 165
White/Hispanic	7.5 15	7.8 17	7.4 15	4.6 14	7.6 20	7.7 19	5.1 15	8.1 23	7.4 19	4.6 14	4.5 17
Black	13.8 11	8.4 7	14.3 10	8.3 8	6.7 5	7.3 7	21.3 17	12.3 13	7.2 7	10.1 9	17.4 17
Male											
All Races	6.1 66	8.0 94	5.9 74	6.3 84	7.8 105	6.2 87	8.2 110	7.2 108	6.5 96	6.6 101	7.3 120
White/Non-Hispanic	5.5 50	8.2 84	5.4 61	6.2 69	7.3 85	5.4 66	7.7 88	7.2 92	6.4 81	6.6 88	7.0 97
White/Hispanic	9.8 9	8.0 8	10.9 9	3.9 6	10.3 12	13.3 14	8.4 11	6.7 8	8.0 9	7.4 9	4.7 8
Black	12.4 6	3.2 2	12.7 4	11.6 6	13.3 4	6.2 4	33.1 11	13.8 7	13.9 5	10.8 3	31.0 14
Female											
All Races	5.3 80	4.6 73	4.1 68	4.2 71	4.1 70	3.7 64	4.2 76	4.6 85	4.2 81	4.7 92	4.0 82
White/Non-Hispanic	5.2 69	4.2 59	3.8 56	4.0 59	4.0 60	3.6 55	4.0 63	4.0 64	4.2 69	4.3 75	4.0 68
White/Hispanic	5.5 6	7.5 9	5.1 6	5.2 8	5.6 8	3.7 5	2.5 4	9.4 15	6.9 10	2.7 5	4.4 9
Black	12.9 5	12.0 5	14.4 6	4.7 2	2.4 1	7.3 3	12.5 6	11.2 6	2.9 2	11.2 6	6.1 3

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Nasal Cavity, Sinuses, and Middle Ear

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.6 17	0.7 22	0.7 19	0.6 18	0.5 17	0.6 18	0.8 27	0.7 27	0.5 18	0.8 31	0.7 28
White/Non-Hispanic	0.5 13	0.7 18	0.6 15	0.6 16	0.5 15	0.6 16	0.9 26	0.8 24	0.5 16	0.8 27	0.8 24
White/Hispanic	1.1 3	1.2 2	1.6 3	0.7 2	0.4 2	0.3 1	0.2 1	1.3 3	0.3 1	0.4 2	0.7 3
Black	0.0 0	1.8 2	0.0 0	1.6 1							
Male											
All Races	0.7 9	1.0 14	0.9 9	1.0 14	0.7 11	0.7 9	1.3 20	1.1 18	0.6 10	1.0 19	0.7 12
White/Non-Hispanic	0.7 7	0.9 12	0.6 6	1.0 12	0.8 10	0.7 7	1.5 19	1.1 15	0.5 8	1.0 16	0.7 10
White/Hispanic	1.1 2	2.8 2	2.2 2	1.4 2	0.6 1	0.7 1	0.5 1	3.2 3	0.6 1	0.5 1	0.6 1
Black	0.0 0	4.5 1									
Female											
All Races	0.5 8	0.5 8	0.6 10	0.2 4	0.3 6	0.5 9	0.4 7	0.4 9	0.4 8	0.6 12	0.8 16
White/Non-Hispanic	0.4 6	0.4 6	0.6 9	0.3 4	0.3 5	0.6 9	0.4 7	0.5 9	0.5 8	0.7 11	0.8 14
White/Hispanic	0.9 1	0.0 0	1.1 1	0.0 0	0.2 1	0.0 0	0.0 0	0.0 0	0.0 0	0.3 1	0.8 2
Black	0.0 0	3.5 2	0.0 0								

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Nasopharynx

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.6 16	0.7 20	0.4 13	0.4 15	0.6 19	0.4 16	0.4 14	0.4 15	0.3 13	0.5 19	0.4 16
White/Non-Hispanic	0.6 15	0.6 15	0.4 10	0.3 10	0.5 14	0.3 9	0.4 12	0.4 13	0.3 10	0.4 11	0.2 8
White/Hispanic	0.4 1	1.4 4	0.2 1	0.9 3	0.8 2	1.1 4	0.1 1	0.5 2	0.7 2	0.5 3	1.0 4
Black	0.0 0	0.0 0	1.0 1	0.6 1	0.5 1	1.2 2	0.0 0	0.0 0	0.0 0	1.3 2	1.0 2
Male											
All Races	0.5 7	0.7 9	0.5 8	0.5 10	0.8 13	0.6 11	0.4 8	0.6 10	0.7 12	0.8 14	0.5 10
White/Non-Hispanic	0.5 6	0.5 5	0.5 6	0.4 6	0.7 10	0.4 5	0.5 7	0.6 9	0.6 9	0.7 9	0.3 6
White/Hispanic	0.8 1	2.1 3	0.3 1	1.1 2	1.7 2	1.6 3	0.3 1	0.5 1	1.5 2	0.6 1	0.6 1
Black	0.0 0	0.0 0	2.0 1	1.1 1	0.9 1	2.2 2	0.0 0	0.0 0	0.0 0	2.6 2	1.9 2
Female											
All Races	0.6 9	0.7 11	0.3 5	0.3 5	0.3 6	0.3 5	0.3 6	0.3 5	0.0 1	0.2 5	0.3 6
White/Non-Hispanic	0.7 9	0.7 10	0.3 4	0.3 4	0.3 4	0.3 4	0.3 5	0.2 4	0.1 1	0.1 2	0.1 2
White/Hispanic	0.0 0	0.7 1	0.0 0	0.6 1	0.0 0	0.6 1	0.0 0	0.5 1	0.0 0	0.5 2	1.3 3
Black	0.0 0										

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Non-Hodgkin Lymphoma

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	18.2 522	16.6 489	18.3 561	17.2 549	17.5 571	18.3 604	18.8 634	18.7 654	19.4 699	17.9 665	18.6 708
White/Non-Hispanic	18.7 459	17.4 438	18.9 494	17.5 470	18.0 496	18.8 526	19.3 553	18.9 558	19.8 599	18.5 582	19.6 621
White/Hispanic	14.9 42	12.4 36	13.6 41	13.8 47	13.7 49	19.2 62	19.1 57	21.5 73	20.5 74	14.3 50	14.3 63
Black	18.8 18	15.2 13	14.7 15	14.6 17	17.1 19	9.0 11	10.9 14	13.0 16	16.1 15	18.7 21	11.8 14
Male											
All Races	21.3 276	19.9 266	20.8 295	22.2 323	20.0 307	21.9 337	20.9 323	21.2 335	21.3 350	21.6 358	21.8 379
White/Non-Hispanic	22.0 241	20.6 235	21.3 254	22.2 270	20.4 259	22.9 297	21.9 287	20.8 275	21.5 295	21.8 306	23.3 333
White/Hispanic	13.9 21	15.4 21	17.4 25	21.4 33	16.6 31	20.2 32	19.5 25	31.1 48	23.4 42	20.9 33	15.6 32
Black	26.4 13	28.6 9	16.1 9	17.5 10	24.2 14	9.9 6	11.8 8	11.6 9	23.0 9	25.3 12	10.5 8
Female											
All Races	15.6 246	13.8 223	16.1 266	13.2 226	15.0 264	14.9 267	16.9 311	16.8 319	17.7 349	15.3 307	15.9 329
White/Non-Hispanic	15.9 218	14.6 203	16.8 240	13.7 200	15.8 237	14.8 229	16.9 266	17.5 283	18.3 304	16.2 276	16.7 288
White/Hispanic	15.4 21	9.7 15	10.5 16	7.8 14	10.6 18	18.4 30	19.3 32	14.1 25	17.7 32	9.4 17	13.0 31
Black	11.3 5	8.4 4	11.7 6	11.7 7	10.3 5	8.1 5	10.0 6	11.8 7	11.7 6	15.2 9	11.1 6

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Non-Melanoma Skin Cancers (excluding Basal and Squamous Cell)

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	3.9 131	3.4 116	3.3 114	3.1 117	3.3 116	3.5 128	2.9 106	2.5 92	2.0 79	1.9 74	2.2 87
White/Non-Hispanic	3.8 105	3.3 93	3.1 88	3.3 100	3.5 102	3.3 99	2.8 85	2.6 80	1.9 61	2.0 64	2.3 75
White/Hispanic	4.9 19	4.8 19	5.5 23	2.6 11	2.8 12	5.3 19	3.9 15	1.8 9	2.2 10	1.2 6	2.0 11
Black	4.3 6	2.9 3	2.0 3	3.1 6	0.5 1	6.2 9	3.5 6	2.1 3	5.3 8	1.9 3	0.5 1
Male											
All Races	6.4 108	5.4 90	4.8 81	4.4 84	5.3 86	4.8 82	4.0 69	4.0 68	2.7 48	2.7 47	3.3 61
White/Non-Hispanic	6.0 83	5.3 72	4.3 58	4.5 69	5.7 75	4.5 63	3.7 52	4.2 58	2.6 36	2.9 41	3.5 52
White/Hispanic	10.0 19	8.3 16	9.3 20	5.1 10	3.8 10	7.0 11	6.6 13	3.2 8	1.8 6	2.0 5	2.7 8
Black	7.0 5	2.5 2	3.8 3	4.6 5	0.0 0	11.6 8	3.6 4	2.4 2	6.7 6	0.0 0	0.9 1
Female											
All Races	1.4 23	1.5 26	1.9 33	1.8 33	1.7 30	2.4 46	1.9 37	1.2 24	1.5 31	1.3 27	1.2 26
White/Non-Hispanic	1.5 22	1.5 21	2.1 30	2.1 31	1.8 27	2.3 36	2.1 33	1.3 22	1.5 25	1.3 23	1.3 23
White/Hispanic	0.0 0	1.4 3	1.6 3	0.3 1	1.5 2	4.2 8	1.1 2	0.5 1	2.2 4	0.4 1	1.2 3
Black	1.4 1	2.7 1	0.0 0	1.3 1	1.1 1	1.0 1	3.2 2	1.6 1	3.4 2	4.0 3	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Oropharynx

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.3 7	0.2 5	0.3 9	0.2 7	0.3 9	0.3 9	0.3 11	0.3 10	0.2 9	0.3 11	0.3 10
White/Non-Hispanic	0.3 7	0.2 5	0.2 5	0.2 5	0.3 8	0.3 8	0.3 10	0.3 9	0.3 9	0.3 11	0.3 8
White/Hispanic	0.0 0	0.0 0	1.0 3	0.3 1	0.0 0	0.6 1	0.3 1	0.0 0	0.0 0	0.0 0	0.3 1
Black	0.0 0	0.0 0	1.0 1	0.5 1	1.4 1	0.0 0	0.0 0	0.9 1	0.0 0	0.0 0	1.4 1
Male											
All Races	0.5 6	0.2 3	0.3 5	0.4 5	0.5 6	0.5 7	0.4 7	0.3 5	0.4 7	0.4 7	0.4 7
White/Non-Hispanic	0.6 6	0.2 3	0.2 3	0.3 4	0.6 6	0.5 7	0.4 6	0.3 4	0.5 7	0.5 7	0.4 5
White/Hispanic	0.0 0	0.0 0	1.3 2	0.7 1	0.0 0	0.0 0	0.6 1	0.0 0	0.0 0	0.0 0	0.6 1
Black	0.0 0	1.9 1	0.0 0	0.0 0	3.7 1						
Female											
All Races	0.1 1	0.1 2	0.3 4	0.1 2	0.2 3	0.1 2	0.2 4	0.3 5	0.1 2	0.2 4	0.1 3
White/Non-Hispanic	0.1 1	0.1 2	0.1 2	0.1 1	0.1 2	0.1 1	0.3 4	0.3 5	0.1 2	0.2 4	0.2 3
White/Hispanic	0.0 0	0.0 0	0.7 1	0.0 0	0.0 0	0.9 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0
Black	0.0 0	0.0 0	1.9 1	1.0 1	2.4 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other Biliary (excluding Liver, Intrahepatic Bile Duct, and Gallbladder)

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.5 41	1.3 35	1.7 47	1.3 37	1.6 46	1.3 41	1.1 32	1.0 32	1.4 48	1.3 47	1.5 55
White/Non-Hispanic	1.3 31	1.2 29	1.6 40	1.1 28	1.2 30	1.1 31	1.0 26	0.9 26	1.2 35	1.1 34	1.6 47
White/Hispanic	4.1 8	2.6 5	1.5 4	2.3 5	3.7 9	3.9 10	2.0 4	2.1 5	2.0 7	2.3 7	2.0 8
Black	2.4 1	0.0 0	5.0 3	2.0 2	5.3 4	0.0 0	3.2 2	0.8 1	1.5 2	2.0 2	0.0 0
Male											
All Races	1.8 20	1.6 17	1.2 16	1.5 17	1.8 22	1.3 18	1.4 18	1.3 17	1.9 28	1.8 26	1.3 22
White/Non-Hispanic	1.8 18	1.6 15	1.2 14	1.3 13	1.4 14	1.1 13	1.2 14	1.0 12	1.6 19	1.5 18	1.4 19
White/Hispanic	2.6 2	1.1 1	2.0 2	2.9 2	4.3 5	3.9 5	3.7 3	4.3 4	1.6 3	4.5 5	1.4 3
Black	0.0 0	0.0 0	0.0 0	1.9 1	6.5 2	0.0 0	2.9 1	1.6 1	3.0 2	1.8 1	0.0 0
Female											
All Races	1.3 21	1.1 18	1.9 31	1.2 20	1.4 24	1.3 23	0.8 14	0.8 15	1.0 20	1.0 21	1.6 33
White/Non-Hispanic	0.9 13	1.0 14	1.8 26	1.0 15	1.0 16	1.2 18	0.7 12	0.8 14	0.9 16	0.9 16	1.6 28
White/Hispanic	5.3 6	3.6 4	1.3 2	2.1 3	3.1 4	3.8 5	0.9 1	0.7 1	2.3 4	0.8 2	2.3 5
Black	3.3 1	0.0 0	8.1 3	2.0 1	4.5 2	0.0 0	2.6 1	0.0 0	0.0 0	2.1 1	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other Digestive Organs, not otherwise displayed

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.4 10	0.5 13	0.2 7	0.4 10	0.4 11	0.3 10	0.4 11	0.4 13	0.4 15	0.3 12	0.3 11
White/Non-Hispanic	0.3 7	0.4 10	0.3 7	0.3 8	0.3 8	0.4 9	0.4 11	0.3 8	0.4 12	0.3 10	0.3 9
White/Hispanic	1.4 3	1.1 2	0.0 0	0.9 2	0.8 2	0.3 1	0.0 0	0.9 3	0.8 2	0.4 2	0.2 1
Black	0.0 0	0.0 0	0.0 0	0.0 0	2.0 1	0.0 0	0.0 0	2.6 2	0.0 0	0.0 0	0.8 1
Male											
All Races	0.8 7	0.4 6	0.3 4	0.5 6	0.6 9	0.4 4	0.3 4	0.5 6	0.6 8	0.3 6	0.3 4
White/Non-Hispanic	0.7 5	0.4 5	0.4 4	0.4 5	0.5 6	0.4 3	0.3 4	0.3 4	0.5 6	0.3 5	0.3 3
White/Hispanic	2.2 2	0.7 1	0.0 0	1.5 1	1.7 2	0.5 1	0.0 0	0.5 1	1.6 1	0.2 1	0.0 0
Black	0.0 0	0.0 0	0.0 0	0.0 0	6.0 1	0.0 0	0.0 0	6.6 1	0.0 0	0.0 0	1.7 1
Female											
All Races	0.2 3	0.4 7	0.2 3	0.2 4	0.1 2	0.3 6	0.4 7	0.4 7	0.4 7	0.3 6	0.3 7
White/Non-Hispanic	0.1 2	0.3 5	0.2 3	0.2 3	0.1 2	0.4 6	0.4 7	0.2 4	0.3 6	0.3 5	0.3 6
White/Hispanic	0.8 1	1.1 1	0.0 0	0.6 1	0.0 0	0.0 0	0.0 0	1.2 2	0.5 1	0.5 1	0.4 1
Black	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	1.7 1	0.0 0	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other Endocrine Organs (excluding Thyroid)

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.7 24	0.4 13	0.3 11	0.5 19	0.8 28	0.6 19	0.7 28	0.6 25	0.6 24	0.7 30	0.6 23
White/Non-Hispanic	0.8 22	0.4 11	0.3 8	0.6 16	0.9 26	0.6 17	0.7 22	0.7 21	0.6 20	0.7 22	0.6 20
White/Hispanic	0.7 2	0.0 0	0.7 3	0.2 2	0.1 1	0.5 2	0.9 4	0.3 2	0.5 2	0.9 5	0.6 3
Black	0.0 0	2.8 2	0.0 0	0.5 1	0.0 0	0.0 0	0.0 0	1.4 2	0.9 2	1.0 2	0.0 0
Male											
All Races	0.6 10	0.4 7	0.3 5	0.6 10	1.0 18	0.8 14	0.6 12	0.9 18	0.8 16	0.6 12	0.6 11
White/Non-Hispanic	0.7 9	0.4 6	0.3 4	0.8 10	1.2 17	0.9 12	0.6 8	1.0 15	0.8 13	0.6 8	0.6 9
White/Hispanic	0.3 1	0.0 0	1.1 1	0.0 0	0.0 0	1.1 2	0.9 2	0.2 1	1.0 1	0.8 3	0.9 2
Black	0.0 0	0.9 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	2.6 2	1.7 2	0.0 0	0.0 0
Female											
All Races	0.8 14	0.3 6	0.3 6	0.5 9	0.5 10	0.3 5	0.8 16	0.4 7	0.4 8	0.8 18	0.5 12
White/Non-Hispanic	0.9 13	0.3 5	0.3 4	0.4 6	0.6 9	0.3 5	0.9 14	0.4 6	0.5 7	0.9 14	0.6 11
White/Hispanic	0.9 1	0.0 0	0.5 2	0.5 2	0.3 1	0.0 0	0.8 2	0.4 1	0.2 1	1.0 2	0.3 1
Black	0.0 0	3.2 1	0.0 0	1.0 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	2.2 2	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other Female Genital Organs, not otherwise displayed

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.6 19	0.5 16	0.4 12	0.6 17	0.3 10	0.4 15	0.5 19	0.3 10	0.4 14	0.4 14	0.6 22
White/Non-Hispanic	0.6 15	0.5 13	0.4 10	0.7 17	0.2 7	0.3 10	0.5 15	0.3 9	0.4 11	0.3 10	0.5 18
White/Hispanic	0.9 2	1.2 3	0.3 2	0.0 0	0.8 2	0.8 3	0.1 1	0.0 0	0.2 1	0.8 3	0.4 2
Black	0.5 1	0.0 0	0.0 0	0.0 0	0.0 0	2.8 2	0.7 1	0.8 1	0.5 1	0.0 0	1.4 2
Female											
All Races	1.1 19	1.0 16	0.7 12	1.0 17	0.6 10	0.8 15	1.0 19	0.5 10	0.7 14	0.7 14	1.0 22
White/Non-Hispanic	1.1 15	1.0 13	0.7 10	1.1 17	0.5 7	0.7 10	0.9 15	0.6 9	0.7 11	0.6 10	1.0 18
White/Hispanic	1.6 2	2.3 3	0.6 2	0.0 0	1.4 2	1.6 3	0.2 1	0.0 0	0.5 1	1.4 3	0.8 2
Black	1.2 1	0.0 0	0.0 0	0.0 0	0.0 0	4.7 2	1.5 1	1.7 1	1.0 1	0.0 0	2.7 2

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other Male Genital Organs, not otherwise displayed

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.2 5	0.1 2	0.1 3	0.1 2	0.1 4	0.1 4	0.3 10	0.1 3	0.1 5	0.1 2	0.1 6
White/Non-Hispanic	0.2 5	0.0 1	0.1 3	0.1 2	0.1 2	0.1 3	0.3 8	0.1 2	0.2 5	0.0 1	0.2 5
White/Hispanic	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.5 2	0.1 1	0.0 0	0.0 0	0.1 1
Black	0.0 0	1.0 1	0.0 0	0.0 0	0.5 1	0.0 0	0.0 0	0.0 0	0.0 0	0.8 1	0.0 0
Male											
All Races	0.4 5	0.1 2	0.2 3	0.1 2	0.2 4	0.3 4	0.8 10	0.1 3	0.3 5	0.2 2	0.3 6
White/Non-Hispanic	0.5 5	0.1 1	0.3 3	0.2 2	0.2 2	0.2 3	0.8 8	0.1 2	0.3 5	0.1 1	0.3 5
White/Hispanic	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	1.1 2	0.2 1	0.0 0	0.0 0	0.2 1
Black	0.0 0	2.1 1	0.0 0	0.0 0	0.9 1	0.0 0	0.0 0	0.0 0	0.0 0	1.7 1	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other Nervous System (excluding Brain)

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.7 20	0.3 9	0.4 13	0.4 13	0.6 21	0.4 14	0.3 12	0.3 13	0.5 19	0.4 17	0.3 13
White/Non-Hispanic	0.8 19	0.3 8	0.4 12	0.3 9	0.5 15	0.4 12	0.4 12	0.4 12	0.5 14	0.5 15	0.3 12
White/Hispanic	0.0 0	0.0 0	0.6 1	0.4 2	0.7 3	0.1 1	0.0 0	0.0 0	0.7 4	0.3 2	0.0 0
Black	0.0 0	0.5 1	0.0 0	1.4 2	0.9 2	0.9 1	0.0 0	0.4 1	0.0 0	0.0 0	0.0 0
Male											
All Races	1.0 14	0.2 4	0.1 3	0.4 7	0.6 10	0.3 5	0.4 6	0.2 5	0.7 13	0.6 10	0.5 11
White/Non-Hispanic	1.1 13	0.2 3	0.2 3	0.2 3	0.5 6	0.3 4	0.5 6	0.3 5	0.7 11	0.6 9	0.6 10
White/Hispanic	0.0 0	0.0 0	0.0 0	0.9 2	1.4 3	0.3 1	0.0 0	0.0 0	0.7 2	0.4 1	0.0 0
Black	0.0 0	0.9 1	0.0 0	2.7 2	0.8 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0
Female											
All Races	0.4 6	0.3 5	0.6 10	0.3 6	0.6 11	0.5 9	0.3 6	0.4 8	0.3 6	0.3 7	0.1 2
White/Non-Hispanic	0.4 6	0.3 5	0.6 9	0.4 6	0.6 9	0.5 8	0.4 6	0.4 7	0.2 3	0.3 6	0.1 2
White/Hispanic	0.0 0	0.0 0	1.0 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.7 2	0.3 1	0.0 0
Black	0.0 0	0.0 0	0.0 0	0.0 0	1.0 1	1.8 1	0.0 0	0.9 1	0.0 0	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other Urinary Organs, not otherwise displayed

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.3 10	0.3 8	0.3 10	0.3 10	0.3 9	0.1 4	0.4 12	0.2 8	0.2 7	0.3 11	0.3 11
White/Non-Hispanic	0.3 8	0.3 7	0.3 9	0.4 10	0.3 9	0.1 3	0.4 11	0.3 8	0.2 7	0.3 9	0.4 11
White/Hispanic	0.4 1	0.6 1	0.0 0	0.0 0	0.0 0	0.5 1	0.0 0	0.0 0	0.0 0	0.8 2	0.0 0
Black	0.0 0	0.0 0	1.5 1	0.0 0	0.0 0	0.0 0	1.6 1	0.0 0	0.0 0	0.0 0	0.0 0
Male											
All Races	0.5 7	0.5 6	0.5 7	0.5 7	0.5 7	0.2 3	0.9 9	0.4 6	0.4 5	0.5 7	0.3 6
White/Non-Hispanic	0.4 5	0.5 5	0.4 6	0.6 7	0.6 7	0.1 2	1.0 9	0.5 6	0.4 5	0.4 6	0.4 6
White/Hispanic	0.7 1	1.6 1	0.0 0	0.0 0	0.0 0	1.1 1	0.0 0	0.0 0	0.0 0	1.6 1	0.0 0
Black	0.0 0	0.0 0	3.6 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0
Female											
All Races	0.2 3	0.1 2	0.2 3	0.2 3	0.1 2	0.1 1	0.2 3	0.1 2	0.1 2	0.2 4	0.2 5
White/Non-Hispanic	0.2 3	0.1 2	0.2 3	0.2 3	0.1 2	0.1 1	0.1 2	0.1 2	0.1 2	0.2 3	0.3 5
White/Hispanic	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.5 1	0.0 0
Black	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	2.6 1	0.0 0	0.0 0	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Other, Ill-Defined & Unknown Sites

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	13.3 352	10.9 298	13.6 382	11.1 326	14.0 423	12.5 392	12.6 399	13.5 446	11.0 372	12.1 421	18.9 675
White/Non-Hispanic	13.0 304	10.7 256	13.2 327	10.9 278	14.0 370	12.5 340	11.9 327	13.9 397	10.5 309	12.2 368	19.4 584
White/Hispanic	13.2 27	12.5 29	15.9 33	11.3 28	12.7 32	14.2 38	20.4 52	12.3 36	14.0 38	13.4 35	15.8 61
Black	23.4 16	11.4 9	22.9 19	19.5 16	24.2 17	9.7 10	18.2 14	9.5 9	16.6 15	11.5 12	22.0 22
Male											
All Races	15.3 167	13.0 153	15.8 182	12.2 153	14.0 182	14.6 192	13.9 188	15.6 224	13.2 195	12.9 186	19.8 301
White/Non-Hispanic	15.0 143	12.7 130	15.5 153	11.9 129	14.1 157	14.3 162	13.3 156	16.2 201	12.9 163	12.5 157	20.5 262
White/Hispanic	14.2 13	16.0 17	17.0 16	11.4 13	12.0 15	18.9 20	22.0 25	12.7 16	17.0 21	19.2 22	12.7 22
Black	42.3 9	10.6 4	24.8 11	19.4 9	23.1 9	21.2 9	16.2 5	15.8 6	19.6 8	8.3 3	27.7 12
Female											
All Races	12.0 185	9.2 145	12.2 200	10.2 173	13.8 241	11.2 200	11.6 211	11.7 222	9.2 177	11.6 235	18.4 374
White/Non-Hispanic	11.7 161	9.0 126	12.0 174	10.0 149	14.0 213	11.4 178	10.7 171	11.9 196	8.8 146	12.0 211	18.7 322
White/Hispanic	12.3 14	9.4 12	14.8 17	11.4 15	12.9 17	11.1 18	19.3 27	12.1 20	11.4 17	9.2 13	18.5 39
Black	15.9 7	11.8 5	19.2 8	17.5 7	21.4 8	1.8 1	19.8 9	5.9 3	14.1 7	15.7 9	17.5 10

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Ovary

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	9.4 271	9.1 275	7.7 238	8.8 289	9.5 316	8.6 298	9.0 315	8.7 316	9.2 345	9.0 347	7.7 302
White/Non-Hispanic	9.5 235	9.6 246	7.8 205	9.3 257	9.8 277	8.9 260	9.3 274	9.4 286	9.6 300	9.5 306	8.0 259
White/Hispanic	10.3 25	6.5 20	7.3 23	7.1 24	10.2 35	8.5 28	10.5 33	4.5 19	9.1 38	9.2 35	7.2 31
Black	9.0 7	5.1 5	5.4 6	3.9 6	2.6 2	6.3 6	4.3 4	4.9 5	2.9 4	3.0 2	2.8 3
Female											
All Races	17.2 271	16.9 275	14.2 238	16.5 289	17.7 316	16.2 298	16.7 315	16.3 316	17.2 345	16.9 347	14.4 302
White/Non-Hispanic	17.4 235	17.7 246	14.4 205	17.4 257	18.4 277	16.7 260	17.3 274	17.6 286	17.9 300	17.9 306	14.8 259
White/Hispanic	18.8 25	12.5 20	13.9 23	13.6 24	19.6 35	16.1 28	19.3 33	8.8 19	17.7 38	17.4 35	13.9 31
Black	15.7 7	9.3 5	10.5 6	8.0 6	4.0 2	10.9 6	7.8 4	8.7 5	5.8 4	5.0 2	5.1 3

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Pancreas

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	11.1 290	11.4 315	11.5 325	8.6 254	10.9 330	10.4 317	12.3 392	11.1 370	9.7 329	10.4 368	10.5 374
White/Non-Hispanic	10.8 248	11.2 271	11.7 290	8.3 212	11.1 294	10.3 273	11.7 324	11.0 316	9.9 287	9.9 304	10.6 319
White/Hispanic	13.3 26	15.0 32	9.6 23	10.9 27	11.3 26	11.7 31	17.5 48	12.3 38	9.1 27	15.2 46	10.5 39
Black	24.7 15	13.0 9	11.9 7	12.3 11	11.7 9	10.1 9	15.7 13	11.5 11	11.9 11	14.4 14	7.4 8
Male											
All Races	13.0 145	14.0 161	11.3 141	10.0 129	13.4 173	12.4 164	14.5 199	13.1 190	11.5 168	12.7 190	11.4 179
White/Non-Hispanic	12.6 124	13.3 136	11.3 122	9.4 105	13.7 155	12.4 140	14.1 166	13.0 161	12.1 151	12.5 162	11.5 151
White/Hispanic	19.0 15	19.1 16	12.5 14	13.0 14	11.0 10	13.3 16	19.6 25	14.1 20	6.2 9	13.8 17	12.4 21
Black	17.2 5	27.0 6	13.8 3	15.8 7	19.8 7	13.0 6	9.8 6	18.3 8	10.4 5	20.6 9	7.3 4
Female											
All Races	9.6 145	9.7 154	11.4 184	7.4 125	9.1 157	8.7 153	10.7 193	9.7 180	8.4 161	8.9 178	9.8 195
White/Non-Hispanic	9.3 124	9.7 135	11.8 168	7.2 107	9.2 139	8.5 133	10.0 158	9.6 155	8.2 136	8.2 142	10.0 168
White/Hispanic	9.3 11	12.5 16	7.1 9	9.5 13	12.0 16	10.4 15	15.4 23	10.9 18	11.2 18	16.9 29	8.8 18
Black	28.3 10	7.0 3	11.2 4	8.7 4	5.5 2	6.4 3	16.8 7	6.3 3	12.1 6	9.5 5	7.1 4

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Penis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.5 13	0.5 14	0.5 15	0.2 5	0.3 9	0.2 6	0.3 10	0.3 11	0.4 14	0.3 10	0.4 14
White/Non-Hispanic	0.4 9	0.4 10	0.6 14	0.2 5	0.3 7	0.2 6	0.2 6	0.2 7	0.4 12	0.2 7	0.4 11
White/Hispanic	1.7 3	0.7 2	0.2 1	0.0 0	0.9 2	0.0 0	0.7 3	1.0 3	0.5 1	1.1 3	0.4 2
Black	0.9 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.6 1	1.2 1	0.7 1	0.0 0	0.0 0
Male											
All Races	1.1 13	1.1 14	1.4 15	0.4 5	0.7 9	0.5 6	0.6 10	0.7 11	1.0 14	0.8 10	0.9 14
White/Non-Hispanic	0.8 9	0.9 10	1.5 14	0.5 5	0.7 7	0.6 6	0.5 6	0.5 7	0.9 12	0.6 7	0.9 11
White/Hispanic	4.2 3	1.7 2	0.4 1	0.0 0	2.2 2	0.0 0	1.3 3	2.1 3	1.3 1	2.5 3	0.7 2
Black	1.7 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	1.1 1	2.8 1	1.4 1	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Peritoneum

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.5 13	0.5 15	0.4 11	0.5 14	0.4 14	0.6 20	0.6 20	0.6 22	0.4 15	0.4 14	0.7 27
White/Non-Hispanic	0.5 12	0.5 13	0.4 11	0.4 12	0.5 14	0.6 17	0.7 19	0.6 18	0.5 14	0.4 12	0.7 23
White/Hispanic	0.0 0	0.2 1	0.0 0	0.6 1	0.0 0	0.7 3	0.4 1	1.0 3	0.3 1	0.5 2	0.6 2
Black	0.0 0	0.0 0	0.0 0	0.7 1	0.0 0	0.0 0	0.0 0	0.8 1	0.0 0	0.0 0	2.4 2
Male											
All Races	0.3 4	0.1 2	0.3 4	0.3 5	0.2 3	0.1 3	0.5 8	0.3 4	0.4 6	0.1 2	0.4 7
White/Non-Hispanic	0.3 3	0.1 2	0.3 4	0.3 4	0.2 3	0.1 2	0.5 7	0.2 3	0.4 5	0.1 2	0.3 5
White/Hispanic	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.2 1	0.9 1	1.1 1	0.6 1	0.0 0	1.6 2
Black	0.0 0	0.0 0	0.0 0	1.4 1	0.0 0						
Female											
All Races	0.6 9	0.8 13	0.4 7	0.5 9	0.7 11	0.9 17	0.7 12	1.0 18	0.5 9	0.6 12	1.0 20
White/Non-Hispanic	0.7 9	0.8 11	0.5 7	0.5 8	0.8 11	1.0 15	0.8 12	0.9 15	0.5 9	0.6 10	1.1 18
White/Hispanic	0.0 0	0.4 1	0.0 0	1.0 1	0.0 0	1.2 2	0.0 0	1.0 2	0.0 0	0.9 2	0.0 0
Black	0.0 0	1.6 1	0.0 0	0.0 0	4.1 2						

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Pharynx and Other Buccal Cavity, not otherwise displayed

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.6 16	1.0 29	0.8 23	0.8 25	0.8 24	0.7 24	0.6 21	0.6 20	0.4 13	0.7 28	0.3 10
White/Non-Hispanic	0.6 14	1.0 25	0.7 19	0.8 22	0.8 22	0.8 22	0.5 16	0.6 19	0.4 12	0.7 22	0.3 10
White/Hispanic	0.5 1	0.3 1	0.7 1	0.0 0	0.4 1	0.4 2	2.0 5	0.3 1	0.0 0	1.5 5	0.0 0
Black	1.7 1	3.8 3	2.9 3	1.1 1	0.5 1	0.0 0	0.0 0	0.0 0	0.8 1	1.2 1	0.0 0
Male											
All Races	0.9 11	2.1 26	1.5 19	1.2 17	1.2 17	1.2 18	1.1 16	1.0 16	0.5 8	1.0 18	0.5 9
White/Non-Hispanic	1.0 11	2.1 22	1.3 15	1.3 16	1.2 15	1.3 16	0.8 11	1.1 15	0.6 8	0.8 13	0.6 9
White/Hispanic	0.0 0	0.7 1	1.7 1	0.0 0	0.9 1	0.9 2	4.6 5	0.5 1	0.0 0	2.8 4	0.0 0
Black	0.0 0	8.5 3	5.8 3	2.3 1	1.0 1	0.0 0	0.0 0	0.0 0	0.0 0	2.6 1	0.0 0
Female											
All Races	0.3 5	0.2 3	0.3 4	0.5 8	0.4 7	0.3 6	0.3 5	0.2 4	0.3 5	0.5 10	0.1 1
White/Non-Hispanic	0.2 3	0.2 3	0.3 4	0.4 6	0.4 7	0.4 6	0.3 5	0.2 4	0.2 4	0.5 9	0.1 1
White/Hispanic	0.9 1	0.0 0	0.5 1	0.0 0							
Black	2.8 1	0.0 0	1.6 1	0.0 0	0.0 0						

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Prostate

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	101.4 2716	107.3 2988	86.5 2518	74.1 2255	70.4 2191	70.4 2243	72.1 2362	65.3 2203	77.4 2676	73.9 2646	74.3 2728
White/Non-Hispanic	103.8 2463	110.3 2703	87.9 2245	75.7 2001	71.7 1933	72.1 1987	72.7 2051	66.2 1918	80.5 2382	77.2 2369	77.2 2389
White/Hispanic	86.4 166	88.6 187	71.6 161	67.4 166	58.5 155	59.7 159	76.3 209	59.3 170	63.6 190	55.9 171	57.4 208
Black	116.4 77	118.5 89	133.6 97	80.6 70	95.8 85	92.0 85	86.0 84	98.1 98	77.4 86	84.5 87	98.8 114
Male											
All Races	247.5 2716	256.7 2988	203.3 2518	170.8 2255	162.4 2191	161.3 2243	163.7 2362	147.4 2203	174.7 2676	165.5 2646	165.7 2728
White/Non-Hispanic	254.0 2463	264.1 2703	206.6 2245	174.2 2001	165.5 1933	165.3 1987	164.8 2051	149.3 1918	181.4 2382	172.3 2369	172.3 2389
White/Hispanic	202.4 166	204.6 187	163.8 161	152.3 166	130.3 155	134.3 159	172.6 209	132.9 170	141.6 190	125.4 171	124.8 208
Black	292.3 77	283.5 89	336.0 97	182.2 70	221.7 85	210.4 85	191.3 84	219.1 98	166.9 86	190.0 87	211.4 114

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Respiratory System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	61.1 1694	60.1 1715	62.3 1832	55.6 1686	60.4 1879	63.6 2019	58.4 1898	59.8 1998	56.0 1911	58.0 2052	59.9 2157
White/Non-Hispanic	62.3 1513	62.5 1556	63.9 1638	56.9 1499	60.5 1630	64.1 1760	60.4 1691	60.7 1745	57.8 1696	59.7 1811	61.5 1870
White/Hispanic	49.8 108	36.7 87	52.6 126	49.0 118	57.5 148	57.9 154	46.4 131	55.0 156	47.7 134	46.7 143	47.5 175
Black	73.6 55	78.7 61	60.4 52	61.7 53	85.7 80	96.6 86	60.2 57	73.7 70	56.8 54	67.6 65	79.6 76
Male											
All Races	90.8 1081	86.2 1054	87.2 1101	74.3 981	86.7 1166	84.7 1174	76.9 1078	79.4 1152	73.2 1089	74.1 1154	74.9 1179
White/Non-Hispanic	91.9 956	89.3 955	88.8 980	75.4 867	85.9 999	85.3 1024	78.4 946	79.7 996	75.1 961	75.7 1019	76.3 1013
White/Hispanic	75.4 74	50.3 51	80.8 82	73.5 78	85.9 98	79.5 95	64.7 83	77.9 94	65.0 81	63.6 80	57.7 94
Black	114.6 38	123.3 38	79.3 30	75.6 26	141.9 57	120.3 45	94.0 35	104.4 44	67.4 30	88.9 37	117.8 51
Female											
All Races	39.8 613	41.7 661	44.5 731	42.0 705	41.3 713	47.9 845	45.4 820	45.6 846	43.3 822	46.2 898	49.1 978
White/Non-Hispanic	41.3 557	43.5 601	46.0 658	43.4 632	42.2 631	48.3 736	47.8 745	47.0 749	45.2 735	47.5 792	50.9 857
White/Hispanic	29.5 34	27.0 36	32.0 44	29.8 40	35.2 50	40.6 59	31.7 48	38.6 62	34.3 53	35.7 63	40.4 81
Black	42.3 17	51.6 23	46.6 22	55.5 27	44.4 23	82.3 41	39.3 22	50.8 26	47.0 24	53.3 28	48.8 25

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Retroperitoneum

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.5 16	0.6 18	0.4 13	0.2 7	0.6 20	0.3 10	0.4 15	0.4 14	0.3 11	0.3 13	0.5 21
White/Non-Hispanic	0.6 15	0.7 16	0.4 11	0.2 6	0.6 18	0.4 10	0.4 12	0.4 12	0.3 10	0.3 11	0.6 19
White/Hispanic	0.5 1	0.3 1	0.1 1	0.3 1	0.8 2	0.0 0	0.2 1	0.4 2	0.0 0	0.6 2	0.1 1
Black	0.0 0	0.5 1	1.1 1	0.0 0	0.0 0	0.0 0	2.3 2	0.0 0	0.4 1	0.0 0	0.7 1
Male											
All Races	0.6 9	1.2 14	0.6 9	0.1 1	0.5 8	0.5 8	0.5 9	0.5 8	0.2 4	0.3 5	0.7 12
White/Non-Hispanic	0.6 8	1.3 12	0.5 7	0.1 1	0.5 7	0.6 8	0.5 7	0.5 7	0.3 4	0.3 5	0.8 11
White/Hispanic	1.2 1	0.6 1	0.2 1	0.0 0	0.6 1	0.0 0	0.3 1	0.6 1	0.0 0	0.0 0	0.0 0
Black	0.0 0	0.9 1	2.4 1	0.0 0	0.0 0	0.0 0	1.3 1	0.0 0	0.0 0	0.0 0	1.3 1
Female											
All Races	0.5 7	0.3 4	0.3 4	0.4 6	0.6 12	0.1 2	0.3 6	0.3 6	0.4 7	0.4 8	0.4 9
White/Non-Hispanic	0.5 7	0.3 4	0.3 4	0.3 5	0.7 11	0.1 2	0.3 5	0.3 5	0.4 6	0.4 6	0.5 8
White/Hispanic	0.0 0	0.0 0	0.0 0	0.6 1	0.9 1	0.0 0	0.0 0	0.2 1	0.0 0	1.1 2	0.2 1
Black	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	2.6 1	0.0 0	0.9 1	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Skin (excluding Basal and Squamous Cell Carcinoma)

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	21.2 660	20.5 657	19.0 629	19.8 679	23.5 822	25.4 918	21.9 800	21.3 795	22.6 870	22.9 917	22.0 906
White/Non-Hispanic	23.4 617	22.7 616	21.5 596	22.6 648	27.0 787	28.5 854	24.9 755	24.5 757	25.9 821	26.5 874	26.1 871
White/Hispanic	10.5 33	11.7 37	7.5 30	6.8 22	6.3 25	12.8 47	9.1 33	6.6 28	8.7 39	7.1 33	5.8 31
Black	6.9 8	2.9 3	2.0 3	5.2 7	2.7 4	7.1 10	5.3 8	5.6 6	6.0 9	4.2 7	1.0 2
Male											
All Races	25.6 376	25.8 381	23.8 360	24.5 385	29.1 457	31.4 512	27.2 450	28.4 478	28.0 485	29.1 524	27.2 508
White/Non-Hispanic	28.1 347	28.5 355	26.5 335	27.6 365	33.2 437	34.8 476	30.4 419	32.3 454	32.3 465	33.5 502	31.9 487
White/Hispanic	12.9 22	14.9 24	10.6 22	8.5 13	5.2 13	15.4 24	12.6 22	9.2 19	6.1 14	6.8 17	7.5 17
Black	11.0 6	2.5 2	3.8 3	10.9 6	4.5 3	13.5 9	7.3 6	4.2 3	6.7 6	2.3 2	1.8 2
Female											
All Races	17.5 284	16.2 276	15.3 269	16.2 294	19.5 365	21.0 406	18.0 350	15.8 317	18.6 385	18.5 393	18.2 398
White/Non-Hispanic	19.6 270	18.2 261	17.7 261	18.8 283	22.6 350	23.8 378	21.0 336	18.4 303	21.1 356	21.4 372	21.9 384
White/Hispanic	8.2 11	8.4 13	4.3 8	5.5 9	6.9 12	11.4 23	5.9 11	4.0 9	11.0 25	7.3 16	5.0 14
Black	3.3 2	2.7 1	0.0 0	1.3 1	1.1 1	1.0 1	3.2 2	5.8 3	4.9 3	6.5 5	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Small Intestine

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.0 29	1.8 51	1.5 44	1.5 47	1.7 52	1.5 50	1.4 48	1.4 50	1.6 57	1.4 52	2.3 87
White/Non-Hispanic	1.0 24	1.9 47	1.6 42	1.5 39	1.7 46	1.5 43	1.4 41	1.5 44	1.5 46	1.4 44	2.2 70
White/Hispanic	0.3 1	0.4 1	1.1 2	2.3 6	1.4 4	0.3 1	1.6 5	1.6 5	2.7 9	1.2 4	2.9 12
Black	5.1 4	3.6 3	0.0 0	1.9 2	1.9 2	4.6 5	1.7 2	0.6 1	0.6 1	1.9 3	3.5 4
Male											
All Races	1.4 18	2.2 29	2.5 32	2.2 29	1.7 22	2.0 30	1.9 30	1.9 32	2.1 34	1.6 28	2.4 44
White/Non-Hispanic	1.2 14	2.4 27	2.7 30	2.0 23	1.7 19	2.1 26	1.9 26	2.0 28	2.0 28	1.6 24	2.3 35
White/Hispanic	0.6 1	0.0 0	2.8 2	3.9 4	1.7 2	0.5 1	1.7 3	1.5 3	4.4 5	1.7 2	3.9 8
Black	9.4 3	4.1 2	0.0 0	3.8 2	1.9 1	4.9 3	1.7 1	1.1 1	0.0 0	2.7 2	1.1 1
Female											
All Races	0.7 11	1.4 22	0.7 12	1.1 18	1.7 30	1.1 20	1.0 18	1.0 18	1.2 23	1.2 24	2.1 43
White/Non-Hispanic	0.7 10	1.5 20	0.8 12	1.1 16	1.8 27	1.1 17	1.0 15	1.0 16	1.1 18	1.1 20	2.0 35
White/Hispanic	0.0 0	0.7 1	0.0 0	1.2 2	1.2 2	0.0 0	1.4 2	1.5 2	1.8 4	0.9 2	2.0 4
Black	2.1 1	2.7 1	0.0 0	0.0 0	1.9 1	3.9 2	1.7 1	0.0 0	1.3 1	1.2 1	5.4 3

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Soft Tissue, including Heart

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.7 77	2.5 77	2.6 84	2.8 91	3.3 114	3.0 108	3.4 118	3.1 118	2.6 97	3.5 136	3.2 128
White/Non-Hispanic	2.6 62	2.4 63	2.7 72	2.8 78	3.2 92	3.1 90	3.3 96	3.2 97	2.5 78	3.5 112	3.2 104
White/Hispanic	3.3 11	2.6 9	2.6 9	2.9 9	4.0 16	2.5 14	3.8 11	3.6 16	3.0 12	3.4 18	3.6 17
Black	5.5 4	2.7 3	1.9 3	3.3 4	4.3 5	1.8 2	7.3 10	1.5 3	2.8 5	3.6 5	2.9 5
Male											
All Races	2.7 36	3.8 52	2.8 42	3.1 45	4.3 64	3.6 59	3.5 55	4.0 69	3.3 57	3.4 64	3.9 70
White/Non-Hispanic	2.6 29	3.7 42	2.8 35	3.2 39	4.3 53	3.6 48	3.4 43	4.2 59	3.3 47	3.5 54	3.8 55
White/Hispanic	4.1 7	5.0 8	3.5 5	3.1 5	5.3 8	3.1 7	3.6 6	3.6 8	3.1 7	2.2 6	5.9 12
Black	0.0 0	1.2 1	2.0 2	1.6 1	5.0 3	3.8 2	10.5 6	1.1 1	2.0 2	4.6 3	2.3 2
Female											
All Races	2.6 41	1.5 25	2.4 42	2.6 46	2.7 50	2.5 49	3.3 63	2.5 49	2.0 40	3.5 72	2.7 58
White/Non-Hispanic	2.4 33	1.5 21	2.6 37	2.7 39	2.5 39	2.7 42	3.3 53	2.4 38	1.9 31	3.4 58	2.8 49
White/Hispanic	2.7 4	0.4 1	1.9 4	2.7 4	3.3 8	2.0 7	3.6 5	3.6 8	2.8 5	4.6 12	2.0 5
Black	9.8 4	3.7 2	1.7 1	4.6 3	3.4 2	0.0 0	5.5 4	2.0 2	3.7 3	2.7 2	3.4 3

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Stomach

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	7.7 202	8.3 231	7.8 227	6.6 198	6.5 201	6.4 203	6.9 224	7.0 235	6.1 209	5.8 208	5.8 212
White/Non-Hispanic	6.7 156	7.5 180	6.7 168	5.3 139	5.5 148	5.3 146	6.3 176	6.2 180	4.7 140	4.8 147	4.9 151
White/Hispanic	14.1 27	14.7 33	15.2 35	14.8 35	12.4 33	14.1 37	12.2 33	13.6 38	17.5 48	14.7 43	11.7 46
Black	19.9 12	10.5 9	14.8 14	12.7 9	8.0 8	7.8 8	6.8 6	9.5 10	9.3 8	7.7 10	10.9 10
Male											
All Races	9.3 110	12.8 151	11.2 140	9.7 125	9.4 130	9.6 138	10.2 145	9.4 143	8.2 122	8.5 136	7.6 125
White/Non-Hispanic	8.4 88	11.8 120	9.4 102	8.2 92	7.7 94	8.2 101	9.0 110	8.2 107	7.1 90	7.2 96	7.1 97
White/Hispanic	12.5 12	22.2 22	21.7 23	19.8 21	21.8 24	16.2 21	19.9 24	17.4 23	14.9 21	19.0 27	10.8 20
Black	29.2 8	12.8 5	22.9 9	24.5 6	11.7 5	17.7 8	10.5 5	19.1 9	19.6 5	10.7 7	10.1 5
Female											
All Races	6.0 92	5.0 80	5.3 87	4.3 73	4.1 71	3.7 65	4.3 79	4.9 92	4.5 87	3.6 72	4.2 87
White/Non-Hispanic	5.0 68	4.3 60	4.5 66	3.2 47	3.6 54	2.9 45	4.2 66	4.5 73	3.0 50	3.0 51	3.1 54
White/Hispanic	15.0 15	8.7 11	10.0 12	10.7 14	5.4 9	11.8 16	6.3 9	10.3 15	18.6 27	10.5 16	12.2 26
Black	11.8 4	9.0 4	8.8 5	6.6 3	5.3 3	0.0 0	2.6 1	1.6 1	3.8 3	4.8 3	10.6 5

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Testis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.5 95	3.0 118	2.9 113	2.6 106	2.9 119	3.0 127	2.7 119	2.5 110	3.5 156	3.5 161	3.0 142
White/Non-Hispanic	2.9 89	3.3 101	3.3 102	3.0 96	3.2 102	3.3 109	3.2 107	2.9 96	3.8 129	4.0 139	3.4 119
White/Hispanic	1.3 6	2.7 15	2.0 9	1.6 9	2.3 15	2.3 13	1.7 10	1.4 12	2.6 20	2.5 20	1.6 15
Black	0.0 0	0.0 0	0.8 1	0.5 1	0.5 1	2.4 4	0.5 1	0.5 1	2.1 4	0.4 1	0.9 2
Male											
All Races	5.0 95	6.0 118	5.7 113	5.1 106	5.7 119	6.0 127	5.4 119	5.0 110	6.9 156	6.7 161	5.8 142
White/Non-Hispanic	5.8 89	6.5 101	6.5 102	5.9 96	6.3 102	6.7 109	6.4 107	5.8 96	7.6 129	7.8 139	6.7 119
White/Hispanic	2.5 6	5.3 15	3.8 9	3.1 9	4.4 15	4.3 13	3.2 10	2.6 12	4.8 20	4.5 20	3.0 15
Black	0.0 0	0.0 0	1.5 1	0.9 1	0.9 1	4.6 4	0.9 1	0.8 1	3.8 4	0.8 1	1.7 2

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Thyroid

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	5.9 193	6.3 214	6.7 233	6.0 217	5.6 203	6.6 252	7.5 298	7.1 285	7.0 290	7.6 329	8.8 388
White/Non-Hispanic	6.2 169	6.0 170	6.8 194	6.1 178	5.6 169	6.6 204	8.0 253	7.3 235	7.1 235	7.8 271	9.4 329
White/Hispanic	5.2 18	9.4 31	8.5 27	8.0 29	6.4 24	6.9 31	7.1 31	7.6 36	8.0 35	7.7 39	8.2 43
Black	1.0 2	7.1 7	4.7 8	2.8 5	4.2 5	7.7 10	4.7 6	7.7 9	4.7 7	4.3 6	4.2 8
Male											
All Races	3.4 51	3.5 52	3.6 57	4.1 68	2.9 49	4.0 73	4.9 89	4.0 74	3.4 67	4.5 93	4.3 92
White/Non-Hispanic	3.9 49	3.5 44	3.6 48	4.4 61	3.0 42	4.1 63	5.1 77	4.2 63	3.6 58	4.6 77	4.4 75
White/Hispanic	0.3 1	4.5 7	5.1 6	2.6 4	1.0 3	2.9 6	4.6 8	2.9 6	2.3 6	6.4 13	5.1 15
Black	0.9 1	2.0 1	2.6 2	0.0 0	4.7 2	11.1 4	6.8 4	6.8 3	1.8 1	1.6 1	0.0 0
Female											
All Races	8.2 142	9.1 162	9.8 176	8.0 149	8.1 154	9.1 179	10.3 209	10.2 211	10.6 223	10.7 236	13.3 296
White/Non-Hispanic	8.4 120	8.5 126	9.9 146	7.7 117	8.1 127	8.9 141	10.9 176	10.4 172	10.5 177	11.1 194	14.4 254
White/Hispanic	9.9 17	13.9 24	12.0 21	13.3 25	11.1 21	11.0 25	9.9 23	12.4 30	13.1 29	9.7 26	10.9 28
Black	1.0 1	11.4 6	7.1 6	6.0 5	4.2 3	7.9 6	2.7 2	9.1 6	7.9 6	7.3 5	8.9 8

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Tongue

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.9 55	2.0 60	2.0 61	2.0 64	2.6 86	2.0 67	2.1 71	1.8 64	1.7 63	2.6 99	2.0 79
White/Non-Hispanic	2.0 50	2.1 54	2.3 58	2.0 54	2.8 79	2.2 62	2.2 64	2.0 61	1.6 50	2.8 90	2.1 71
White/Hispanic	0.9 3	0.5 2	0.9 2	3.0 8	2.0 6	1.0 3	0.6 2	0.9 3	3.1 11	1.6 7	1.6 6
Black	2.2 2	4.6 4	1.1 1	1.7 1	0.0 0	1.0 1	4.4 5	0.0 0	1.5 2	0.5 1	2.4 2
Male											
All Races	2.5 34	2.6 36	2.9 41	2.4 36	3.7 57	3.0 47	3.2 51	2.7 42	2.3 39	3.3 61	3.1 59
White/Non-Hispanic	2.5 29	2.8 32	3.3 40	2.6 34	4.1 53	3.2 42	3.3 44	3.0 39	2.0 29	3.5 54	3.4 54
White/Hispanic	1.9 3	0.3 1	1.1 1	1.3 2	2.1 3	2.2 3	1.2 2	1.8 3	6.0 9	2.8 6	2.1 4
Black	4.3 2	7.5 3	0.0 0	0.0 0	0.0 0	2.1 1	9.4 5	0.0 0	1.2 1	1.0 1	1.7 1
Female											
All Races	1.4 21	1.5 24	1.2 20	1.6 28	1.7 29	1.1 20	1.1 20	1.1 22	1.2 24	1.9 38	1.0 20
White/Non-Hispanic	1.6 21	1.6 22	1.3 18	1.3 20	1.7 26	1.3 20	1.3 20	1.4 22	1.2 21	2.1 36	1.0 17
White/Hispanic	0.0 0	0.7 1	0.8 1	4.1 6	2.0 3	0.0 0	0.0 0	0.0 0	0.7 2	0.4 1	0.9 2
Black	0.0 0	2.1 1	2.0 1	2.8 1	0.0 0	0.0 0	0.0 0	0.0 0	1.7 1	0.0 0	2.5 1

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Tonsil

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.7 21	1.1 33	1.0 30	0.8 25	0.9 32	0.9 31	1.0 38	1.1 43	0.8 31	1.0 41	1.2 48
White/Non-Hispanic	0.7 17	1.1 27	1.0 26	0.9 24	1.0 30	0.8 23	1.2 35	1.1 34	0.8 27	1.0 34	1.1 39
White/Hispanic	1.0 3	1.3 4	0.8 2	0.5 1	0.5 2	0.8 3	0.3 2	1.0 4	0.6 3	0.9 4	2.2 9
Black	1.1 1	2.2 2	1.7 2	0.0 0	0.0 0	4.3 5	0.7 1	1.8 3	0.8 1	1.3 2	0.0 0
Male											
All Races	1.1 14	1.8 24	1.4 21	0.8 13	1.4 23	1.5 27	1.9 32	1.8 33	1.2 23	1.8 36	1.8 35
White/Non-Hispanic	1.1 12	1.6 18	1.4 18	1.0 13	1.6 22	1.4 20	2.0 29	1.7 25	1.2 19	1.8 30	1.6 27
White/Hispanic	0.9 1	2.6 4	1.7 2	0.0 0	0.5 1	1.7 3	0.6 2	2.0 4	1.1 3	1.3 3	3.9 8
Black	2.3 1	4.7 2	2.4 1	0.0 0	0.0 0	6.9 4	1.3 1	2.3 2	1.7 1	2.5 2	0.0 0
Female											
All Races	0.4 7	0.6 9	0.5 9	0.7 12	0.5 9	0.2 4	0.3 6	0.5 10	0.4 8	0.2 5	0.6 13
White/Non-Hispanic	0.4 5	0.7 9	0.6 8	0.8 11	0.5 8	0.2 3	0.4 6	0.6 9	0.5 8	0.2 4	0.7 12
White/Hispanic	1.3 2	0.0 0	0.0 0	0.9 1	0.6 1	0.0 0	0.0 0	0.0 0	0.0 0	0.5 1	0.5 1
Black	0.0 0	0.0 0	1.3 1	0.0 0	0.0 0	1.8 1	0.0 0	1.3 1	0.0 0	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Trachea, Pleura, and Other Respiratory Organs, not otherwise displayed

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.9 25	0.6 18	0.7 22	1.4 42	1.4 47	0.6 21	0.9 31	0.7 26	0.7 25	1.0 37	1.1 39
White/Non-Hispanic	0.9 21	0.6 16	0.7 18	1.3 35	1.4 40	0.5 15	0.9 25	0.8 22	0.7 21	1.1 32	1.1 33
White/Hispanic	1.0 3	0.4 1	1.1 4	2.1 5	1.9 5	1.6 4	1.7 6	1.0 3	0.8 3	0.9 5	0.6 3
Black	0.0 0	1.1 1	0.0 0	0.5 1	0.0 0	0.4 1	0.0 0	0.0 0	1.5 1	0.0 0	2.7 3
Male											
All Races	1.5 20	0.8 10	1.2 16	2.3 31	2.4 35	1.2 17	1.8 28	1.5 23	1.4 21	1.7 26	2.0 30
White/Non-Hispanic	1.5 16	0.8 9	1.1 13	2.1 25	2.3 29	1.0 13	1.7 22	1.5 19	1.3 17	1.7 21	2.1 26
White/Hispanic	1.9 3	0.7 1	2.3 3	4.9 5	3.5 4	2.8 3	3.8 6	2.3 3	1.7 3	1.9 5	0.4 1
Black	0.0 0	3.7 1	0.0 0	6.1 3							
Female											
All Races	0.3 5	0.5 8	0.3 6	0.6 11	0.7 12	0.2 4	0.2 3	0.2 3	0.2 4	0.6 11	0.5 9
White/Non-Hispanic	0.4 5	0.5 7	0.3 5	0.7 10	0.7 11	0.1 2	0.2 3	0.2 3	0.2 4	0.7 11	0.4 7
White/Hispanic	0.0 0	0.0 0	0.3 1	0.0 0	0.8 1	0.7 1	0.0 0	0.0 0	0.0 0	0.0 0	0.8 2
Black	0.0 0	2.2 1	0.0 0	1.1 1	0.0 0	0.9 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Ureter

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.8 21	0.9 23	0.9 27	0.7 19	0.7 20	0.6 20	0.6 19	0.5 16	0.6 22	0.7 23	0.7 25
White/Non-Hispanic	0.9 21	0.9 22	0.9 24	0.7 17	0.7 18	0.7 20	0.7 18	0.5 14	0.7 20	0.5 15	0.8 24
White/Hispanic	0.0 0	0.6 1	1.1 3	0.3 1	0.8 2	0.0 0	0.4 1	0.5 2	0.3 1	2.1 6	0.0 0
Black	0.0 0	0.0 0	0.0 0	1.4 1	0.0 0	0.0 0	0.0 0	0.0 0	0.0 0	2.3 2	1.1 1
Male											
All Races	1.1 13	1.4 15	1.4 19	1.1 12	0.7 10	0.8 11	0.9 12	0.8 10	0.8 12	1.0 15	0.9 13
White/Non-Hispanic	1.3 13	1.5 14	1.5 17	1.1 11	0.8 9	0.9 11	1.0 12	0.9 9	0.8 11	0.8 10	1.0 12
White/Hispanic	0.0 0	1.4 1	1.3 2	0.8 1	0.9 1	0.0 0	0.0 0	0.5 1	0.0 0	2.2 3	0.0 0
Black	0.0 0	5.4 2	2.5 1								
Female											
All Races	0.5 8	0.5 8	0.5 8	0.4 7	0.6 10	0.5 9	0.4 7	0.3 6	0.5 10	0.4 8	0.6 12
White/Non-Hispanic	0.6 8	0.5 8	0.5 7	0.4 6	0.6 9	0.6 9	0.4 6	0.3 5	0.6 9	0.3 5	0.7 12
White/Hispanic	0.0 0	0.0 0	0.8 1	0.0 0	0.6 1	0.0 0	0.7 1	0.5 1	0.5 1	1.9 3	0.0 0
Black	0.0 0	0.0 0	0.0 0	2.5 1	0.0 0						

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Urinary Bladder

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	23.0 621	22.5 632	20.6 600	20.3 606	19.8 612	21.7 682	20.0 644	20.1 676	19.5 674	19.9 705	21.3 767
White/Non-Hispanic	24.3 578	24.0 589	21.8 553	21.6 562	21.3 571	22.9 624	21.4 598	22.2 641	21.1 625	21.3 651	23.7 722
White/Hispanic	17.4 35	13.7 31	14.6 35	13.8 32	12.4 30	18.9 48	13.0 36	8.6 27	9.6 33	11.8 37	8.2 29
Black	4.4 4	9.8 8	10.9 9	12.1 8	8.4 6	6.1 6	11.0 9	4.4 4	16.1 14	15.7 12	7.7 8
Male											
All Races	43.5 488	38.6 466	35.7 443	35.5 447	34.6 453	36.7 494	34.2 472	36.4 530	32.9 496	34.7 528	37.0 575
White/Non-Hispanic	46.2 456	41.2 435	37.3 405	38.0 418	37.2 422	39.2 458	36.5 436	40.2 503	35.4 457	37.4 491	41.0 539
White/Hispanic	28.9 25	22.0 21	27.2 27	20.9 22	17.4 21	29.4 33	22.5 28	13.5 20	16.8 25	18.9 27	13.2 21
Black	7.1 3	20.4 7	18.7 8	14.3 4	18.9 5	6.1 3	22.6 7	10.7 4	33.6 12	17.2 6	17.6 8
Female											
All Races	8.7 133	10.5 166	9.6 157	9.4 159	9.2 159	10.6 188	9.4 172	7.8 146	9.2 178	9.0 177	9.6 192
White/Non-Hispanic	9.1 122	11.0 154	10.4 148	9.9 144	10.0 149	10.7 166	10.3 162	8.6 138	10.1 168	9.4 160	10.7 183
White/Hispanic	8.8 10	7.4 10	5.1 8	8.0 10	7.8 9	10.9 15	5.5 8	4.1 7	3.9 8	6.1 10	4.1 8
Black	2.0 1	2.0 1	3.0 1	9.6 4	2.7 1	5.9 3	4.0 2	0.0 0	4.9 2	13.7 6	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Urinary System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	34.8 949	33.7 952	33.2 979	31.8 962	31.4 980	33.2 1058	31.3 1018	31.7 1079	31.2 1094	31.6 1134	34.2 1258
White/Non-Hispanic	35.9 857	35.0 861	34.2 874	33.0 865	32.8 884	34.4 945	32.6 915	33.1 962	32.8 978	32.5 999	37.3 1151
White/Hispanic	31.5 71	27.5 65	31.9 82	26.8 70	25.5 71	32.0 85	26.9 76	25.1 87	23.6 83	27.9 92	20.3 77
Black	14.9 14	21.6 17	18.9 17	23.6 19	16.9 14	23.5 23	24.8 22	17.3 18	26.1 25	33.4 29	16.6 19
Male											
All Races	59.3 684	53.6 657	53.3 682	52.7 680	50.0 675	51.3 716	51.4 724	52.4 779	49.0 756	51.5 798	53.7 868
White/Non-Hispanic	61.3 617	55.7 592	54.9 610	55.0 614	52.9 615	53.5 643	54.0 655	55.8 706	51.6 677	53.2 707	58.4 789
White/Hispanic	51.1 51	42.8 44	47.4 54	40.8 49	30.7 41	46.4 57	39.5 50	34.2 57	30.9 53	42.0 63	28.6 52
Black	22.9 9	39.0 14	28.9 13	26.7 10	31.4 10	30.9 15	40.7 16	18.8 10	50.9 20	47.7 18	31.7 17
Female											
All Races	17.3 265	18.6 295	18.2 297	16.6 282	17.6 305	19.2 342	16.2 294	15.9 300	17.4 338	16.9 336	19.2 390
White/Non-Hispanic	18.0 240	19.4 269	18.6 264	17.1 251	18.0 269	19.6 302	16.5 260	15.9 256	18.2 301	17.1 292	21.1 362
White/Hispanic	16.2 20	15.6 21	19.4 28	15.2 21	20.6 30	20.2 28	16.9 26	16.7 30	16.8 30	16.5 29	12.8 25
Black	8.2 5	8.0 3	8.7 4	20.1 9	8.3 4	16.3 8	13.3 6	16.0 8	9.6 5	21.8 11	3.7 2

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Vagina

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.2 6	0.4 12	0.4 10	0.4 12	0.4 13	0.6 20	0.6 19	0.4 12	0.2 8	0.5 18	0.4 17
White/Non-Hispanic	0.3 6	0.4 11	0.4 9	0.3 9	0.4 11	0.6 18	0.6 16	0.3 9	0.2 6	0.5 16	0.4 13
White/Hispanic	0.0 0	0.4 1	0.3 1	0.5 1	0.0 0	0.3 1	0.2 1	0.9 3	0.0 0	0.9 2	0.5 2
Black	0.0 0	0.0 0	0.0 0	0.0 0	2.7 2	0.0 0	0.9 1	0.0 0	2.6 2	0.0 0	1.8 2
Female											
All Races	0.4 6	0.7 12	0.6 10	0.7 12	0.7 13	1.1 20	1.0 19	0.6 12	0.4 8	0.9 18	0.8 17
White/Non-Hispanic	0.5 6	0.8 11	0.7 9	0.6 9	0.7 11	1.2 18	1.0 16	0.6 9	0.4 6	0.9 16	0.7 13
White/Hispanic	0.0 0	0.7 1	0.7 1	0.9 1	0.0 0	0.6 1	0.4 1	1.7 3	0.0 0	1.6 2	0.9 2
Black	0.0 0	0.0 0	0.0 0	0.0 0	4.6 2	0.0 0	1.7 1	0.0 0	4.1 2	0.0 0	3.5 2

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Incidence:
1991-2001 Annual Rates and Counts by Cancer Site, Sex, and Race/Ethnicity**

Vulva

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.4 38	1.1 32	0.9 25	1.3 39	1.2 38	1.2 38	1.0 33	1.1 37	1.0 36	1.2 46	1.1 45
White/Non-Hispanic	1.5 35	1.1 27	0.9 22	1.3 33	1.2 33	1.3 35	0.9 27	1.2 34	1.1 33	1.3 42	1.3 43
White/Hispanic	0.9 2	1.9 4	0.6 2	1.7 5	1.2 4	0.7 2	1.0 3	0.3 1	0.5 3	0.7 4	0.6 2
Black	0.0 0	1.0 1	1.8 1	0.8 1	0.9 1	1.9 1	0.0 0	2.1 2	0.0 0	0.0 0	0.0 0
Female											
All Races	2.5 38	2.0 32	1.5 25	2.3 39	2.1 38	2.1 38	1.8 33	1.9 37	1.8 36	2.2 46	2.1 45
White/Non-Hispanic	2.7 35	2.0 27	1.5 22	2.3 33	2.1 33	2.2 35	1.7 27	2.1 34	1.9 33	2.4 42	2.5 43
White/Hispanic	1.7 2	3.3 4	1.2 2	3.1 5	2.3 4	1.3 2	1.8 3	0.5 1	1.0 3	1.5 4	1.1 2
Black	0.0 0	2.0 1	2.9 1	1.7 1	1.8 1	2.9 1	0.0 0	3.8 2	0.0 0	0.0 0	0.0 0

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.
Data source: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment
Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

Colorado Cancer Mortality: 1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity

All Cancers Combined

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	195.1 5197	180.2 4947	188.2 5333	185.5 5419	182.3 5454	183.7 5656	179.6 5638	179.0 5798	175.6 5830	168.9 5896	171.9 6134
White/Non-Hispanic	196.5 4603	181.6 4375	189.7 4701	188.0 4791	184.8 4817	185.5 4957	182.4 4959	183.3 5130	179.3 5131	172.6 5177	176.8 5317
White/Hispanic	175.6 364	162.3 353	164.7 386	158.9 390	153.6 389	163.1 439	152.6 417	147.5 422	134.8 404	143.9 442	131.5 496
Black	247.8 176	210.1 158	254.7 191	229.1 181	222.6 180	216.2 182	217.4 194	194.9 175	234.1 212	215.3 207	235.0 229
Male											
All Races	245.5 2679	227.6 2571	232.7 2723	234.5 2842	224.2 2790	228.5 2918	225.3 2941	220.4 2979	216.4 2973	207.2 3005	204.0 3046
White/Non-Hispanic	248.1 2377	229.7 2265	233.8 2389	237.5 2506	227.4 2456	230.7 2551	227.1 2561	225.0 2627	220.3 2604	210.0 2617	209.3 2624
White/Hispanic	210.2 183	196.9 183	206.5 204	210.4 214	188.9 204	206.6 234	194.7 231	186.3 221	168.6 219	183.2 234	159.1 260
Black	318.3 88	271.2 91	343.8 101	284.0 94	281.5 95	281.9 96	311.3 108	263.2 93	292.0 109	298.3 119	285.9 122
Female											
All Races	164.2 2518	150.9 2376	160.7 2610	153.9 2577	155.1 2664	155.2 2738	149.8 2697	151.9 2819	150.1 2857	145.1 2891	152.2 3088
White/Non-Hispanic	164.8 2226	152.6 2110	162.6 2312	156.4 2285	157.5 2361	157.0 2406	153.4 2398	155.9 2503	154.0 2527	149.6 2560	157.2 2693
White/Hispanic	153.0 181	138.2 170	136.1 182	123.2 176	129.6 185	133.6 205	121.9 186	122.1 201	109.9 185	118.7 208	113.0 236
Black	212.7 88	163.1 67	204.5 90	194.3 87	185.3 85	176.8 86	165.5 86	155.8 82	198.8 103	159.3 88	197.9 107

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Bones and Joints

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.4 11	0.5 16	0.4 12	0.5 15	0.3 10	0.3 10	0.3 10	0.3 9	0.4 17	0.4 14	0.4 14
White/Non-Hispanic	0.3 8	0.6 15	0.5 11	0.5 14	0.3 9	0.3 8	0.3 9	0.3 9	0.4 13	0.3 10	0.4 12
White/Hispanic	1.0 3	* *	* *	* *	* *	* *	* *	* *	0.8 4	0.8 3	* *
Black	* *	* *	* *	* *	* *						
Male											
All Races	0.4 6	0.5 9	0.5 6	0.6 9	0.4 6	0.2 3	0.3 6	0.4 6	0.5 11	0.6 10	0.4 7
White/Non-Hispanic	0.3 4	0.6 9	0.6 5	0.6 8	0.4 6	* *	0.4 6	0.4 6	0.5 8	0.5 7	0.4 6
White/Hispanic	* *	* *	0.9 3	2.0 3	* *						
Black	* *	* *	* *	* *	* *						
Female											
All Races	0.3 5	0.4 7	0.4 6	0.4 6	0.2 4	0.4 7	0.2 4	0.2 3	0.3 6	0.2 4	0.3 7
White/Non-Hispanic	0.3 4	0.5 6	0.5 6	0.4 6	0.2 3	0.5 7	0.2 3	0.2 3	0.3 5	0.2 3	0.3 6
White/Hispanic	* *	* *	* *	* *	* *						
Black	* *	* *	* *	* *	* *						

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Brain and Other Nervous System

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	5.5 159	5.6 168	5.1 154	4.2 137	5.0 165	5.1 167	4.6 159	4.4 157	4.4 160	4.3 165	4.4 171
White/Non-Hispanic	5.9 146	5.9 150	5.4 141	4.7 129	5.4 151	5.4 152	5.0 144	4.7 142	4.8 148	4.6 143	4.9 156
White/Hispanic	2.5 7	4.3 10	3.6 11	1.0 5	3.2 11	2.7 10	2.5 9	3.1 11	1.2 6	3.1 13	3.0 12
Black	3.1 4	5.7 6	* *	* *	* *	4.7 5	2.7 4	* *	5.3 6	5.1 6	2.3 3
Male											
All Races	7.5 97	7.1 94	5.5 77	5.4 80	6.6 98	5.3 82	5.8 92	5.2 83	6.0 101	4.6 82	5.6 100
White/Non-Hispanic	8.3 91	7.1 81	5.8 70	6.0 76	6.9 87	5.8 76	6.3 84	5.3 72	6.8 96	4.8 71	6.1 90
White/Hispanic	* *	7.8 8	4.0 6	1.2 3	6.3 10	2.1 4	2.3 5	5.8 9	* *	3.4 6	4.6 9
Black	4.1 3	9.6 5	* *	* *	* *	* *	* *	* *	4.2 3	4.0 3	* *
Female											
All Races	3.9 62	4.6 74	4.6 77	3.2 57	3.8 67	4.8 85	3.6 67	3.9 74	3.0 59	4.1 83	3.4 71
White/Non-Hispanic	4.0 55	5.0 69	4.9 71	3.5 53	4.3 64	5.0 76	3.8 60	4.3 70	3.1 52	4.4 72	3.8 66
White/Hispanic	3.4 5	* *	3.2 5	* *	* *	3.2 6	2.4 4	* *	1.6 4	3.2 7	1.5 3
Black	* *	* *	* *	* *	* *	5.0 3	* *	* *	5.3 3	5.1 3	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

Colorado Cancer Mortality: 1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity

Breast

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	18.2 504	15.4 433	16.9 495	14.9 445	16.0 486	13.8 441	14.3 462	13.3 451	14.3 486	13.1 480	12.4 468
White/Non-Hispanic	18.5 443	15.5 378	17.6 444	15.5 403	16.5 435	14.2 388	14.9 413	13.7 395	14.4 422	13.6 425	13.2 413
White/Hispanic	16.0 40	15.3 35	10.6 30	10.0 28	8.7 26	8.2 28	9.7 28	10.4 33	11.7 36	9.8 38	7.4 33
Black	19.6 17	19.4 17	21.2 18	16.0 13	24.4 21	20.5 21	19.8 20	17.7 20	26.1 24	12.4 12	12.8 16
Male											
All Races	* *	* *	0.4 5	* *	0.2 3	* *	0.4 5	0.4 5	* *	0.2 4	* *
White/Non-Hispanic	* *	* *	0.4 4	* *	* *	* *	0.4 5	0.5 5	* *	0.2 3	* *
White/Hispanic	* *										
Black	* *										
Female											
All Races	32.5 503	27.3 432	29.8 490	26.5 444	27.9 483	24.7 439	25.0 457	23.5 446	25.2 486	23.3 476	22.4 467
White/Non-Hispanic	32.8 442	27.3 377	30.9 440	27.7 402	28.7 433	25.3 386	25.9 408	24.1 390	25.5 422	24.3 422	23.6 412
White/Hispanic	30.0 40	28.1 35	19.2 29	18.8 28	16.4 26	15.7 28	17.6 28	18.9 33	20.8 36	18.0 37	14.3 33
Black	36.0 17	34.4 17	37.4 18	28.4 13	41.0 20	38.0 21	35.6 20	33.1 20	45.2 24	21.6 12	24.6 16

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Buccal Cavity and Pharynx

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	3.1 87	2.7 75	2.2 63	2.5 77	2.2 67	2.5 79	2.2 71	2.0 64	2.1 71	1.7 63	2.0 75
White/Non-Hispanic	3.0 74	2.8 68	2.3 58	2.5 64	2.3 61	2.6 71	2.2 60	2.2 60	2.3 66	2.0 61	2.1 63
White/Hispanic	1.9 4	2.8 6	* *	3.6 10	* *	2.0 6	2.3 7	* *	1.1 3	* *	2.5 9
Black	10.3 9	* *	4.3 3	2.3 3	2.4 3	* *	* *	* *	* *	* *	1.9 3
Male											
All Races	3.7 48	3.8 47	3.0 37	3.5 49	3.3 44	3.7 53	3.6 48	2.4 35	2.8 43	3.0 47	3.2 53
White/Non-Hispanic	3.4 39	3.9 42	3.1 33	3.4 40	3.4 39	3.8 46	3.5 39	2.6 32	3.0 39	3.4 46	3.3 46
White/Hispanic	2.7 3	3.9 4	* *	6.9 9	* *	4.1 6	3.4 5	* *	* *	* *	2.5 4
Black	16.1 6	* *	11.2 3	* *	3.7 3						
Female											
All Races	2.5 39	1.8 28	1.6 26	1.7 28	1.3 23	1.5 26	1.3 23	1.6 29	1.5 28	0.8 16	1.1 22
White/Non-Hispanic	2.5 35	1.9 26	1.8 25	1.7 24	1.4 22	1.6 25	1.3 21	1.8 28	1.6 27	0.9 15	1.0 17
White/Hispanic	* *	2.3 5									
Black	5.9 3	* *	* *	4.5 3	* *						

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Cervix Uteri

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.4 42	1.4 41	1.3 41	1.6 53	1.6 51	1.1 39	1.2 45	1.1 40	1.1 42	0.8 30	1.2 50
White/Non-Hispanic	1.3 34	1.3 33	1.2 32	1.5 41	1.4 39	1.0 29	1.1 33	1.1 33	1.0 34	0.8 25	1.1 35
White/Hispanic	1.9 5	1.6 5	1.8 6	2.8 9	3.6 9	2.2 8	1.8 6	1.2 5	1.6 5	0.5 3	2.5 13
Black	3.7 3	* *	* *	* *	* *	* *	2.6 3	* *	* *	* *	* *
Female											
All Races	2.6 42	2.6 41	2.4 41	3.0 53	2.9 50	2.1 39	2.3 45	2.0 40	2.1 42	1.4 30	2.3 50
White/Non-Hispanic	2.5 34	2.4 33	2.3 32	2.8 41	2.5 38	1.9 29	2.0 33	2.0 33	2.0 34	1.4 25	2.0 35
White/Hispanic	3.5 5	3.0 5	3.4 6	5.2 9	6.5 9	4.4 8	3.5 6	2.2 5	2.8 5	1.0 3	5.0 13
Black	6.5 3	* *	* *	* *	* *	* *	4.8 3	* *	* *	* *	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

Colorado Cancer Mortality: 1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity

Colon and Rectum

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	23.2 594	21.5 566	20.6 564	20.1 563	19.0 554	19.5 581	19.5 596	19.3 612	18.7 608	17.5 602	17.6 619
White/Non-Hispanic	22.7 510	21.3 496	20.1 484	20.3 499	18.9 483	19.7 512	20.0 531	19.8 544	18.5 522	17.3 513	18.0 535
White/Hispanic	26.8 55	22.2 45	20.2 46	19.2 43	16.7 41	18.1 47	16.7 45	11.4 33	16.4 48	19.3 59	13.1 48
Black	34.5 25	23.3 16	35.2 26	23.5 18	32.8 22	17.6 14	17.7 15	29.6 27	27.1 24	22.1 22	30.0 28
Male											
All Races	26.5 276	26.4 284	23.8 274	23.5 276	22.6 279	23.6 285	23.1 302	23.4 317	22.7 307	21.5 313	20.7 309
White/Non-Hispanic	25.8 233	26.4 248	23.1 229	23.7 241	22.5 239	23.5 246	23.5 265	24.0 279	22.3 259	20.6 254	21.2 266
White/Hispanic	33.7 31	27.4 24	21.3 22	25.7 26	19.1 23	27.5 29	25.1 29	15.2 19	22.2 28	27.7 38	16.4 26
Black	34.4 10	14.1 6	52.5 17	16.6 7	42.8 12	23.7 8	12.5 6	38.4 15	29.1 12	28.9 14	29.5 15
Female											
All Races	21.0 318	18.1 282	18.1 290	17.5 287	16.2 275	17.0 296	16.5 294	16.1 295	16.0 301	14.6 289	15.3 310
White/Non-Hispanic	20.6 277	17.8 248	18.0 255	17.7 258	16.2 244	17.4 266	17.0 266	16.5 265	16.1 263	15.0 259	15.6 269
White/Hispanic	21.3 24	18.3 21	19.3 24	13.9 17	14.0 18	11.7 18	10.5 16	8.6 14	12.0 20	12.8 21	11.1 22
Black	36.5 15	27.0 10	22.6 9	26.8 11	25.0 10	13.6 6	19.9 9	23.3 12	24.7 12	15.2 8	27.0 13

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Corpus Uteri

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.3 60	1.9 50	2.1 56	2.2 63	2.1 62	2.2 67	2.1 61	1.9 59	1.5 47	2.0 70	2.1 73
White/Non-Hispanic	2.2 51	2.0 47	2.2 52	2.2 54	2.2 55	2.2 57	2.2 57	1.8 50	1.5 42	2.1 64	2.1 61
White/Hispanic	2.7 5	* *	1.5 3	1.9 4	2.3 7	1.6 5	* *	2.3 7	0.7 3	1.4 5	1.1 4
Black	4.5 3	* *	* *	5.3 3	* *	7.7 5	* *	* *	* *	* *	6.5 6
Female											
All Races	3.9 60	3.2 50	3.4 56	3.8 63	3.6 62	3.8 67	3.4 61	3.2 59	2.4 46	3.5 70	3.7 73
White/Non-Hispanic	3.8 51	3.3 47	3.6 52	3.7 54	3.7 55	3.7 57	3.7 57	3.1 50	2.5 41	3.7 64	3.6 61
White/Hispanic	4.6 5	* *	2.6 3	3.3 4	4.3 7	3.0 5	* *	4.2 7	1.4 3	2.6 5	2.0 4
Black	7.5 3	* *	* *	8.1 3	* *	11.7 5	* *	* *	* *	* *	11.5 6

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Esophagus

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	3.6 97	3.2 92	3.9 114	3.6 108	3.2 96	3.9 125	3.7 118	4.8 155	4.1 135	4.0 137	3.8 134
White/Non-Hispanic	3.4 81	3.3 81	3.9 99	3.6 91	3.1 83	4.1 114	4.0 110	4.8 136	4.3 124	4.3 127	3.9 117
White/Hispanic	2.2 4	3.1 7	2.4 7	3.6 9	2.8 6	2.8 7	1.3 4	3.8 11	2.0 6	1.2 4	3.0 10
Black	14.8 10	2.9 3	9.6 7	8.8 8	8.4 7	3.8 3	* *	5.7 5	5.7 4	7.5 6	5.6 5
Male											
All Races	6.5 75	5.9 72	7.2 89	6.3 80	5.9 75	7.2 99	7.1 99	7.8 113	6.8 96	7.2 108	7.0 106
White/Non-Hispanic	6.2 63	6.1 65	7.1 76	6.5 71	5.8 66	7.5 91	7.8 93	8.2 101	7.2 89	7.8 101	7.3 95
White/Hispanic	3.9 3	3.8 4	4.3 6	4.2 5	6.8 6	5.5 5	3.0 4	5.4 8	3.9 5	2.1 3	5.1 7
Black	25.2 7	* *	23.5 6	11.5 4	8.4 3	* *	* *	6.8 3	* *	10.6 4	9.4 4
Female											
All Races	1.5 22	1.2 20	1.5 25	1.7 28	1.2 21	1.5 26	1.1 19	2.3 42	2.1 39	1.5 29	1.4 28
White/Non-Hispanic	1.3 18	1.1 16	1.6 23	1.3 20	1.1 17	1.5 23	1.1 17	2.2 35	2.2 35	1.5 26	1.3 22
White/Hispanic	* *	2.5 3	* *	3.1 4	* *	* *	* *	2.1 3	* *	* *	1.5 3
Black	8.4 3	* *	* *	7.4 4	8.4 4	* *	* *	* *	* *	* *	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Hodgkin Lymphoma

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.7 20	0.4 13	0.9 28	0.6 21	0.4 13	0.3 12	0.3 11	0.4 16	0.4 17	0.5 21	0.5 18
White/Non-Hispanic	0.6 16	0.5 13	1.0 26	0.7 18	0.4 11	0.4 11	0.3 8	0.4 13	0.5 17	0.5 16	0.5 16
White/Hispanic	1.3 3	* *	* *	* *	* *	* *	0.8 3	0.5 3	* *	0.9 3	* *
Black	* *										
Male											
All Races	1.2 16	0.7 10	1.3 19	1.1 14	0.7 8	0.5 7	0.3 6	0.6 11	0.7 13	0.7 13	0.2 4
White/Non-Hispanic	1.0 12	0.8 10	1.3 17	1.2 13	0.7 7	0.5 6	0.3 4	0.6 9	0.9 13	0.8 11	0.2 4
White/Hispanic	3.0 3	* *									
Black	* *										
Female											
All Races	0.2 4	0.2 3	0.6 9	0.3 7	0.3 5	0.3 5	0.3 5	0.3 5	0.2 4	0.4 8	0.7 14
White/Non-Hispanic	0.3 4	0.2 3	0.6 9	0.3 5	0.3 4	0.3 5	0.2 4	0.2 4	0.2 4	0.3 5	0.7 12
White/Hispanic	* *										
Black	* *										

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Kidney and Renal Pelvis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	3.4 91	3.3 92	4.5 129	4.1 119	4.3 127	4.1 130	4.3 133	4.2 138	4.4 148	3.0 107	3.9 138
White/Non-Hispanic	3.3 77	3.4 82	4.5 112	4.1 105	4.4 112	4.1 113	4.1 111	4.3 121	4.5 131	2.9 87	4.1 122
White/Hispanic	4.7 11	2.2 5	4.2 10	4.9 11	4.2 12	3.9 12	6.8 18	3.9 12	4.3 12	5.0 15	3.4 13
Black	* *	4.7 4	5.0 4	* *	3.0 3	3.5 3	2.3 3	* *	3.2 4	3.0 3	2.5 3
Male											
All Races	4.7 54	4.1 50	5.6 72	6.3 77	6.1 79	5.5 78	6.2 84	5.8 83	6.1 90	4.7 72	6.0 91
White/Non-Hispanic	4.5 45	4.0 43	5.7 63	6.3 66	6.2 69	5.6 66	5.8 68	6.0 74	6.3 79	4.4 57	6.2 79
White/Hispanic	5.6 6	* *	5.4 6	7.9 8	6.2 8	4.3 8	11.2 12	4.7 7	6.7 9	8.1 11	6.1 11
Black	* *	11.5 4	* *	* *	* *	8.2 3	4.7 3	* *	* *	7.4 3	* *
Female											
All Races	2.5 37	2.7 42	3.6 57	2.5 42	2.8 48	2.9 52	2.8 49	3.0 55	3.1 58	1.8 35	2.3 47
White/Non-Hispanic	2.4 32	2.9 39	3.5 49	2.7 39	2.9 43	3.1 47	2.7 43	2.9 47	3.2 52	1.8 30	2.5 43
White/Hispanic	4.1 5	2.0 3	3.2 4	2.4 3	2.5 4	3.0 4	3.8 6	3.0 5	2.3 3	2.5 4	* *
Black	* *	* *	7.1 3	* *	* *	* *	* *	* *	5.2 3	* *	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Larynx

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.4 38	1.1 29	1.0 31	0.9 27	1.3 41	1.4 43	1.1 36	1.2 40	0.8 28	0.8 26	1.0 36
White/Non-Hispanic	1.5 35	0.8 19	1.1 28	0.8 22	1.3 34	1.4 38	1.1 32	1.2 34	0.8 24	0.7 22	1.1 33
White/Hispanic	* *	5.2 10	1.2 3	* *	2.7 6	1.8 4	* *	* *	* *	1.4 4	* *
Black	* *	* *	* *	3.0 3	* *	* *	* *	4.2 4	* *	* *	* *
Male											
All Races	2.9 34	2.1 22	1.5 19	1.5 19	2.4 31	2.3 32	1.9 26	1.9 27	1.4 20	1.5 22	1.7 26
White/Non-Hispanic	3.1 31	1.3 13	1.6 18	1.4 15	2.1 25	2.3 28	1.9 22	2.0 24	1.4 17	1.4 18	1.9 24
White/Hispanic	* *	11.2 9	* *	* *	6.3 6	3.8 3	* *	* *	* *	3.1 4	* *
Black	* *										
Female											
All Races	0.3 4	0.5 7	0.7 12	0.5 8	0.6 10	0.6 11	0.6 10	0.7 13	0.4 8	0.2 4	0.5 10
White/Non-Hispanic	0.3 4	0.5 6	0.7 10	0.5 7	0.6 9	0.6 10	0.7 10	0.6 10	0.4 7	0.2 4	0.5 9
White/Hispanic	* *										
Black	* *										

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	7.3 195	7.7 213	7.9 223	8.3 246	8.7 264	7.9 243	7.2 231	8.1 264	8.3 276	7.4 260	7.2 260
White/Non-Hispanic	7.7 179	8.3 200	8.2 204	8.5 216	9.0 237	8.5 225	7.6 210	8.8 246	8.7 248	7.5 224	7.6 227
White/Hispanic	5.3 12	2.9 10	6.4 14	5.5 19	6.2 17	2.8 10	5.1 16	2.1 10	4.4 17	7.0 25	4.3 21
Black	* *	4.2 3	6.9 4	8.6 7	3.8 5	3.4 4	3.7 4	5.1 4	5.8 8	11.0 10	6.3 7
Male											
All Races	9.5 107	10.7 121	10.4 123	11.0 139	13.0 163	10.2 134	10.2 140	10.5 144	11.3 152	10.4 151	9.4 146
White/Non-Hispanic	9.9 97	11.5 113	11.3 116	11.6 125	13.7 148	11.1 125	10.8 125	11.5 136	11.9 134	10.4 127	9.4 121
White/Hispanic	8.0 7	4.2 5	5.6 5	7.9 11	8.4 10	2.6 5	6.2 11	1.8 4	5.5 11	10.2 17	7.8 17
Black	* *	10.6 3	* *	5.6 3	3.7 3	4.9 3	8.2 4	* *	8.0 5	18.1 7	15.6 6
Female											
All Races	5.7 88	5.8 92	6.2 100	6.3 107	5.8 101	6.2 109	5.0 91	6.4 120	6.5 124	5.4 109	5.6 114
White/Non-Hispanic	6.0 82	6.2 87	6.2 88	6.2 91	5.9 89	6.5 100	5.4 85	6.9 110	6.9 114	5.7 97	6.2 106
White/Hispanic	3.5 5	2.3 5	7.2 9	3.8 8	4.7 7	2.9 5	3.7 5	2.5 6	3.1 6	4.4 8	1.5 4
Black	* *	* *	* *	10.0 4	* *	* *	* *	* *	3.8 3	5.3 3	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Acute Lymphocytic Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.6 19	0.5 16	0.5 15	0.6 21	0.5 18	0.8 26	0.6 20	0.6 24	0.6 21	0.5 19	0.4 17
White/Non-Hispanic	0.7 18	0.5 15	0.5 12	0.5 15	0.4 12	0.8 23	0.6 18	0.6 19	0.5 14	0.5 15	0.3 11
White/Hispanic	* *	* *	* *	1.0 5	0.8 3	* *	* *	1.0 5	1.5 6	0.3 3	0.5 4
Black	* *										
Male											
All Races	0.8 11	0.6 11	0.7 10	0.8 13	0.5 9	0.7 11	0.7 11	0.9 17	0.8 13	0.8 15	0.3 6
White/Non-Hispanic	0.8 10	0.7 10	0.7 8	0.8 10	0.4 6	0.8 10	0.7 9	1.0 15	0.7 8	0.8 11	0.2 3
White/Hispanic	* *	2.3 4	0.6 3	* *							
Black	* *										
Female											
All Races	0.5 8	0.3 5	0.3 5	0.5 8	0.5 9	0.8 15	0.5 9	0.3 7	0.4 8	0.2 4	0.5 11
White/Non-Hispanic	0.6 8	0.4 5	0.3 4	0.3 5	0.4 6	0.9 13	0.6 9	0.2 4	0.4 6	0.3 4	0.5 8
White/Hispanic	* *	* *	* *	1.2 3	* *	* *	* *	1.2 3	* *	* *	* *
Black	* *										

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Acute Myeloid Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.0 56	2.9 78	2.5 71	2.6 78	3.0 94	2.1 67	2.6 87	2.7 89	2.6 89	2.7 97	2.5 91
White/Non-Hispanic	2.2 52	3.0 73	2.6 65	2.7 70	3.0 81	2.3 63	2.8 80	3.0 84	2.6 76	2.8 83	2.6 80
White/Hispanic	1.2 4	1.3 4	2.9 6	1.0 4	3.8 10	* *	1.7 5	0.5 3	1.6 5	2.3 9	1.9 8
Black	* *	4.3 6	4.4 4	* *							
Male											
All Races	2.7 30	3.8 42	2.9 33	3.3 41	4.2 56	3.0 41	3.5 52	3.1 41	3.4 48	3.8 57	3.1 53
White/Non-Hispanic	3.0 29	4.0 40	3.1 32	3.7 40	4.3 50	3.2 38	3.8 48	3.4 39	3.4 39	3.9 49	3.2 44
White/Hispanic	* *	* *	* *	* *	5.2 6	* *	* *	* *	1.5 3	2.7 6	4.0 8
Black	* *	8.0 5	* *	* *							
Female											
All Races	1.6 26	2.3 36	2.3 38	2.2 37	2.1 38	1.5 26	1.9 35	2.6 48	2.1 41	2.0 40	1.9 38
White/Non-Hispanic	1.7 23	2.4 33	2.3 33	2.1 30	2.0 31	1.6 25	2.0 32	2.8 45	2.2 37	2.0 34	2.1 36
White/Hispanic	1.9 3	1.5 3	4.0 5	1.6 3	2.7 4	* *	2.3 3	* *	* *	1.8 3	* *
Black	* *										

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Chronic Lymphocytic Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.5 37	1.6 43	1.8 48	1.6 46	1.9 54	2.1 60	1.4 40	1.8 56	1.9 60	1.7 55	1.6 56
White/Non-Hispanic	1.6 36	1.7 41	1.9 45	1.7 44	2.1 54	2.2 56	1.5 38	2.0 52	2.2 60	1.7 50	1.8 51
White/Hispanic	* *	* *	* *	* *	* *	1.6 3	* *	* *	* *	1.4 3	* *
Black	* *										
Male											
All Races	2.1 21	2.8 28	3.1 32	2.5 29	3.5 39	2.7 33	1.9 23	2.7 33	2.9 35	2.5 31	2.4 35
White/Non-Hispanic	2.3 20	2.9 26	3.3 30	2.7 28	4.0 39	3.0 32	2.0 21	2.8 30	3.3 35	2.5 27	2.5 30
White/Hispanic	* *										
Black	* *										
Female											
All Races	1.1 16	0.9 15	1.0 16	1.0 17	0.9 15	1.6 27	1.0 17	1.3 23	1.3 25	1.2 24	1.0 21
White/Non-Hispanic	1.2 16	1.1 15	1.0 15	1.1 16	1.0 15	1.6 24	1.1 17	1.4 22	1.5 25	1.3 23	1.2 21
White/Hispanic	* *										
Black	* *										

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Leukemia - Chronic Myeloid Leukemia

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.7 21	1.2 34	1.1 31	1.1 36	1.0 31	1.1 33	0.9 31	0.9 31	0.8 29	0.6 23	0.7 26
White/Non-Hispanic	0.8 19	1.3 32	1.1 28	1.2 32	1.1 28	1.1 30	0.9 26	1.1 31	0.7 22	0.6 18	0.7 21
White/Hispanic	* *	* *	* *	1.1 3	* *	* *	1.0 4	* *	1.0 5	1.8 4	0.8 4
Black	* *										
Male											
All Races	1.2 14	1.6 19	1.5 18	1.9 25	1.6 19	1.3 17	1.5 21	1.0 15	0.7 13	0.9 14	0.7 13
White/Non-Hispanic	1.1 12	1.8 18	1.5 16	2.0 23	1.5 16	1.4 16	1.4 16	1.2 15	0.7 10	0.8 11	0.6 9
White/Hispanic	* *	* *	* *	* *	* *	* *	2.1 4	* *	1.2 3	3.3 3	1.1 3
Black	* *										
Female											
All Races	0.4 7	0.9 15	0.8 13	0.6 11	0.7 12	0.9 16	0.5 10	0.9 16	0.8 16	0.4 9	0.6 13
White/Non-Hispanic	0.5 7	1.0 14	0.9 12	0.6 9	0.8 12	0.9 14	0.6 10	1.0 16	0.7 12	0.4 7	0.7 12
White/Hispanic	* *										
Black	* *										

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Liver and Intrahepatic Bile Duct

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	3.0 83	3.2 88	2.7 77	3.6 108	3.8 116	3.7 117	3.3 106	3.9 128	3.5 122	3.8 135	4.1 153
White/Non-Hispanic	2.6 61	2.7 64	2.7 66	3.1 79	3.5 94	3.4 93	2.9 80	3.5 100	3.1 91	2.9 87	3.5 108
White/Hispanic	3.9 9	6.2 13	4.1 9	6.4 16	5.2 15	6.8 19	4.4 12	7.4 20	4.7 16	8.5 29	8.0 31
Black	7.1 6	4.7 4	* *	7.1 7	4.4 3	* *	4.5 6	2.3 3	7.7 8	7.5 9	6.0 8
Male											
All Races	4.0 49	4.2 52	3.6 42	4.8 61	4.6 63	5.4 75	4.2 58	5.9 82	5.2 81	4.9 77	4.9 84
White/Non-Hispanic	3.4 35	3.9 40	3.7 38	4.0 43	4.3 50	5.0 59	3.7 43	5.0 60	4.2 54	3.7 47	4.3 58
White/Hispanic	5.4 7	4.9 6	3.9 3	7.8 8	6.5 9	9.5 13	6.2 7	13.2 15	10.3 16	9.7 17	9.2 19
Black	* *	5.6 3	* *	10.1 5	* *	* *	* *	4.7 3	14.6 7	12.5 7	6.3 5
Female											
All Races	2.2 34	2.3 36	2.2 35	2.8 47	3.1 53	2.4 42	2.6 48	2.5 46	2.2 41	2.9 58	3.4 69
White/Non-Hispanic	1.9 26	1.8 24	2.0 28	2.5 36	3.0 44	2.2 34	2.4 37	2.5 40	2.3 37	2.3 40	2.9 50
White/Hispanic	* *	6.7 7	4.4 6	5.4 8	4.0 6	4.3 6	3.2 5	3.3 5	* *	7.1 12	6.3 12
Black	8.7 4	* *	* *	* *	* *	* *	6.1 4	* *	* *	* *	4.9 3

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

Colorado Cancer Mortality: 1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity

Lung and Bronchus

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	46.4 1257	42.8 1204	45.1 1305	45.0 1333	42.1 1280	43.5 1349	41.8 1322	43.6 1411	41.0 1362	41.1 1426	42.1 1484
White/Non-Hispanic	48.2 1152	44.2 1092	46.5 1175	46.3 1201	43.2 1145	44.5 1203	42.9 1176	45.5 1276	42.5 1222	43.2 1290	44.2 1319
White/Hispanic	30.2 61	24.6 53	27.6 66	30.6 72	30.5 74	32.5 81	30.5 82	27.9 76	24.8 72	25.5 71	23.4 83
Black	43.8 32	63.4 46	58.7 49	58.0 45	49.6 45	51.3 45	60.0 53	45.7 41	57.6 51	47.2 46	66.4 64
Male											
All Races	71.1 807	61.0 734	64.9 796	63.3 800	58.9 755	62.0 811	57.0 761	57.9 784	54.8 768	51.5 775	52.4 789
White/Non-Hispanic	73.3 734	63.0 666	66.7 713	65.0 720	60.2 675	63.3 724	57.7 671	59.9 705	56.4 686	53.5 694	54.2 691
White/Hispanic	49.6 42	33.3 32	42.2 44	45.4 45	39.1 40	46.9 49	41.5 48	39.2 44	35.6 44	39.2 48	30.4 47
Black	64.9 22	90.9 26	85.8 30	95.7 27	86.3 31	78.1 27	101.5 33	62.8 23	70.4 26	55.9 24	101.8 40
Female											
All Races	29.4 450	29.7 470	31.2 509	31.9 533	30.5 525	30.6 538	31.3 561	34.0 627	31.5 594	33.5 651	35.2 695
White/Non-Hispanic	31.1 418	30.7 426	32.4 462	32.9 481	31.4 470	31.3 479	32.5 505	35.7 571	32.9 536	35.7 596	37.5 628
White/Hispanic	16.3 19	17.7 21	16.4 22	19.7 27	24.5 34	22.3 32	22.5 34	20.4 32	17.0 28	15.1 23	18.9 36
Black	26.0 10	48.2 20	40.6 19	38.6 18	26.4 14	35.0 18	37.9 20	34.8 18	49.9 25	40.6 22	43.0 24

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Melanomas of the Skin

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	2.9 83	3.4 101	2.4 74	3.8 120	2.7 86	3.2 104	3.1 107	3.4 117	2.7 93	3.3 122	3.1 118
White/Non-Hispanic	3.1 78	3.8 99	2.7 72	4.4 119	3.0 84	3.5 99	3.6 104	3.9 114	3.0 89	3.8 120	3.7 117
White/Hispanic	3.0 5	* *	* *	* *	* *	1.3 4	* *	0.9 3	1.4 4	* *	* *
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Male											
All Races	4.5 53	4.1 56	3.2 45	5.5 80	3.9 55	3.8 53	4.2 63	5.6 82	4.1 62	4.7 75	4.8 76
White/Non-Hispanic	4.7 49	4.6 55	3.8 45	6.4 80	4.4 54	4.1 50	4.8 62	6.5 81	4.5 59	5.5 74	5.6 76
White/Hispanic	5.6 4	* *	* *	* *	* *	* *	* *	* *	2.8 3	* *	* *
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Female											
All Races	1.8 30	2.8 45	1.7 29	2.3 40	1.7 31	2.8 51	2.4 44	1.8 35	1.6 31	2.3 47	2.0 42
White/Non-Hispanic	2.1 29	3.2 44	1.8 27	2.6 39	1.9 30	3.1 49	2.7 42	2.0 33	1.8 30	2.6 46	2.3 41
White/Hispanic	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphs.state.co.us/pp/cccr/cccrhom.asp

Colorado Cancer Mortality: 1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity

Multiple Myeloma

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	4.1 107	3.7 99	3.6 101	3.4 99	3.9 112	4.5 137	4.1 127	3.5 111	3.4 113	4.2 141	3.7 126
White/Non-Hispanic	4.0 92	3.8 90	3.3 82	3.6 91	3.9 98	4.1 109	4.0 107	3.4 94	3.4 97	3.9 115	3.7 109
White/Hispanic	3.9 8	2.6 6	4.5 9	2.4 5	2.8 7	4.9 14	2.8 8	4.3 11	3.9 12	4.2 12	2.4 8
Black	9.4 6	2.9 3	15.8 10	2.7 3	8.9 7	12.4 11	12.4 9	4.6 5	4.2 3	14.0 12	8.1 6
Male											
All Races	4.4 44	4.2 48	4.8 56	4.0 50	3.7 45	6.3 80	6.2 79	4.4 59	4.5 63	4.8 67	4.2 61
White/Non-Hispanic	4.5 40	4.3 43	4.3 45	4.1 45	4.0 42	5.7 61	5.7 64	4.4 52	4.5 54	4.5 55	4.4 53
White/Hispanic	5.9 4	3.6 3	8.7 7	3.7 3	* *	9.7 12	4.6 5	5.1 5	4.1 6	4.9 5	2.7 4
Black	* *	* *	15.1 4	* *	* *	13.1 5	24.1 7	* *	10.7 3	23.2 7	* *
Female											
All Races	4.1 63	3.3 51	2.8 45	3.0 49	4.0 67	3.3 57	2.7 48	2.9 52	2.7 50	3.8 74	3.2 65
White/Non-Hispanic	3.9 52	3.4 47	2.6 37	3.2 46	3.8 56	3.1 48	2.8 43	2.6 42	2.6 43	3.5 60	3.3 56
White/Hispanic	2.8 4	2.1 3	* *	* *	3.8 5	* *	1.6 3	4.0 6	3.6 6	3.9 7	2.0 4
Black	15.7 6	* *	16.1 6	* *	12.9 6	12.0 6	* *	5.6 3	* *	10.1 5	8.9 4

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Non-Hodgkin Lymphoma

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	8.7 233	6.6 181	7.9 229	9.0 267	9.1 278	8.0 248	8.7 274	8.7 281	7.7 253	7.8 271	7.7 275
White/Non-Hispanic	9.4 220	6.9 165	8.1 203	9.4 241	9.5 249	8.3 221	9.0 246	9.0 254	8.0 228	8.3 248	7.9 238
White/Hispanic	4.4 9	4.8 12	5.8 16	6.6 19	6.6 20	5.8 18	8.2 21	7.5 20	5.7 15	4.0 16	6.3 23
Black	2.5 3	3.1 3	8.5 8	* *	6.0 5	4.4 5	6.3 7	6.4 5	6.3 5	4.9 5	8.5 8
Male											
All Races	10.4 120	8.6 94	10.9 133	10.1 132	10.3 139	8.9 123	10.6 146	10.0 144	8.4 117	9.6 142	10.0 149
White/Non-Hispanic	11.4 114	8.9 85	11.4 120	10.7 118	10.7 123	9.2 109	11.0 130	10.1 126	8.8 106	10.6 133	10.2 129
White/Hispanic	3.8 4	5.4 6	8.6 11	6.0 10	6.6 10	6.9 9	9.7 11	14.1 16	5.0 6	4.0 7	7.9 13
Black	* *	6.2 3	* *	* *	* *	8.0 4	10.9 5	* *	8.6 3	* *	7.6 4
Female											
All Races	7.5 113	5.5 87	5.9 96	8.0 135	8.1 139	7.1 125	7.2 128	7.4 137	7.2 136	6.5 129	6.2 126
White/Non-Hispanic	7.9 106	5.8 80	5.8 83	8.4 123	8.4 126	7.3 112	7.5 116	8.0 128	7.4 122	6.7 115	6.3 109
White/Hispanic	4.8 5	4.4 6	3.6 5	6.8 9	6.5 10	5.1 9	7.2 10	2.8 4	6.0 9	4.3 9	5.1 10
Black	* *	* *	10.2 6	* *	7.9 3	* *	* *	9.0 4	* *	7.4 4	8.0 4

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Ovary

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	5.5 146	4.7 130	4.4 127	4.3 131	4.6 138	4.6 143	5.1 165	5.1 169	4.9 168	4.6 166	5.2 189
White/Non-Hispanic	5.5 127	5.0 120	4.5 114	4.2 111	5.0 129	4.8 131	5.5 153	5.4 153	5.3 155	4.9 151	5.5 169
White/Hispanic	7.2 16	2.6 6	2.9 8	5.3 15	1.6 5	3.1 9	3.3 9	4.5 14	2.7 7	3.3 11	2.9 11
Black	4.8 3	* *	4.3 3	5.5 4	* *	* *	* *	* *	4.6 4	3.9 4	5.9 5
Female											
All Races	9.5 146	8.4 130	7.8 127	7.7 131	8.1 138	8.0 143	9.1 165	9.1 169	8.7 168	8.3 166	9.3 189
White/Non-Hispanic	9.5 127	8.9 120	8.0 114	7.6 111	8.8 129	8.5 131	9.8 153	9.6 153	9.4 155	8.8 151	9.9 169
White/Hispanic	12.9 16	4.6 6	5.4 8	9.8 15	3.1 5	5.7 9	6.0 9	8.2 14	4.6 7	5.9 11	5.3 11
Black	7.7 3	* *	7.2 3	8.9 4	* *	* *	* *	* *	7.9 4	7.2 4	10.3 5

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Pancreas

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	10.1 267	10.2 272	11.6 325	9.7 275	9.6 280	10.8 324	10.6 324	10.4 336	10.4 345	9.0 312	9.7 349
White/Non-Hispanic	10.0 235	9.8 233	11.7 287	9.6 239	9.7 249	10.6 276	10.4 275	10.4 290	10.7 304	8.8 263	9.8 295
White/Hispanic	11.7 23	13.5 27	9.7 23	9.5 23	8.4 19	11.8 30	12.3 34	10.7 32	7.9 25	11.3 33	9.2 34
Black	11.5 7	13.9 9	18.7 12	16.2 10	11.1 10	14.5 12	12.6 9	9.7 9	15.0 14	12.3 12	14.2 13
Male											
All Races	12.5 142	11.1 131	11.8 144	11.3 136	11.4 141	12.3 155	12.8 167	12.5 172	11.6 166	12.4 185	10.3 162
White/Non-Hispanic	12.6 128	10.5 110	11.7 125	10.8 114	11.1 121	12.2 133	12.7 142	12.8 150	11.8 143	12.2 156	10.7 141
White/Hispanic	13.6 11	18.3 16	9.7 10	15.8 16	11.2 10	9.2 10	16.3 20	9.6 14	10.3 14	14.2 18	8.2 14
Black	* *	7.4 3	24.3 6	19.6 5	18.7 8	17.1 8	7.1 3	12.5 6	18.2 9	21.3 9	8.0 4
Female											
All Races	8.2 125	9.1 141	11.2 181	8.5 139	8.2 139	9.7 169	8.9 157	8.9 164	9.5 179	6.4 127	9.3 187
White/Non-Hispanic	7.9 107	9.0 123	11.4 162	8.6 125	8.6 128	9.3 143	8.6 133	8.8 140	9.9 161	6.2 107	9.1 154
White/Hispanic	10.5 12	9.9 11	9.8 13	4.9 7	6.7 9	13.9 20	9.1 14	11.3 18	6.2 11	9.2 15	9.3 20
Black	13.8 5	16.6 6	16.0 6	13.7 5	* *	10.4 4	14.7 6	7.2 3	11.1 5	5.5 3	17.9 9

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Prostate

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	15.0 371	15.2 387	13.9 361	14.3 388	13.2 363	11.5 326	12.4 356	11.4 341	11.9 360	11.5 373	10.2 337
White/Non-Hispanic	15.0 331	15.0 338	13.6 315	14.3 344	13.4 328	11.2 280	12.3 312	11.0 291	12.2 325	11.4 327	10.3 291
White/Hispanic	11.5 20	12.4 25	14.8 28	13.9 29	11.1 22	11.2 25	8.4 20	12.5 30	9.4 23	9.0 19	8.6 28
Black	33.0 18	28.6 20	22.7 14	19.1 12	18.6 11	30.1 20	28.2 18	27.3 18	15.4 11	32.0 25	18.9 16
Male											
All Races	41.2 371	41.3 387	37.6 361	38.1 388	35.4 363	30.7 326	33.4 356	29.6 341	31.6 360	30.8 373	27.0 337
White/Non-Hispanic	41.7 331	41.7 338	37.4 315	38.4 344	36.3 328	30.3 280	33.5 312	28.9 291	32.5 325	30.7 327	27.2 291
White/Hispanic	28.0 20	29.6 25	35.9 28	33.7 29	27.6 22	27.3 25	20.5 20	30.7 30	23.7 23	24.2 19	23.2 28
Black	93.7 18	70.6 20	63.1 14	50.7 12	55.6 11	81.6 20	83.0 18	75.9 18	43.6 11	83.5 25	47.4 16

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Soft Tissue, including Heart

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	1.4 41	1.2 35	1.5 46	1.5 49	1.3 40	1.5 49	1.6 53	1.4 49	1.3 46	1.3 47	1.6 61
White/Non-Hispanic	1.4 36	1.4 33	1.6 40	1.6 44	1.2 32	1.3 36	1.5 44	1.4 42	1.3 39	1.4 44	1.7 51
White/Hispanic	* *	* *	1.1 4	* *	2.4 7	2.6 9	1.2 5	2.6 7	0.6 3	1.4 3	1.5 7
Black	3.1 3	* *	* *	2.8 3	* *	3.7 4	3.7 4	* *	2.4 3	* *	* *
Male											
All Races	1.1 17	1.7 20	1.9 26	1.8 24	1.3 16	1.5 22	1.7 27	1.3 20	1.4 22	1.3 20	1.9 30
White/Non-Hispanic	1.1 14	1.9 18	1.9 22	2.0 23	1.3 13	1.3 15	1.7 22	1.2 16	1.4 19	1.3 18	1.8 24
White/Hispanic	* *	* *	1.8 3	* *	1.9 3	2.2 4	* *	2.8 4	* *	* *	2.3 5
Black	* *	* *	* *	* *	* *	5.3 3	8.4 4	* *	* *	* *	* *
Female											
All Races	1.5 24	0.9 15	1.2 20	1.4 25	1.3 24	1.5 27	1.4 26	1.5 29	1.2 24	1.3 27	1.5 31
White/Non-Hispanic	1.6 22	1.1 15	1.3 18	1.4 21	1.2 19	1.4 21	1.4 22	1.6 26	1.2 20	1.5 26	1.6 27
White/Hispanic	* *	* *	* *	* *	2.7 4	2.8 5	1.8 4	2.2 3	1.2 3	* *	* *
Black	* *										

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Stomach

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	6.1 155	4.8 130	5.2 145	4.3 125	4.2 127	4.7 144	3.9 124	4.1 136	4.3 146	3.3 115	3.5 125
White/Non-Hispanic	5.6 126	4.3 102	4.7 114	3.7 93	3.8 98	3.8 102	3.5 95	3.7 106	3.5 102	2.8 83	2.8 85
White/Hispanic	8.2 15	9.8 21	9.6 21	7.6 17	8.2 21	11.3 29	7.1 18	7.4 20	9.9 29	8.4 24	7.9 30
Black	12.8 8	5.6 4	6.0 5	16.8 12	3.0 3	6.2 5	8.1 7	8.3 7	6.9 7	2.5 3	4.9 5
Male											
All Races	7.1 75	6.4 74	6.5 78	6.9 85	5.6 73	6.5 88	5.8 81	5.4 78	5.7 83	4.5 67	4.6 73
White/Non-Hispanic	7.1 65	5.9 59	6.0 64	5.6 60	5.0 56	5.1 60	5.0 61	4.5 57	5.1 63	4.0 52	4.1 54
White/Hispanic	6.3 5	12.5 12	11.5 11	14.0 13	12.5 14	15.6 19	11.1 12	10.5 12	8.9 12	9.0 11	7.6 14
Black	13.2 4	* *	* *	31.7 9	* *	13.1 3	14.4 6	17.1 6	15.5 6	* *	* *
Female											
All Races	5.3 80	3.6 56	4.2 67	2.4 40	3.1 54	3.2 56	2.4 43	3.1 58	3.3 63	2.4 48	2.5 52
White/Non-Hispanic	4.5 61	3.1 43	3.5 50	2.2 33	2.8 42	2.8 42	2.2 34	3.1 49	2.4 39	1.8 31	1.8 31
White/Hispanic	9.6 10	8.0 9	8.0 10	3.1 4	4.8 7	7.7 10	4.2 6	5.3 8	10.5 17	8.1 13	7.3 16
Black	11.4 4	* *	6.2 3	7.0 3	* *	* *	* *	* *	* *	* *	4.7 3

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Testis

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.2 9	0.2 8	0.2 7	* *	* *	0.2 7	* *	* *	0.2 7	0.1 3	0.1 4
White/Non-Hispanic	0.3 8	0.2 7	0.2 6	* *	* *	0.2 6	* *	* *	0.2 6	* *	0.1 4
White/Hispanic	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Male											
All Races	0.5 9	0.5 8	0.3 7	* *	* *	0.4 7	* *	* *	0.4 7	0.1 3	0.2 4
White/Non-Hispanic	0.5 8	0.5 7	0.4 6	* *	* *	0.4 6	* *	* *	0.4 6	* *	0.2 4
White/Hispanic	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Thyroid

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	0.5 12	0.3 10	0.4 11	0.3 9	0.4 12	0.4 11	0.5 15	0.6 19	0.8 26	0.4 14	0.3 12
White/Non-Hispanic	0.4 9	0.3 7	0.3 8	0.3 7	0.5 11	0.3 9	0.4 11	0.6 16	0.8 22	0.3 10	0.2 6
White/Hispanic	1.6 3	1.0 3	* *	* *	* *	* *	1.0 3	0.9 3	1.0 3	1.2 3	1.4 5
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Male											
All Races	0.3 5	* *	* *	0.5 6	0.4 5	* *	0.4 5	0.5 8	0.7 10	0.5 7	0.4 6
White/Non-Hispanic	0.3 4	* *	* *	0.4 5	0.4 4	* *	0.5 5	0.5 7	0.8 9	0.5 6	0.3 4
White/Hispanic	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *
Female											
All Races	0.5 7	0.5 9	0.6 9	0.2 3	0.4 7	0.5 9	0.6 10	0.6 11	0.8 16	0.3 7	0.3 6
White/Non-Hispanic	0.4 5	0.4 6	0.4 6	* *	0.5 7	0.5 8	0.4 6	0.6 9	0.8 13	0.2 4	* *
White/Hispanic	* *	2.0 3	* *	* *	* *	* *	1.8 3	* *	* *	2.0 3	1.7 3
Black	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *	* *

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

**Colorado Cancer Mortality:
1991-2001 Annual Rates and Deaths by Cancer Site, Sex, and Race/Ethnicity**

Urinary Bladder

	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001
Both Sexes											
All Races	4.4 113	4.1 104	4.0 110	4.2 119	3.8 110	4.1 123	4.2 125	3.7 111	4.0 124	3.5 116	3.9 133
White/Non-Hispanic	4.7 106	4.3 98	4.2 101	4.2 105	4.0 102	4.5 116	4.6 120	3.9 103	4.3 116	3.8 111	4.2 122
White/Hispanic	2.2 4	3.4 6	2.6 7	3.8 7	2.4 5	1.8 5	1.5 4	3.0 6	2.0 6	* *	1.5 5
Black	* *	* *	* *	8.6 6	* *	* *	* *	* *	* *	* *	4.9 4
Male											
All Races	8.0 80	6.7 65	6.8 77	8.4 94	7.1 81	7.2 85	7.0 85	5.8 70	6.5 84	5.7 73	6.4 85
White/Non-Hispanic	8.5 76	7.0 60	7.2 71	8.5 84	7.6 76	7.9 81	7.7 82	6.1 65	6.8 76	6.2 70	6.9 78
White/Hispanic	* *	7.0 5	3.4 4	8.1 6	3.0 3	2.1 3	2.1 3	4.0 3	4.7 6	* *	* *
Black	* *	* *	* *	6.7 3	* *	* *	* *	* *	* *	* *	12.2 4
Female											
All Races	2.2 33	2.5 39	2.1 33	1.5 25	1.7 29	2.2 38	2.3 40	2.3 41	2.2 40	2.1 43	2.3 48
White/Non-Hispanic	2.2 30	2.8 38	2.1 30	1.4 21	1.8 26	2.3 35	2.4 38	2.4 38	2.4 40	2.3 41	2.5 44
White/Hispanic	* *	* *	2.0 3	* *	* *	* *	* *	2.4 3	* *	* *	1.7 3
Black	* *	* *	* *	8.3 3	* *						

* Fewer than 3 events in this category.

Rates are per 100,000 population, age-adjusted to the 2000 United States standard population.

Data source: Vital Statistics Section, Colorado Department of Public Health and Environment

Prepared by: Colorado Central Cancer Registry, Colorado Department of Public Health and Environment

Web address: www.cdphe.state.co.us/pp/cccr/cccrhom.asp

SEER Site Groupings for Selected Sites of Cancer Incidence

<u>Primary Site</u>	<u>ICD-O-3 Site Code</u>	<u>ICD-O-3 Histology Code</u>
<u>Buccal Cavity and Pharynx</u>		
Lip	C000-C009	excludes 9590-9989
Tongue	C019-C029	excludes 9590-9989
Major Salivary Gland	C079-C089	excludes 9590-9989
Floor of Mouth	C040-C049	excludes 9590-9989
Gum and Other Mouth	C030-C039, C050-C059, C060-C069	excludes 9590-9989
Nasopharynx	C110-C119	excludes 9590-9989
Tonsil	C090-C099	excludes 9590-9989
Oropharynx	C100-C109	excludes 9590-9989
Hypopharynx	C129, C130-C139	excludes 9590-9989
Pharynx and Other Buccal Cavity	C140, C142-C148	excludes 9590-9989
<u>Digestive System</u>		
Esophagus	C150-C159	excludes 9590-9989
Stomach	C160-C169	excludes 9590-9989
Small Intestine	C170-C179	excludes 9590-9989
Colon and Rectum	C180-C189, C199, C209, C260	excludes 9590-9989
Anus, Anal Canal, and Anorectum	C210-C212, C218	excludes 9590-9989
Liver and Intrahepatic Bile Duct	C220-C221	excludes 9590-9989
Gallbladder	C239	excludes 9590-9989
Other Biliary	C240-C249	excludes 9590-9989
Pancreas	C250-C259	excludes 9590-9989
Retroperitoneum	C480	excludes 9590-9989
Peritoneum	C481-C482	excludes 9590-9989
Other Digestive Organs	C268-C269, C488	excludes 9590-9989
<u>Respiratory System</u>		
Nasal Cavity, Sinuses, and Middle Ear	C300-C301, C310-C319	excludes 9590-9989
Larynx	C320-C329	excludes 9590-9989
Lung and Bronchus	C340-C349	excludes 9590-9989
Trachea, Pleura, and Other Respiratory Organs	C339, C381-C384, C388, C390, C398, C399	excludes 9590-9989
<u>Bones and Joints</u>	C400-C419	excludes 9590-9989
<u>Soft Tissue, including Heart</u>	C380, C470-C479, C490-C499	excludes 9590-9989
<u>Skin (excluding Basal and Squamous Cell Carcinoma)</u>		
Melanomas of the Skin	C440-C449	8720-8790
Non-Melanoma Skin Cancers (excluding Basal and Squamous Cell)	C440-C449	excludes 8000-8005, 8010-8045, 8050-8084, 8090-8110, 8720-8790, 9590-9989
<u>Breast</u>	C500-C509	excludes 9590-9989
<u>Female Genital System</u>		
Cervix Uteri	C530-C539	excludes 9590-9989
Corpus Uteri	C540-C549, C559	excludes 9590-9989
Ovary	C569	excludes 9590-9989
Vagina	C529	excludes 9590-9989
Vulva	C510-C519	excludes 9590-9989
Other Female Genital Organs	C570-C589	excludes 9590-9989

SEER Site Groupings for Selected Sites of Cancer Incidence

<u>Primary Site</u>	<u>ICD-O-3 Site Code</u>	<u>ICD-O-3 Histology Code</u>
<u>Male Genital System</u>		
Prostate	C619	excludes 9590-9989
Testis	C620-C629	excludes 9590-9989
Penis	C600-C609	excludes 9590-9989
Other Male Genital Organs	C630-C639	excludes 9590-9989
<u>Urinary System</u>		
Urinary Bladder	C670-C679	excludes 9590-9989
Kidney and Renal Pelvis	C649, C659	excludes 9590-9989
Ureter	C669	excludes 9590-9989
Other Urinary Organs	C680-C689	excludes 9590-9989
<u>Eye</u>	C690-C699	excludes 9590-9989
<u>Brain and Other Nervous System</u>		
Brain	C710-C719	excludes 9530-9539, 9590-9989
Other Nervous System (excluding Brain)	C710-C719 C700-C709, C720-C729	9530-9539 excludes 9590-9989
<u>Endocrine System</u>		
Thyroid	C739	excludes 9590-9989
Other Endocrine Organs	C379, C740-C749, C750-C759	excludes 9590-9989
<u>Lymphomas</u>		
Hodgkin Lymphoma		9650-9667
Non-Hodgkin Lymphoma		9590-9596, 9670-9671, 9673, 9675, 9678-9680, 9684, 9687, 9689-9691, 9695, 9698-9702, 9705, 9708-9709, 9714-9719, 9727-9729
	All sites except C420-C421, C424	9823, 9827
<u>Multiple Myeloma</u>		9731-9732, 9734
<u>Leukemias</u>		
Acute Lymphocytic Leukemia		9826, 9835-9837
Chronic Lymphocytic Leukemia	C420-C421, C424	9823
Acute Myeloid Leukemia		9840, 9861, 9866-9867, 9871-9874, 9895-9897, 9910, 9920
Chronic Myeloid Leukemia		9863, 9875-9876, 9945-9946
Other Leukemias		9733, 9742, 9800-9801, 9805, 9820, 9831-9834, 9860, 9870, 9891, 9930-9931, 9940, 9948, 9963-9964
	C420-C421, C424	9827
<u>Other, Ill-Defined & Unknown Sites</u>		9050-9055, 9140, 9740-9741, 9750-9758, 9760-9769, 9950, 9960-9962, 9970, 9975, 9980, 9982-9987, 9989
	C420-C424, C760-C768, C770-C779, C809	excludes 9590-9989

SEER Site Groupings for Selected Cancer Causes of Death

<u>Primary Site</u>	<u>ICD-9 Codes¹</u>	<u>ICD-10 Codes²</u>
All Cancers Combined	140.0-208.9, 238.6	C00.0-C97.9
Buccal Cavity and Pharynx	140.0-149.9	C00.0-C14.9
Esophagus	150.0-150.9	C15.0-C15.9
Stomach	151.0-151.9	C16.0-C16.9
Colon and Rectum	153.0-154.1, 159.0	C18.0-C20.9, C26.0
Liver and Intrahepatic Bile Duct	155.0-155.2	C22.0-C22.9
Pancreas	157.0-157.9	C25.0-C25.9
Larynx	161.0-161.9	C32.0-C32.9
Lung and Bronchus	162.2-162.5, 162.8-162.9	C34.0-C34.9
Bones and Joints	170.0-170.9	C40.0-C41.9
Soft Tissue, including Heart	171.0-171.9, 164.1	C38.0, C45.2, C47.0-C47.9 C49.0-C49.9
Melanomas of the Skin	172.0-172.9	C43.0-C43.9
Breast	174.0-174.9, 175.0-175.9	C50.0-C50.9
Cervix Uteri	180.0-180.9	C53.0-C53.9
Corpus Uteri	179.0-179.9, 182.0-182.9	C54.0-C55.9
Ovary	183.0	C56.0-C56.9
Prostate	185.0-185.9	C61.0-C61.9
Testis	186.0-186.9	C62.0-C62.9
Urinary Bladder	188.0-188.9	C67.0-C67.9
Kidney and Renal Pelvis	189.0-189.1	C64.0-C65.9
Brain and Other Nervous System	191.0-192.9	C70.0-C72.9
Thyroid	193.0-193.9	C73.0-C73.9
Non-Hodgkin Lymphoma	200.0-200.8, 202.0-202.2, 202.8-202.9	C82.0-C85.9, C96.3
Hodgkin Lymphoma	201.0-201.9	C81.0-81.9
Multiple Myeloma	203.0, 203.2-203.8, 238.6	C90.0, C90.2
Leukemia	202.4, 203.1, 204.0-208.9	C90.1, 91.0-95.9
Acute Lymphocytic Leukemia	204.0	C91.0
Chronic Lymphocytic Leukemia	204.1	C91.1
Acute Myeloid Leukemia	205.0, 207.0, 207.2	C92.0, C92.4-C92.5, C94.0, C94.2
Chronic Myeloid Leukemia	205.1	C92.1

¹ICD-9 Codes used for deaths occurring between 1991-1998.

²ICD-10 Codes used for deaths occurring between 1999-2001.